Consortium of Medical Engineering and Dental Colleges of Karnataka (COMEDK) Undergraduate Entrance Test(UGET) Biology-2008

BIOLOGY

- 1. Human egg is
 - 1) Telolecithal
- 2) Megalecithal
- 3) Alecithal 4) Centrolecithal
- 2. There are 64 codons in the genetic dictionary as
 - 1) There are 64 amino acids to be coded
 - 2) Genetic code has a triplet nature
 - 3) There are 3 nonsense codons and 61 sense codons
 - 4) There are 64 different types of t-RNA
- 3. Vassopressin released from the neurohypophysis is mainly responsible for
 - 1) Facultative reabsorption of water through DCT
 - 2) Obligatory reabsorption of water through PCT
 - 3) Facultation reabsorption of water through Henlis loop
 - 4) Obligatory reabsorption of water through Bowman's capsule

4. Identify the substage of prophase I of meiosis during which synapsis takes place

- 1) Leptotene 2) Pachytene
- 3) Diplotene 4) Zygotene
- 5. Protein part of a Holoenzyme is called
 - 1) Coenzyme

- 2) Apoenzyme
- 3) Exoenzyme 4) Endoenzyme

- 6. Intercalary meristem is a derivative of
 - 1) Primary meristem
 - 3) Lateral meristem
- Which one of the following is not a device to promote cross-pollination ? 7.
 - 1) Herkogamy
 - 3) Cleistogamy 4) Heterostyly
- 8. Anterior choroid plexus is present on the
 - 1) Roof of Diencephalon
 - 3) Floor of Diencephalon
- 9. Which of the following statements is true about viruses?
 - 1) Viruses are filterable facultative parasites
 - 2) Viruses are capable of performing metabolic activities on their own.
 - 3) All viruses known to man are obligate parasites
 - 4) Some viruses have cellular structure and are saprophytes
- 10. A condition where a certain gene is present in only a single copy in a diploid cel is called
 - 1) Homozygous 2) Hemizygous
 - 3) Heterozygous 4) Monogamous

- 2) Secondary meristem 4) Promeristem
- 2) Dichogamy
- 2) Roof of medulla oblongata
- 4) Cerebral hemispheres

11. Genetically dwarf plants can be induced to grow tall by using

- 1) Auxins 2) Cytokinins
- 3) Gibberellins 4) Phycobillins
- 12. Match the phenomenon listed under column I with those listed under column II. Select the correct answer from the options given.

		Column I		Column II
	A	Warburg effect	р	Change in gene frequency by chance
	B	Pasteur effect	q	Postponing severance in the leaves by applying cytokinin
	С	Emerson effect	r	Decline in the consumption of respiratory substrate due to a change from anaerobic to aerobic respiration
	D	Wright effect	s	Inhibitory effect of O_2 on photosynthesis
			t	Enhancement of photosynthesis by subjecting chlorophyll to the effect two different wavelengths of light
	1) $A = t$, $B = s$, $C = p$, $D = q$ 2) $A = s$, $B = r$, $C = t$, $D = p$			
3) $A = s$, $B = t$, $C = q$, $D = r$ 4) $A = t$, $B = r$, $C = p$, $D = s$				A = r (4) $A = t$, $B = r$, $C = p$, $D = s$

13. Which of the following is an agrostologic method of soil conservation?

1) Dry farming2) Mulching3) Basin listing4) Terracing

answer where the alphabets are matched with the processes.

14. The sequence of events mentioned below are symbolised by alphabets. Choose the correct

$$\begin{array}{ccc} & \textcircled{B} & \textcircled{D} \\ RNA & DNA & & DNA \\ \hline \end{array} \begin{array}{ccc} & \textcircled{D} \\ mRNA & & & Polypeptide \\ \end{array}$$

- 1) A = Replication, B = Transcription, C = Translation, D = Transduction
- 2) A = Reverse transcription, B = Translation, C = Transcription, D = Replication
- 3) A = Replication, B = Transformation, C = Transcription, D = Translation
- 4) A = Reverse transcription, B = Replication, C = Transcription, D = Translation

15. Identify the alga known for a biological activity called bioluminescence.

- 1) Cyclotella 2) Noctiluca
- 3) Spirogyra 4) Chlorella

- **16.** The problem of necrosis and gradual senescence while performing tissue culture can overcome by
 - 1) Suspension culture
 - 3) Spraying auxins 4) Spraying cytokinins
- 17. The immunoglobulin present in mother's milk is
 - 1) IgM 2) IgA
 - 3) IgD 4) IgE
- 18. The diagram given by the side represents the sectional view of
 - 1) Anatropous ovule
 - 2) Orthotropous ovule
 - 3) Amphitropous ovule
 - 4) Campylotropous ovule
- 19. In CAM plants, CO₂ required for photosynthesis enters the plant body during
 - 1) Daytime when the stomata are open
 - 2) Night when the hydathodes are open
 - 3) Daytime through the lenticels
 - 4) Night through the stomata which are kept open
- 20. A detrivorous animal of economic importance is
 - 1) Caterpillar larva 2) Leech
 - 3) Earthworm 4) Giriraja fowl



- 2) Subculture

21. Benedicts reagent test is conducted to confirm the presence of

- 1) Reducing sugars 2) Proteins
- 3) Polysaccharides like starch 4) Lipids
- 22. An alkaloid called 'Reserpine' is extracted from
 - 1) Leaves of Sarpaganda 2) Roots of Ashwaganda
 - 3) Leaves of Ashwaganda 4) Roots of Sarpaganda

23. Nobel prize for medicine was given for confirming the role of <u>Helicobacter pylori</u> in causing

1) Bronchitis

- 2) Peptic ulcer
- 3) Nephritis 4) Rhinitis
- 24. In the sigmoid growth curve given by the side, the alphabets indicate the sequence of events. Choose the correct option where the alphabet specifies the event.





1)	A = Diminishing growth	B = Exponential growth
	C = Slow growth	D = Stationary growth
2)	A = Stationary phase	B = Phase of slow growth
	C = Phase of rapid growth	D = Phase of diminishing growth
3)	A = Phase of slow growth	B = Phase of exponential growth
	C = Phase of diminishing growth	D = Stationary phase
4)	A = Phase of rapid growth	B = Phase of diminishing growth
	C = Stationary phase	D = Phase of slow growth
_		

25. Transformation of the early reducing atmosphere of the earth into an oxidizing atmosphere was mainly due to the activities of

- 1) Aerobic photosynthesizers 2) Anaerobic heterotrophs
- 3) Anaerobic photosynthesizers 4) Anaerobic chemoheterotrophs

- 26. A leaf peeling of Tradescantia is kept in a medium having 10% NaCl. After a few minut if we observe the leaf peel under the microscope, we are likely to see
 - 1) Diffusion of NaCl into the cell 2) Exit of water from the cell
 - 3) Entry of water into the cell 4) The cells bursting out
- 27. Early leaf spot disease in Arachis hypogea is caused due to infection of
 - 1) Agrobacterium tumefaciens
 - 3) Circospora personata 4) Gibberella fujikuroi

28. Excessive growth of hair on the pinna is a feature found only in males because

1) The gene responsible for the character is recessive in females and dominant only in males

2) Phytophthora infestans

- 2) The character is induced in males as males produce testosterone
- 3) The female sex hormone estrogen suppresses the character in females
- 4) The gene responsible for the character is present on the Y chromosome only

29. Rapid increase in the blood sugar level of a patient can be immediately reduced by

- 1) Administering glucogon intravenously
- 2) Consuming large quantities of insulin tablets
- 3) Injecting insulin intravenously
- 4) Injecting insulin intramuscularly
- 30. Which of the following is found exclusively in the sea water?
 - 1) Prawns 2) Trygon
 - 3) Crabs

4) Oysters

- **31.** A gradual decrease in the size of the tail during metamorphosis in the life cycle of frog is a good example for
 - 1) cell senescence 2) pinocytic activity
 - 3) programmed cell death 4) cell necrosis

32. Spot out the zone of our country considered as the Hot Spot of biodiversity and regarded as the 'Cradle of Speciation'.

- Himalayan base
 Deccan plateau
 Western ghats
 North East
- 33. In Bt cotton, a transgenic plant, Bt refers to
 - Biotechnology
 Bacillus thurungiensis
 Botanical
 Beta
- 34. Sequence of cellular layers from the periphery towards the cortex in an old dicot stem is
 - 1) Epidermis, Hypodermis, Cortex, Endodermis
 - 2) Epidermis, Phellum, Phellogen, Phelloderm
 - 3) Epidermis, Hypodermis, Phellogen, Phelloderm
 - 4) Epidermis, Phellogen, Phellum, Epidermis
- **35.** Higher frequency of melanie British moths and DDT resistance in mosquitoes are cited as examples for
 - 1) Arrival of the fittest
- 2) Genetic drift
- 3) Natural selection 4) Point mutation

36. Who among the following is recognised as the father of Immunology ?

- 1) Edward Jenner 2) Louis Pasteur
 - 3) Robert Koch4) Ferdinand Kohn
- **37.** Whether a child died after normal birth or died before birth can be confirmed measuring
 - 1) the weight of the child 2) the dead space air
 - 3) tidal volume of air 4) residual volume of air

38. Syndactyly, prehensile tail and long protrusible tongue are the unique features of

- 1) Horse fish 2) Chameleon
- 3) Rhesus monkey 4) Archaeopteryx
- **39.** Match the hormones listed under column I with their functions listed under column Choose the answer which gives the correct combination of the alphabets of the t columns.

	Column I		Column II
A	Oxytocin	р	Stimulates ovulation
В	Prolactin	q	Implantation and maintainance of pregnancy
С	Luteinising hormone	r	Lactation after child birth
D	Progesteron	s	Uterine contraction during labour
		t	Reabsorption of water by Nephrons
	1) $A = s, B = r, C = p, D$	' = q	2) $A = t$, $B = p$, $C = s$, $D = r$
	3) $A = s, B = q, C = r, D$	= t	4) $A = t, B = r, C = p, D = s$

40. A dihybrid test cross-yielding a result of 1 : 1 : 1 : 1 ratio is indicative of

- 1) 4 different types of F₁ generation dihybrids
- 2) 4 different types of gametes produced by the P_1 parent
 - 3) 4 different types of gametes produced by the F_1 dihybrid
 - 4) Homozygous condition of the F_1 dihybrid

41. Given below are two statements A and B. Choose the correct answer related to the statements.

Statement A - Amino acids are amphoteric in their function.

Statement B - All amino acids are necessary for our body.

- 1) Statement A is wrong, statement B is correct
- 2) Both the statements A and B are wrong
- 3) Statement A is correct, statement B is wrong
- 4) Both the statements A and B are correct
- 42. Plants like <u>Aegle mormelos, Ocimum sanctum</u> and <u>Ficus religeosa</u> are a group of plants designated as
 - 1) Traditional food crops 2) Sacred species of plants
 - 3) Medicinal plant species 4) Lesser known food plants
- **43.** In the diagram given by the side, different parts are indicated by alphabets. Choose the answer in which these alphabets correctly match with the parts they indicate.



- 1) A = mouth, B = Tentacles,
 - C = Sucker, D = Segments
- 2) A = Sucker, B = Hairs,
 - C = Ring, D = Proglottids
- 3) A = Rostellum, B = Hooks,
 - C = Sucker, D = Proglottids
- 4) A = Suctorial mouth, B = Hooks,C = Sucker, D = Segments
- **44.** In a vascular bundle, if xylem vessels develop in a centripetal fashion, the xylem is likely to be
 - 1) Endarch

- 2) Exarch
- 3) Mesarch 4) Centrarch
- 45. Which of the following plant material is an efficient water imbibant?
 - 1) Agar

2) Cellulose

3) Lignin

4) Pectin

- 46. When body tissues are injured resulting in the loss of blood, the process of blood clott begins and the blood platelets release
 - 1) Prothrombin 2) Thrombin
 - 3) Fibrinogen 4) Thromboplastin
- 47. According to the lac-operon concept, which functional unit of the bacterial gene material is responsible for suppressing the activity of the operator gene in the abse of lactose ?
 - 1) Promoter gene 2) Repressor protein
 - 3) Regulator gene 4) Structural gene
- 48. A hybrid where the cytoplasm of two parent cells are fused by retaining only one parer nucleus is called
 - 1) An interbreed 2) Symmetric somatic hybrid
 - 3) Asymmetric somatic hybrid 4) Cybrid
- 49. A sexually transmitted disease symptomised by the development of chancre on genitals is caused by the infection of
 - 1) Human immunodeficiency virus 2) Hepatitis B virus
 - 3) Treponema pallidium 4) Neisseria gonorrhoeae
- 50. A phenomenon where the third base of t-RNA at its 5' end can pair with a n complementary base of m-RNA is called
 - 1) Degenerency 2) Wobbling
 - 3) Universality 4) Colinearity

- Identify the plant parts whose transverse sections show a clear and prominent pith. 51.
 - 1) Dicot root and monocot root
 - 4) Dicot stem and monocot root 3) Dicot stem and monocot stem
- 52. In the diagram of the lateral view of the human brain, parts are indicated by alphabets. Choose the answer in which these alphabets have been correctly matched with the parts which they indicate.



- 1) A = Temporal lobe, B = Parietal lobe, C = Cerebrum, D = Medulla oblongata, E = Frontal lobe
- 2) A = Frontal lobe, B = Temporal lobe, C = Cerebellum,D = Medulla oblongata, E = Parietal lobe
- 3) A = Temporal lobe, B = Parietal lobe, C = Cerebellum,
 - D = Medulla oblongata, E = Frontal lobe
- 4) A = Frontal lobe, B = Temporal lobe, C = Cerebrum,
 - D = Medulla oblongata, E = Occipetal lobe
- Of all the environmental factors which is the most influential in determining the rate of **i3**. transpiration?
 - 1) Relative humidity of atmosphere
 - 2) Temperature
 - 3) Light
 - 4) Water

i4. Curved portion of the Henle's loop of the Nephrons are lined by

- 1) Ciliated epithelium
 - 4) Columnar epithelium

In succulent plants like opuntia, the RQ value will be i5.

3) Squamous epithelium

- 1) Infinity 2) zero
- 3) less than 1 4) more than 1
- 2) Cuboidal epithelium

- - 2) Dicot stem and dicot root

56. An autosomal genetic disorder called 'cri-du-chat' is caused due to

- 1) Deletion 2) Duplication
- 3) Non-disjunction 4) Mutation
- 57. Notochord, skeletal system and dermis of the skin are the derivatives of
 - 1) Ectoderm 2) Endoderm
 - 3) Mesoderm 4) All the three layers
- 58. Photosynthesis cannot continue for long if during light reaction, only cyc photophosphorylation takes place. This is because
 - 1) There is unidirectional cyclic movement of the electrons
 - 2) There is no evolution of O_2
 - 3) Only ATP is formed NADPH⁺ + H⁺ is not formed
 - 4) Photosystem I stops getting excited at a wavelength of light beyond 680 nm
- 59. Which of the following sequences is truely a systemic circulation pathway?
 - 1) Left auricle \rightarrow left ventricle \rightarrow pulmonary aorta \rightarrow tissues \rightarrow right auric
 - 2) Left auricle → left ventricle → aorta → arteries → tissues
 → veins → right atrium
 - 3) Right ventricle → pulmonary aorta → tissues → pulmonary veins
 → left auricle
 - 4) Right auricle \rightarrow left ventricle \rightarrow aorta \rightarrow tissues \rightarrow veins \rightarrow right auricle
- 60. Oxalosuccinic acid, an intermediary compound of Krib's cycle is a
 - 1) 4 carbon compound 2) 3 carbon compound
 - 3) 5 carbon compound 4) 6 carbon compound