NEET QUESTION PAPER (2018) BOOKLET CODE - CHLAA (HH)

Current sensitivity of a moving coil galvanometer 1. is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V. The resistance of the galvanometer is

- (1) 250 Ω
- (2)  $40 \Omega$
- (3) 500 Ω
- (4) 25 Ω

2.

A metallic rod of mass per unit length 0.5 kg m<sup>-1</sup> is lying horizontally on a smooth inclined plane which makes an angle of  $30^{\circ}$  with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0.25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is

- (1) 14.76 A
- (2) 7.14 A
- (3) 11.32 A
- (4) 5·98 A

3. An inductor 20 mH, a capacitor 100  $\mu$ F and a resistor 50  $\Omega$  are connected in series across a source of emf, V = 10 sin 314 t. The power loss in the circuit is

- (1) 2.74 W
- (2) 0·79 W
- (3) 1·13 W
- $(4) \quad 0.43 \text{ W}$

4. A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from

- (1) the lattice structure of the material of the rod
- (2) the current source
- (3) the induced electric field due to the changing magnetic field
- (4) the magnetic field

CHLAA/HH/Page 2

The refractive index of the material of a prism is  $\sqrt{2}$  and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is

- (1) <u>30°</u>
- $(2) 60^{\circ}$
- (3) zero
- (4) 45°

An em wave is propagating in a medium with a velocity  $\overrightarrow{V} = V\hat{i}$ . The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along

- (1) y direction
  (2) z direction
  (3) x direction
  (4) + z direction
- 7. An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be
  - (1) 30 cm towards the mirror
    - (2) 30 cm away from the mirror
    - (3) 36 cm towards the mirror
    - (4) 36 cm away from the mirror
  - The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance
  - (1) 1·389 H
    (2) 0·138 H

8.

SPACE FOR ROUGH WORK

- (3) 13·89 H
- (4) 138-88 H

9. An electron of mass m with an initial velocity  $\overrightarrow{V} = V_0 \hat{i} \ (V_0 > 0)$  enters an electric field  $\overrightarrow{E} = -E_0 \hat{i} \ (E_0 = \text{constant} > 0)$  at t = 0. If  $\lambda_0$  is its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is

(1) 
$$\lambda_0 t$$
  
(2)  $\lambda_0$   
 $\left(1 + \frac{eE_0}{mV_0}t\right)$ 

 $(3) \quad \lambda_0$ 

$$(4) \quad \lambda_0 \left( 1 + \frac{eE_0}{mV_0} t \right)$$

10. When the light of frequency  $2v_0$  (where  $v_0$  is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is  $v_1$ . When the frequency of the incident radiation is increased to  $5v_0$ , the maximum velocity of electrons emitted from the same plate is  $v_2$ . The ratio of  $v_1$  to  $v_2$  is

$$(1) \quad 4:1 \\ (2) \quad 1:2 \\ (3) \quad 2:1 \\ (4) \quad 1:4 \\ (3)$$

- 11. For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is
  - (1) 30 (2) 20
  - (3) 15
  - (4) 10
- 12. The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is
  - $(1) \quad 2:-1$
  - (2) 1:1
  - (3) 1:-2
  - (4) 1:-1

CHLAA/HH/Page 3

## $2hv_0 = hv_0 + \frac{1}{2}mv_1^2$ $5hv_0 = hv_0 + \frac{1}{2}mv_2^2$ $hv_0 = \frac{1}{2}mv_1^2$ $4hv_0 = \frac{1}{2}mv_2^2$

 $h_{16} = \frac{1}{2} m_{1/2}^{2}$   $24h_{1/2} m_{1/2}^{2} = \frac{1}{2} m_{1/2}^{2}$ Unpolarised light is incident from air on a plane surface of a material of refractive index ' $\mu$ '. At a particular angle of incidence 'i', it is found that the reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation?

(1) 
$$i = \sin^{-1}\left(\frac{1}{\mu}\right)$$

- (2) Reflected light is polarised with its electric vector parallel to the plane of incidence
- (3)  $i = \tan^{-1}\left(\frac{1}{\mu}\right)$
- (4) Reflected light is polarised with its electric vector perpendicular to the plane of incidence
- 14. In Young's double slit experiment the separation d between the slits is 2 mm, the wavelength  $\lambda$  of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is 0.20°. To increase the fringe angular width to 0.21° (with same  $\lambda$ and D) the separation between the slits needs to be changed to
  - $(1) \quad 2.1 \text{ mm}$
  - (2) **1.8 mm**
  - (3) 1·7 mm
  - (4) **1.9** mm
- 15. An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
  - (1) large focal length and large diameter
  - (2) small focal length and large diameter
  - (3) small focal length and small diameter
  - (4) large focal length and small diameter

SPACE FOR ROUGH WORK

The power radiated by a black body is P and it orbit about the Sun, at positions A, B and C are 16. radiates maximum energy at wavelength,  $\lambda_0$ . If K<sub>A</sub>, K<sub>B</sub> and K<sub>C</sub>, respectively. AC is the major axis and SB is perpendicular to AC at the the temperature of the black body is now position of the Sun S as shown in the figure. changed so that it radiates maximum energy at wavelength  $\frac{3}{4}\lambda_0$ , the power radiated by it Then в becomes nP. The value of n is С 256(1)81 3  $K_B < K_A < K_C$ (1)(2)(2)  $K_A < K_B < K_C$ 81 (3) (3) K<sub>B</sub> > K<sub>A</sub> > K<sub>C</sub> 256  $K_A > K_B > K_C$ (4)(4) 3 A solid sphere is in rolling motion. In rolling Two wires are made of the same material and 21. 17. motion a body possesses translational kineti have the same volume. The first wire has energy  $(K_t)$  as well as rotational kinetic energ cross-sectional area A, and the second wire has cross-sectional area 3A. If the length of the first  $(\mathbf{K_r})$  simultaneously. The ratio  $\mathbf{K_t}:(\mathbf{K_t}+\mathbf{K_r})$  for wire is increased by  $\Delta l$  on applying a force F, the sphere is how much force is needed to stretch the second (1) 10:7wire by the same amount ? 7:10(2)4 F (1)2:5ഷ് 9 F 125 5:7(4) (3)  $\mathbf{F}$ A solid sphere is rotating freely about i (4) 6 F22. symmetry axis in free space. The radius of the A small sphere of radius 'r' falls from rest in a 18. sphere is increased keeping its mass sam viscous liquid. As a result, heat is produced due Which of the following physical quantities wou to viscous force. The rate of production of heat remain constant for the sphere? when the sphere attains its terminal velocity, is Rotational kinetic energy proportional to (1) $r^5$ Angular velocity (1)£23 Angular momentum (2)(3) Moment of inertia (3)(4)If the mass of the Sun were ten times small 23. and the universal gravitational constant we A sample of 0.1 g of water at 100°C and normal 19. ten times larger in magnitude, which of t pressure  $(1.013 \times 10^5 \text{ Nm}^{-2})$  requires 54 cal of following is *not* correct? heat energy to convert to steam at 100°C. If the Time period of a simple pendulum on t volume of the steam produced is 167.1 cc, the Earth would decrease. change in internal energy of the sample, is Raindrops will fall faster. (2)(1)42·2 J 'g' on the Earth will not change. (3)**(2)** 104·3 J Walking on the ground would become m (4)84.5 J (3). difficult. 208·7 J (4) Eng SPACE FOR ROUGH WORK CHLAA/HH/Page 4

20.

The kinetic energies of a planet in an elliptical

24. The moment of the force,  $\overrightarrow{F} = 4\hat{i} + 5\hat{j} - 6\hat{k}$  at 28. (2, 0, -3), about the point (2, -2, -2), is given by

(1) 
$$-7\hat{i} - 8\hat{j} - 4\hat{k}$$
  
(2)  $-8\hat{i} - 4\hat{j} - 7\hat{k}$   
(3)  $-7\hat{i} - 4\hat{j} - 8\hat{k}$   
(4)  $-4\hat{i} - \hat{i} - 8\hat{k}$ 

- 25. A student measured the diameter of a small steel ball using a screw gauge of least count 0.001 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of 0.004 cm, the correct diameter of the ball is
  - (1) 0.053 cm
  - (2) 0.521 cm
  - (3) 0.529 cm
  - (4) 0.525 cm
- 26. A block of mass m is placed on a smooth inclined wedge ABC of inclination  $\theta$  as shown in the figure. The wedge is given an acceleration 'a' towards the right. The relation between a and  $\theta$ for the block to remain stationary on the wedge is



3) 
$$a = g \tan \theta$$

4) 
$$a = \frac{g}{\sin \theta}$$

27. A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field E. Due to the force q E, its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively

 $= \overline{7}(12-5) - \overline{3}(-4) + \overline{k}(-8)$ 

- (1) 1 m/s, 3.5 m/s
- (2) 2 m/s, 4 m/s
- (3) 1.5 m/s, 3 m/s
- (4) 1 m/s, 3 m/s

CHLAA/HH/Page 5

A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is

- (1) 350 m/s
- (2) = 330 m/s
- (3) 300 m/s
- (4) 339 m/s
- 9. The electrostatic force between the metal plates of an isolated parallel plate capacitor C having a charge Q and area A, is
  - (1) proportional to the square root of the distance between the plates.
  - (2) independent of the distance between the plates.
  - (2) inversely proportional to the distance between the plates.
  - (4) linearly proportional to the distance between the plates.
- **30.** An electron falls from rest through a vertical distance h in a uniform and vertically upward directed electric field E. The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h. The time of fall of the electron, in comparison to the time of fall of the proton is
  - (1) 10 times greater
  - (2) smaller

- (4) 5 times greater
- **B1.** A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is  $20 \text{ m/s}^2$  at a distance of 5 m from the mean position. The time period of oscillation is
  - (1) 2 s(2)  $2\pi s$
  - (3) 1 s

  - (4)  $\pi s$

SPACE FOR ROUGH WORK

**32.** A battery consists of a variable number 'n' of identical cells (having internal resistance 'r' each) which are connected in series. The terminals of the battery are short-circuited and the current I is measured. Which of the graphs shows the correct relationship between I and n?





**33.** A carbon resistor of  $(47 \pm 4.7)$  k $\Omega$  is to be marked with rings of different colours for its identification. The colour code sequence will be

(1) Yellow - Green - Violet - Gold

(2) Violet - Yellow - Orange - Silver

(3) Green - Orange - Violet - Gold

(4) Yellow - Violet - Orange - Silver

34. A set of 'n' equal resistors, of value 'R' each, are connected in series to a battery of emf 'E' and internal resistance 'R'. The current drawn is I. Now, the 'n' resistors are connected in parallel to the same battery. Then the current drawn from battery becomes 10 I. The value of 'n' is

mare -- vorde

- (1) 20
- (2) 10 (3) 9
- (4) 11

CHLAA/HH/Page 6

At what temperature will the rms speed of oxygen molecules become just sufficient for escaping from the Earth's atmosphere ? (Given :

Mass of oxygen molecule (m) =  $2.76 \times 10^{-26}$  kg Boltzmann's constant k<sub>B</sub> =  $1.38 \times 10^{-23}$  J K<sup>-1</sup>)

- (1)  $5.016 \times 10^4 \text{ K}$
- (2)  $2.508 \times 10^4 \text{ K}$
- (3)  $1.254 \times 10^4$  K
- (4)  $8.360 \times 10^4 \text{ K}$
- **36.** The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is



87. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is

- (1) 12.5 cm
- (2)  $13 \cdot 2 \text{ cm}$
- (3) 16 cm
- (4) 8 cm
- **38.** The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is
  - (1) 6.25%
  - (2) 26.8%
  - (3) 12·5%
  - (4) 20%

SPACE FOR ROUGH WORK

- **39.** A moving block having mass m, collides with another stationary block having mass 4m. The lighter block comes to rest after collision. When the initial velocity of the lighter block is v, then the value of coefficient of restitution (e) will be
  - (**1**) **0**·8
  - (2) 0.5
  - (3) 0.4
  - (4) 0.25
- 40. A body initially at rest and sliding along a frictionless track from a height h (as shown in the figure) just completes a vertical circle of diameter AB = D. The height h is equal to



41. Three objects, A : (a solid sphere), B : (a thin circular disk) and C : (a circular ring), each have the same mass M and radius R. They all spin with the same angular speed  $\omega$  about their own symmetry axes. The amounts of work (W) required to bring them to rest, would satisfy the relation

$$(1) \quad \mathbf{W}_{\mathbf{B}} > \mathbf{W}_{\mathbf{A}} > \mathbf{W}_{\mathbf{C}}$$

- (2)  $W_C > W_B > W_A$
- $(3) \quad W_A > W_C > W_B$
- $(4) \quad W_A > W_B > W_C$
- 42. Which one of the following statements is *incorrect*?
  - (1) Frictional force opposes the relative motion.
  - (2) Rolling friction is smaller than sliding friction.
  - (3) Coefficient of sliding friction has dimensions of length.
  - (4) Limiting value of static friction is directly proportional to normal reaction.

CHLAA/HH/Page 7

. In the combination of the following gates the output Y can be written in terms of inputs A and B as



44. In the circuit shown in the figure, the input voltage  $V_i$  is 20 V,  $V_{BE} = 0$  and  $V_{CE} = 0$ . The values of  $I_B$ ,  $I_C$  and  $\beta$  are given by



- (1)  $I_B = 20 \ \mu A$ ,  $I_C = 5 \ mA$ ,  $\beta = 250$
- (2)  $I_B = 40 \ \mu A$ ,  $I_C = 10 \ mA$ ,  $\beta = 250$
- (3)  $I_B = 40 \ \mu A$ ,  $I_C = 5 \ mA$ ,  $\beta = 125$
- (4)  $I_B = 25 \mu A$ ,  $I_C = 5 mA$ ,  $\beta = 200$
- 45. In a p-n junction diode, change in temperature due to heating
  - (1) does not affect resistance of p-n junction
  - (2) affects only reverse resistance
  - (3) affects the overall V I characteristics of p-n junction
  - (4) affects only forward resistance

SPACE FOR ROUGH WORK

				n Column I with those in the <i>correct</i> option given	
	belo	w :		A Streets	(1) Estradiol
		Column I		Column II	
		(Function)		(Part of Excretory System)	<ul><li>(2) Epinephrine</li><li>(3) Estriol</li></ul>
න්ධා	а.	Ultrafiltratio	n	i. Henle's loop	(4) Ecdysone
	b.	Concentratio of urine	'n	ii. Ureter	49. Which of the following hormones can play
	c.	Transport of		iii. Urinary bladder	significant role in osteoporosis ?
		urine			(1) Estrogen and Parathyroid hormone
	d.	Storage of ur	ine	iv. Malpighian	(2) Aldosterone and Prolactin
5)				corpuscle	(3) Parathyroid hormone and Prolactin
				v. Proximal convoluted tubule	(4) Progesterone and Aldosterone
	(1)	a b	c	d	50. Which of the following structures or regions <i>incorrectly</i> paired with its function?
	(1)	v iv iv v	i	ii	(1) Hypothalamus : production of
	(3)	v ív	i	iii	releasing hormones and regulation of
	(4)	iv i	ü	iii	temperature, hunger and thirst.
47.	Colu	umn II and se		n Column I with those in he <i>correct</i> option given	n (2) Medulla oblongata : controls respiration
47.		ımn II and se w:		he <i>correct</i> option given	n (2) Medulla oblongata : controls respiration and cardiovascular reflexes. (3) Corpus callosum : band of fibers
47.	Colu	umn II and se		he <i>correct</i> option given <i>Column II</i> Accumulation of uric	n (2) Medulla oblongata : controls respiration and cardiovascular reflexes.
47.	Colu belo <sup>,</sup>	umn II and so w : <i>Column I</i>	elect t	he <i>correct</i> option given Column II	<ul> <li>Medulla oblongata : controls respiration and cardiovascular reflexes.</li> <li>(3) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.</li> <li>Jumbic system : consists of fibre tracts that</li> </ul>
47.	Colu belo a.	umn II and so w : <i>Column I</i> Glycosuria	i. i.	the <i>correct</i> option given <i>Column II</i> Accumulation of uric acid in joints Mass of crystallised	<ul> <li>Medulla oblongata : controls respiration and cardiovascular reflexes.</li> <li>(3) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.</li> <li>January Limbic system : consists of fibre tracts that interconnect different regions of brain; controls</li> </ul>
47.	Colu belo a, b.	umn II and so w : <i>Column I</i> Glycosuria Gout	i. i. ii. iii.	the correct option given Column II Accumulation of uric acid in joints Mass of crystallised salts within the kidney Inflammation in	<ul> <li>Medulla oblongata : controls respiration and cardiovascular reflexes.</li> <li>(3) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.</li> <li>Limbic system : consists of fibre tracts that interconnect different regions of brain; controls movement.</li> </ul>
47.	Colu belor a. b. c. d.	umn II and so w : <i>Column I</i> Glycosuria Gout Renal calculi Glomerular nephritis <b>a b</b>	i. i. ii. iii.	the correct option given Column II Accumulation of uric acid in joints Mass of crystallised salts within the kidney Inflammation in glomeruli Presence of glucose in urine d	<ul> <li>Medulla oblongata : controls respiration and cardiovascular reflexes.</li> <li>(3) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.</li> <li>January Limbic system : consists of fibre tracts that interconnect different regions of brain; controls</li> </ul>
47.	Colu belor a. b. c. d. (1)	umn II and so w : Column I Glycosuria Gout Renal calculi Glomerular nephritis <b>a b</b> ii iii	i. ii. iii. iii.	the correct option given Column II Accumulation of uric acid in joints Mass of crystallised salts within the kidney Inflammation in glomeruli Presence of glucose in urine	<ul> <li>(2) Medulla oblongata : controls respiration and cardiovascular reflexes.</li> <li>(3) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.</li> <li>(3) Limbic system : consists of fibre tracts that interconnect different regions of brain; controls movement.</li> <li>51. The transparent lens in the human eye is held if</li> </ul>
47.	Colu belor a. b. c. d.	umn II and so w : <i>Column I</i> Glycosuria Gout Renal calculi Glomerular nephritis <b>a b</b>	i. ii. iii. iii. iv. c	the correct option given Column II Accumulation of uric acid in joints Mass of crystallised salts within the kidney Inflammation in glomeruli Presence of glucose in urine d	<ul> <li>(2) Medulla oblongata : controls respiration and cardiovascular reflexes.</li> <li>(3) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.</li> <li>(3) Limbic system : consists of fibre tracts that interconnect different regions of brain; controls movement.</li> <li>51. The transparent lens in the human eye is held i its place by</li> </ul>
47.	Colu belor a. b. c. d. (1)	umn II and so w : Column I Glycosuria Gout Renal calculi Glomerular nephritis <b>a b</b> ii iii	i. ii. iii. iv. c i	the correct option given Column II Accumulation of uric acid in joints Mass of crystallised salts within the kidney Inflammation in glomeruli Presence of glucose in urine d iv	<ul> <li>(2) Medulla oblongata : controls respiration and cardiovascular reflexes.</li> <li>(3) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.</li> <li>(3) Limbic system : consists of fibre tracts that interconnect different regions of brain; controls movement.</li> <li>51. The transparent lens in the human eye is held i its place by         <ul> <li>(1) smooth muscles attached to the iris</li> </ul> </li> </ul>

8

30

CHLAA/HH/Page 8

SPACE FOR ROUGH WORK

ergent evolution, select the <i>incorrect</i> option : Brain of bat, man and cheetah Forelimbs of man, bat and cheetah Eye of octopus, bat and man Heart of bat, man and cheetah
similarity of bone structure in the forelimbs hany vertebrates is an example of Convergent evolution Homology Adaptive radiation Analogy ch of the following is <b>not</b> an autoimmune base ?
Alzheimer's disease Psoriasis Vitiligo Rheumatoid arthritis
ich of the following characteristics represent beritance of blood groups' in humans ? Dominance Co-dominance Multiple allele Incomplete dominance Polygenic inheritance b, d and e b, c and e a, c and e a, b and c oversion of milk to curd improves its ritional value by increasing the amount of Vitamin $B_{12}$ Vitamin D Vitamin E
Vitamin A which disease does mosquito transmitted hogen cause chronic inflammation of phatic vessels ? Ringworm disease Elephantiasis Amoebiasis Ascariasis
t

• •	<ul> <li>conservation' except</li> <li>(1) Botanical gardens</li> <li>(2) Wildlife safari parks</li> <li>(3) Seed banks</li> </ul>	<ol> <li>is an IUD.</li> <li>blocks estrogen receptors in the uteru preventing eggs from getting implanted.</li> <li>is a post spital contraceptive.</li> </ol>
64.	<ul><li>(4) Sacred groves</li><li>Match the items given in Column I with those in Column II and select the <i>correct</i> option given</li></ul>	<ul> <li>(3) is a post-coital contraceptive.</li> <li>(4) increases the concentration of estrogen as prevents ovulation in females.</li> </ul>
	Column II and select the correct option given below :         Column I       Column II         a.       Eutrophication       i.       UV-B radiation         b.       Sanitary landfill       ii.       Deforestation         c.       Snow blindness       iii.       Nutrient         d.       Jhum cultivation       iv.       Waste disposal         a       b       c       d         10       iii       iv       iii	<ul> <li>69: The amnion of mammalian embryo is derive from</li> <li>(1) mesoderm and trophoblast</li> <li>(2) ectoderm and mesoderm</li> <li>(3) ectoderm and endoderm</li> <li>(4) endoderm and mesoderm</li> </ul>
•	(2) iiiiiiiv(3) iiiiviii	<ul> <li>70. The difference between spermiogenesis a spermiation is</li> <li>(1) In spermiogenesis spermatozoa from sert</li> </ul>
65.	<ul> <li>(4) i iii iv ii</li> <li>In a growing population of a country,</li> <li>(1) reproductive and pre-reproductive individuals are equal in number.</li> <li>(2) pre-reproductive individuals are more than</li> </ul>	cells are released into the cavity seminiferous tubules, while in spermiati spermatozoa are formed. (2) In spermiogenesis spermatids are formed
	<ul> <li>(2) pre-reproductive individuals are more than the reproductive individuals.</li> <li>(3) pre-reproductive individuals are less than the reproductive individuals.</li> <li>(4) reproductive individuals are less than the post-reproductive individuals.</li> </ul>	while in spermation spermatozoa a formed. (3) In spermiogenesis spermatozoa are forme while in spermiation spermatozoa a released from sertoli cells into the cavity
66.	<ul> <li>Which part of poppy plant is used to obtain the drug "Smack"?</li> <li>(1) Roots</li> <li>(2) Elewers</li> <li>(3) Leaves</li> </ul>	(4) In spermiogenesis spermatozoa are forme while in spermiation spermatids a formed.
67.	<ul> <li>(4) Latex</li> <li>Which one of the following population interactions is widely used in medical science for the production of antibiotics ?</li> <li>(4) Parasitism</li> </ul>	<ul> <li>(1) hCG, hPL, progestogens, estrogens</li> <li>(2) hCG, hPL, progestogens, prolactin</li> </ul>
СШ	<ul> <li>(2) Commensalism</li> <li>(3) Amensalism</li> <li>(4) Mutualism</li> </ul> AA/HH/Page 10 SPACE FOR F	(3) hCG, progestogens, estrogens, glucocorticoids (4) hCG, hPL, estrogens, relaxin, oxytocin ROUGH WORK Eng

72.	Mata Colu belo a. b.	umn II and s w : <i>Column I</i> Tricuspid va Bicuspid val	elect the lve i. ve ii.	Column I with those in correct option given Column II Between left atrium and left ventricle Between right ventricle and pulmonary artery	75.		ch the items given umn II and selec ow : <i>Column I</i> Fibrinogen Globulin Albumin	et the <i>correct</i> o <i>Column</i> i. Osmotic b ii. Blood clot	ption given II palance
73.			c iii ii iii ii given in (	atrium and right ventricle Column I with those in		resp	abciiiiiiiiiiiiiiiiiiiiiiiiiiiiiiichofthepiratorydisorder for	i ii owing is an o	occupationa
	Colu belo a. b. c.		e Reserve	e correct option given Column II i. 2500 – 3000 mL ii. 1100 – 1200 mL iii. 500 – 550 mL	77.		Botulism Anthracis Emphysema Silicosis cium is import traction because i		tal, muscl
	d. (1) (2)	volume Residual vol a b i iv iii ii	c ii i	iv. 1000 – 1100 mL d iii iv		<ul> <li>(1)</li> <li>(2)</li> <li>(3)</li> </ul>	detaches the m filament. binds to tropon active sites on a	ayosin head from in to remove the actin for myosin. formation of bon	masking o
74.		resents the l	ung cond	i ii ng options correctly litions in asthma and		_(4)	the myosin cr filament.	ross bridges and nyosin ATPase b	d the acti
	(1) (2)	physema, resp Increased Inflammatic Inflammatic respiratory Decreased	respirat on of bron on of b surface	tory surface; achioles oronchioles; Decreased	78.		ich of the follow p in erythropoiesi Goblet cells Chief cells		s indirectl
	(3) (4)	Inflammatic Increased n respiratory	umber of	achioles 5 bronchioles; Increased	-	(3) (4)	Parietal cells Mucous cells		Englis
CHL	AA/HI	H/Page 11		SPACE FOR	ROUG	HWO	RK		Englis

79.	Which one of these animals is <b>not</b> a homeotherm?	85. Nissl bodies are mainly composed of				
		(1) Nucleic acids and SER				
	(1) Camelus	(2) Proteins and lipids				
	(2) Macropus	(3) Free ribosomes and RER				
	(3) Psittacula	(4) DNA and RNA				
	(4) Chelone	86. Which of the following events does <i>not</i> occur in rough endoplasmic reticulum ?				
80.	Identify the vertebrate group of animals	(1) Cleavage of signal peptide				
	characterized by crop and gizzard in its digestive	(2) Protein folding				
	system.	(3) Phospholipid synthesis				
	(1) Aves (2) Amphibia	(4) Protein glycosylation				
-	(3) Osteichthyes	87. Which of these statements is <i>incorrect</i> ?				
	(4) Reptilia	(1) Glycolysis operates as long as it is supplied				
	(1) INPUMA	with NAD that can pick up hydrogen atoms				
81. ,		(2) Enzymes of TCA cycle are present in				
	(1) using pseudopodia for capturing prey	mitochondrial matrix.				
	(2) using flagella for locomotion	(3) Oxidative phosphorylation takes place in outer mitochondrial membrane.				
	(3) having two types of nuclei					
,	(4) having a contractile vacuole for removing					
	excess water	88. Which of the following terms describe huma dentition?				
32.	Which of the following animals does not undergo					
	metamorphosis ?					
	(1) Moth	<ul> <li>(2) Thecodont, Diphyodont, Homodont</li> <li>(3) Pleurodont, Diphyodont, Heterodont</li> </ul>				
1	(2) Earthworm					
٩.	(3) Starfish	(4) Thecodont, Diphyodont, Heterodont				
	(4) Tunicate	89. Many ribosomes may associate with a single				
83.	Which of the following organisms are known as chief producers in the oceans ?	mRNA to form multiple copies of a polypeptide simultaneously. Such strings of ribosomes are termed as				
	(1) Cyanobacteria	(1) Plastidome				
	(2) Dinoflagellates	(2) Polysome				
1	(3) Euglenoids	(3) Nucleosome				
	(4) Diatoms	(4) Polyhedral bodies				
34.	Which of the following features is used to identify a male cockroach from a female cockroach ?					
	(1) Forewings with darker tegmina	chromosomes				
	(2) Presence of a boat shaped sternum on the	(2) Lampbrush – Diplotene bivalents				
	9 <sup>th</sup> abdominal segment	chromosomes				
	(3) Presence of anal cerci	(3) Polytene – Oocytes of amphibians				
	(4) Presence of caudal styles	chromosomes (4) Allosomes – Sex chromosomes				
-	A/HH/Page 12 SPACE FOR F	1 (T) Anosomes – Dex enromosomes				

1,

91.	Pne	imatophores occur in	98.	Which of the following pairs is wrongl
	(1)	Carnivorous plants		matched ?
	(2)	Halophytes		(1) XO type sex : Grasshopper determination
	(3)	Submerged hydrophytes		
	(4)	Free-floating hydrophytes		(2) Starch synthesis in pea : Multiple alleles
92.	Swe	et potato is a modified		<ul> <li>(3) T.H. Morgan : Linkage</li> <li>(4) ABO blood grouping : Co-dominance</li> </ul>
	(1)	Tap root		
2	125	Stem	99.	Select the correct statement :
-	(3)	Rhizome	12	(1) Spliceosomes take part in translation.
	(4)	Adventitious root		(2) Franklin Stahl coined the term "linkage".
00				(3) Transduction was discovered by S. Altman.
93.		ch of the following statements is <i>correct</i> ?		(4) Punnett square was developed by a British
	(1)	Horsetails are gymnosperms.		scientist.
	(2)	Ovules are not enclosed by ovary wall in gymnosperms.	100.	
	(3)	Stems are usually unbranched in both		replication of DNA was first shown in a (1) Plant
	(3)	Cycas and Cedrus.		(2) Fungus
	(4)	Selaginella is heterosporous, while Salvinia		(3) Virus
	(1)	is homosporous.		(4) Bacterium
94.	Cas	parian strips occur in	101.	Select the <i>correct</i> match :
V-2+	Gas	Cortex		(1) Matthew Meselson – Pisum sativum
1	(2)	Epidermis	2	and F. Stahl
	` ´	Endodermis		(2) Alec Jeffreys – Streptococcus
	and -	Pericycle		pneumoniae
3	A A A A A A A A A A A A A A A A A A A	and the second		(3) Francois Jacob and - Lac operon
95.		ondary xylem and phloem in dicot stem are luced by		Jacques Monod
	(1)	Phellogen		(4) Alfred Hershey and – TMV
		Apical meristems		Martha Chase
	(2)	Axillary meristems	102.	Offsets are produced by
	(3)	Vascular cambium		(1) Parthenocarpy
6	14pm	vascular camplum	5-11-D	(2). Meiotic divisions
96.	Sele	ct the wrong statement :		(3) Parthenogenesis (4) Mitotic divisions
	(1)	Pseudopodia are locomotory and feeding		
	. Al	structures in Sporozoans.		Which of the following flowers only once in it life-time?
V	2429	<sup>77</sup> Cell wall is present in members of Fungi and Plantae.		(1) Mango
	(9)			(2) Bamboo species
	(3)	Mitochondria are the powerhouse of the cell in all kingdoms except Monera.	1 -	(3) Papaya
	(4)	Mushrooms belong to Basidiomycetes.	A1	(4) Jackfruit
07		the second se	104.	Which of the following has proved helpful i
97,		ts having little or no secondary growth are		preserving pollen as fossils ?
	(1)	Conifers		(1) Oil content
	(2)	Grasses		(2) Pollenkitt
	(3)	Cycads		(3) Speropollenin
	(4)	Deciduous angiosperms	1	(4) Cellulosic intine
CHL	AA/HI	H/Page 13 SPACE FOR	ROUG	
				×
07				

105. World Ozone Day is celebrated on

- (1) 16<sup>th</sup> September
- (2)  $5^{\text{th}}$  June
- (3) 22<sup>nd</sup> April
- (4) 21<sup>st</sup> April

## 106. Natality refers to

- (1) Number of individuals leaving the habitat
  - (2) Death rate
  - (3) Number of individuals entering a habitat
  - (4) Birth rate
- 107. What type of ecological pyramid would be obtained with the following data?
  - Secondary consumer : 120 g
  - Primary consumer : 60 g
  - Primary producer : 10 g
  - (1) Upright pyramid of numbers
  - (2) Inverted pyramid of biomass
  - (3) Upright pyramid of biomass
  - (4) Pyramid of energy

108. Which of the following is a secondary pollutant?

- (1) SO<sub>2</sub>
- (2) CO
- (3) 0<sub>3</sub>
- (4)  $CO_2$

109. Niche is

- (1) the range of temperature that the organism needs to live
- (2) all the biological factors in the organism's environment
- (3) the functional role played by the organism where it lives
- (4) the physical space where an organism lives
- 110. In stratosphere, which of the following elements acts as a catalyst in degradation of ozone and release of molecular oxygen ?
  - (1) Fe
  - (2) Carbon
  - (a) Oxygen
  - (4) Cl

CHLAA/HH/Page 14

- 111. The correct order of steps in Polymerase Chain Reaction (PCR) is
  - (1) Denaturation, Extension, Annealing
  - (2) Extension, Denaturation, Annealing
  - (3) Denaturation, Annealing, Extension
  - (4) Annealing, Extension, Denaturation
  - 112. In India, the organisation responsible for assessing the safety of introducing genetically modified organisms for public use is
    - (1) Research Committee on Genetic Manipulation (RCGM)
    - (2) Indian Council of Medical Research (ICMR)
    - (a) Genetic Engineering Appraisal Committee (GEAC)
    - (4) Council for Scientific and Industrial Research (CSIR)
- 113. Which of the following is commonly used as a vector for introducing a DNA fragment in human lymphocytes ?
  - (1)  $\lambda$  phage
  - (2) Retrovirus

(3) pBR 322

- (4) Ti plasmid
- 114. Use of bioresources by multinational companies and organisations without authorisation from the concerned country and its people is called
  - (1) Biodegradation
  - (2) Bio-infringement
  - (3) Bioexploitation
  - (4) Biopiracy
- 115. A 'new' variety of rice was patented by a foreign company, though such varieties have been present in India for a long time. This is related to
  - (1) Lerma Rojo
  - (2) Co-667
  - (3) Basmati
  - (4) Sharbati Sonora
- 116. Select the correct match :
  - (1) T.H. Morgan
  - (2) Ribozyme
  - (3) G. Mendel
  - (4)  $\mathbf{F}_{2} \times \mathbf{Recessive parent}$

Englis

Transduction

Nucleic acid

Transformatio

Dihybrid cross

SPACE FOR ROUGH WORK

. Which of the following elements is responsible for	124. The Golgi complex participates in
maintaining turgor in cells ?	(1) Respiration in bacteria
(1) Potassium	(2) Fatty acid breakdown
(2) Magnesium	(3) Activation of amino acid
(3) Calcium	(4) Formation of secretory vesicles
(4) Sodium	125. The two functional groups characteristic of
. Which one of the following plants shows a very	sugars are
close relationship with a species of moth, where none of the two can complete its life cycle without	(1) carbonyl and phosphate
the other ?	(2) hydroxyl and methyl
(1) Banana	(3) carbonyl and hydroxyl
(2) Hydrilla	(4) carbonyl and methyl
(8) Viola	<b>126.</b> Which among the following is <b>not</b> a prokaryote ?
(4) Yucca	(1) Nostoc
. Pollen grains can be stored for several years in	(2) Saccharomyces
liquid nitrogen having a temperature of	(3) Oscillatoria (4) Muchasterium
(1) $-196^{\circ}C$	(4) Mycobacterium
$(2) - 120^{\circ}C - 196$	127. Stongetal movement is <b>not</b> affected by $O_2$ concentration
-160°C 77	
$(4) - 80^{\circ}C$	<ul><li>(2) Temperature</li><li>(3) CO<sub>2</sub> concentration</li></ul>
Double fertilization is	
(1) Fusion of two male gametes with one egg	(4) Light
(2) Fusion of two male gametes of a pollen tube	128. Which of the following is <i>not</i> a product of light reaction of photosynthesis?
(3) Syngamy and triple fusion	(1) NADPH
(4) Fusion of one male gamete with two polar	(2) ATP
nuclei	(3) Oxygen
• Oxygen is <i>not</i> produced during photosynthesis by	(4) NADH
(1) Cycas	129. Which of the following is true for nucleolus?
(2) Green sulphur bacteria	(1) It takes part in spindle formation.
(3) Chara	(2) Larger nucleoli are present in dividing cells.
(4) Nostoc	(3) It is a site for active ribosomal RNA
. What is the role of NAD <sup>+</sup> in cellular	synthesis.
respiration ?	(4) It is a membrane-bound structure.
<ol> <li>It is a nucleotide source for ATP synthesis.</li> <li>It functions as an enzyme.</li> </ol>	130. The stage during which separation of the paired homologous chromosomes begins is
(3) It is the final electron acceptor for anaerobic	(1) Diakinesis
respiration.	Har Pachytene
(4) It functions as an electron carrier.	(3) Zygotene
. In which of the following forms is iron absorbed	(4) Diplotene
by plants?	131. Stomata in grass leaf are
(1) Eree element	(1) Rectangular (2) Dumb-bell shaped
(2) Ferric	(2) Dumb-bell shaped (3) Barrel shaped
<ul><li>(3) Both ferric and ferrous</li><li>(4) Ferrous</li></ul>	(4) Kidney shaped
AA/HH/Page 15 SPACE FOR I	ROUGH WORK English
	30 G
2	

132. Match the items given in Cordinin i more	36. In which case is the number of molecules of water maximum?
Column II and select the <i>correct</i> option given below :	(1) 0.00224 L of water vapours at 1 atm and 273 K
Column I Column II	(2) 18 mL of water
a. Herbarium i. It is a place having a collection of preserved	(3) $10^{-3}$ mol of water (4) $0.18$ g of water $0.1$
plants and animals.	
methodically all the	137. The correct difference between first- and second-order reactions is that
species found in an area with brief description	(1) a first-order reaction can be catalyzed; a second-order reaction cannot be catalyzed
aiding identification.	(2) the rate of a first-order reaction does not depend on reactant concentrations; the rate
c. Museum iii. Is a place where dried and pressed plant specimens	of a second-order reaction does depend on reactant concentrations
mounted on sheets are	(3) the rate of a first-order reaction does
kept. d. Catalogue iv. A booklet containing a list	depend on reactant concentrations; the rate of a second-order reaction does not depend
of characters and their	on reactant concentrations
alternates which are helpful in identification of	(4) the half-life of a first-order reaction does not depend on [A] <sub>0</sub> ; the half-life of a
various taxa.	second-order reaction does depend on $[A]_0$
a b c d	the base is ortidation state of
(1) ii iv iii i	138. Consider the change in oxidation state of Bromine corresponding to different emf values as
(2) j iv iii ii	shown in the diagram below :
(3) iii iv i ii	
(4) iii ii i iv	$BrO_4^- \xrightarrow{1.82 V} BrO_3^- \xrightarrow{1.5 V} HBrO$
133. Which one is wrongly matched?	$Br^{-} \leftarrow I \cdot 0652 V Br_{2} \leftarrow I \cdot 595 V$
(1) Gemma cups – Marchantia	
(2) Uniflagellate gametes – Polysiphonia	Then the species undergoing disproportionation
(3) Unicellular organism – Chlorella	is
(4) Biflagellate zoospores – Brown algae	(1) Br <sub>2</sub>
134. After karyogamy followed by meiosis, spores are	(2) $BrO_3^-$
produced exogenously in	(3) HBrO
(1) Agaricus	
(2) Neurospora	$(4)  BrO_4^-$
<ul><li>(3) Saccharomyces</li><li>(4) Alternaria</li></ul>	139. Among CaH <sub>2</sub> , BeH <sub>2</sub> , BaH <sub>2</sub> , the order of ion character is
135. Winged pollen grains are present in	(1) $\operatorname{BeH}_2 < \operatorname{BaH}_2 < \operatorname{CaH}_2$
(1) Mango	
(2) Mustard	
(3) Pinus	$(3)  BaH_2 < BeH_2 < CaH_2$
(4) Cycas	$(4)  CaH_2 < BeH_2 < BaH_2$
	ROUGH WORK Engli
CHLAA/HH/Page 16 SPACE FOR	ROOGH HOINE
* · · · · · · · · · · · · · · · · · · ·	

5 ....

140.					s <b>145</b> .	The is	difference between amylose and amylopectin
	d-d ti (1)	$MnO_4^-$	no parama	gnetism as well ?		(1)	Amylopectin have $1 \rightarrow 4 \alpha$ -linkage and $1 \rightarrow 6 \beta$ -linkage
0.	(2)	$\operatorname{CrO}_4^{2-}$	2	0% ex		(2)	Amylopectin have $1 \rightarrow 4$ $\alpha$ -linkage and
	(3)	$MnO_4^{2-}$				(3)	$1 \rightarrow 6 \alpha$ -linkage Amylose is made up of glucose and
	(4) T	$\operatorname{Cr}_2\operatorname{O}_7^{2-}$		1991 - 1992 1993 - 1993 - 1993		(4)	galactose $Amylose  have  1 \rightarrow 4  \alpha\text{-linkage}  and$
141.		carbonyl, F					$1 \rightarrow 6 \beta$ -linkage
	(1) (2)	trinuclear tetranucle			146.		arding cross-linked or network polymers, ch of the following statements is <i>incorrect</i> ?
	(3)	dinuclear		10 C	1	(1)	Examples are bakelite and melamine.
- 40	(4)	mononucle	2	n in Column I with th		(2)	They contain covalent bonds between various linear polymer chains.
142,	spin	magnetic	moments	n in Column I with th of the ions given i <i>correct</i> code :		(3)	They contain strong covalent bonds in their polymer chains.
	Cold	Column I	ubbigit the	Column II		(4)	They are formed from bi- and tri-functional monomers.
	a.	Co. <sup>3+</sup>	· i.	$\sqrt{8}$ B.M.	147	Nite	ration of aniline in strong acidic medium also
	b.	Cr <sup>3+</sup>	ii.	√35 B.M.	147.		es m-nitroaniline because
	c.	Fe <sup>3+</sup>	iii.	√3 B.M.		(1)	In absence of substituents nitro group always goes to m-position.
	d.	Ni <sup>2+</sup>	iv.	$\sqrt{24}$ B.M.	8	(2)	In spite of substituents nitro group always
			v.	$\sqrt{15}$ B.M.			goes to only m-position.
		a b	° c	d		(3)	In acidic (strong) medium aniline is present as anilinium ion.
	(1)	iv i	ii	iii		(4)	In electrophilic substitution reactions
1	(2)	iv v	ii	i			amino group is meta directive.
	(3)	iii v	i 	ii	148.		ich of the following oxides is most acidic in ure?
	(4)	i ii	iii	iv		(1)	BaO
143.			-	netic behaviour of th	ne	(2)	MgO
		plex [Ni(CO	-			(3)	CaO
	· (1)		-	etry and paramagnetic		(4)	BeO
	(2)			etry and diamagnetic	149.	An	nixture of 2.3 g formic acid and 4.5 g oxalic
	(3) _(4)		0	y and paramagnetic y and diamagnetic		acio	I is treated with conc. $H_2SO_4$ . The evolved eous mixture is passed through KOH pellets.
144.		type of is $\operatorname{Cl}_2(\operatorname{en})_2$ ] is	somerism	shown by the compl	ex	We	ight (in g) of the remaining product at STF l be
	(1)	Ionization	n isomerisn	n		(1)	2.8
	(2)	Geometri	cal isomeri	sm		(2)	1.4
-	-(3)		somerism	P.		(3)	4.4
	(4)		tion isomer	ism		(4)	3.0

à B a<sub>r</sub>

- 150. Hydrocarbon (A) reacts with bromine by substitution to form an alkyl bromide which by Wurtz reaction is converted to gaseous hydrocarbon containing less than four carbon atoms. (A) is
  - (1)  $CH_3 CH_3$
  - (2) CH = CH
  - (3) CH<sub>4</sub>
  - $(4) \quad CH_2 = CH_2$

**151.** Which oxide of nitrogen is *not* a common pollutant introduced into the atmosphere both due to natural and human activity ?

- (1) N<sub>2</sub>O
- (2) N<sub>2</sub>O<sub>5</sub>
- (3) NO
- (4) NO<sub>2</sub>

**152.** The compound  $C_7H_8$  undergoes the following reactions:

$$C_7H_8 \xrightarrow{3 \operatorname{Cl}_2/\Delta} A \xrightarrow{\operatorname{Br}_2/\operatorname{Fe}} B \xrightarrow{\operatorname{Zn}/\operatorname{HCl}} C$$

The product 'C' is

- (1) 3-bromo-2,4,6-trichlorotoluene
- (2) *m*-bromotoluene
- (3) *p*-bromotoluene
- (4) o-bromotoluene

153. The compound A on treatment with Na gives B, and with PCl<sub>5</sub> gives C. B and C react together to give diethyl ether. A, B and C are in the order

- (1)  $C_2H_5Cl, C_2H_6, C_2H_5OH$
- $(2) \quad C_2H_5OH, C_2H_6, C_2H_5Cl$
- $C_2H_5OH, C_2H_5ONa, C_2H_5Cl$
- (4)  $C_2H_5OH$ ,  $C_2H_5Cl$ ,  $C_2H_5ONa$



**154.** Which of the following carbocations is expected to be most stable ?



**155.** Which of the following is correct with respect to -I effect of the substituents ? (R = alkyl)

- $(1) NH_2 > OR > -F$
- (2)  $-NH_2 < -OR < -F$
- (3)  $-NR_2 > -OR > -F$
- (4)  $-NR_2 < -OR < -F$
- **156.** Which of the following molecules represents the order of hybridisation  $sp^2$ ,  $sp^2$ , sp, sp from left to right atoms ?
  - (1)  $CH_2 = CH CH = CH_2$
  - (2)  $HC \equiv C C \equiv CH$
  - $(3) \quad \mathrm{CH}_3 \mathrm{CH} = \mathrm{CH} \mathrm{CH}_3$

$$(4)$$
  $CH_2 = CH - C \equiv CH$ 

SPACE FOR ROUGH WORK

- ketones and even alcohols of aldehvdes, comparable molecular mass. It is due to their
  - more extensive association of carboxylic 10 acid via van der Waals force of attraction
  - formation of intramolecular H-bonding (2)
  - formation of intermolecular H-bonding (3)
  - formation of carboxylate ion (4)

158. Compound A, C<sub>8</sub>H<sub>10</sub>O, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively

(1) 
$$\bigvee$$
 CH – CH<sub>3</sub> and I<sub>2</sub>  
 $\downarrow$  OH

2) 
$$H_3C \longrightarrow CH_2 - OH and I_2$$

(3) 
$$CH_3 \longrightarrow OH \text{ and } I_2$$

(4) 
$$\bigcirc$$
 CH<sub>2</sub> - CH<sub>2</sub> - OH and I<sub>2</sub>

159. In the reaction

CHLAA/HH/Page 19



157. Carboxylic acids have higher boiling points than 160. Identify the major products P, Q and R in the following sequence of reactions :



(4) Acetanilide

SPACE FOR ROUGH WORK

162. The correct order of atomic radii in group 13 168. For the redox reaction r or the redox reaction  $MnO_4^2 + C_2O_4^{2-} + H^+ \longrightarrow Mn^{2+} + CO_2 + H_2O$ elements is B < Ga < Al < Tl < In(1)the correct coefficients of the reactants for the B < Al < In < Ga < Tlbalanced equation are (3)  $\mathbf{B} < \mathbf{Ga} < \mathbf{Al} < \mathbf{In} < \mathbf{Tl}$ MnO<sub>4</sub>  $C_{9}O_{4}^{2-}$  $H^{+}$ B < AI < Ga < In < Tl16 5 (1)2 163. Which one of the following elements is unable to 2 5 (2)16 form MF<sub>6</sub><sup>3-</sup>ion ?  $\mathbf{2}$ 16 (3)5 16 5 В (1)169. The bond dissociation energies of  $X_2$ ,  $Y_2$  and XY(2)Gà are in the ratio of 1:0.5:1.  $\Delta H$  for the formation In (3) of XY is - 200 kJ mol<sup>-1</sup>. The bond dissociation Al (4)energy of X2 will be The correct order of N-compounds in its 164. 800 kJ mol<sup>-1</sup> (1)decreasing order of oxidation states is  $200 \text{ kJ mol}^{-1}$ (2)HNO3, NH4Cl, NO, N2 (1) $400 \text{ kJ mol}^{-1}$ (3)(2) HNO3, NO, N2, NH4Cl  $100 \text{ kJ mol}^{-1}$ (4) NH<sub>4</sub>Cl, N<sub>2</sub>, NO, HNO<sub>3</sub> (3)170. The correction factor 'a' to the ideal gas equation (4) HNO3, NO, NH4Cl, N2 corresponds to electric field present between the gas 165. Which of the following statements is not true for (1)molecules halogens? density of the gas molecules (1) All but fluorine show positive oxidation (2)forces of attraction between the gas (3)states. molecules All form monobasic oxyacids. (2) volume of the gas molecules (4)Chlorine has the highest electron-gain (3)171. Which one of the following conditions will favour enthalpy. maximum formation of the product in the All are oxidizing agents. (4)reaction. **166.** In the structure of  $ClF_3$ , the number of lone pairs  $A_2(g) + B_2(g) \rightleftharpoons X_2(g) \quad \Delta_r H = -X kJ?$ of electrons on central atom 'Cl' is High temperature and high pressure (1)four Low temperature and high pressure (1)(2)(2) High temperature and low pressure one (2) (3)three Low temperature and low pressure (4) (4)two 172. When initial concentration of the reactant is 167. Considering Ellingham diagram, which of the doubled, the half-life period of a zero order following metals can be used to reduce alumina? reaction (1)Mg is tripled (1)is halved Fe (2)(2) remains unchanged (2) (3)Cu is doubled (4)Zn (4)

-16

2+10

CHLAA/HH/Page 20

SPACE FOR ROUGH WORK

and CO<sub>2</sub> are respectively 4.17, 0.244, 1.36 and 3.59, which one of the following gases is most easily liquefied ?

(1) 
$$O_2$$
  
(2)  $NH_3$   
(3)  $CO_2$   
(4)  $H_2$ 

174. Following solutions were prepared by mixing different volumes of NaOH and HCl of different concentrations :

60 mL  $\frac{M}{10}$  HCl + 40 mL  $\frac{M}{10}$  NaOH a. 55 mL  $\frac{M}{10}$  HCl + 45 mL  $\frac{M}{10}$  NaOH b. c. 75 mL  $\frac{M}{5}$  HCl + 25 mL  $\frac{M}{5}$  NaOH 100 mL  $\frac{M}{10}$  HCl + 100 mL  $\frac{M}{10}$  NaOH d. pH of which one of them will be equal to 1? (1)d (2)Ъ (3)c (4) а 175. On which of the following properties does the coagulating power of an ion depend ? (1) Both magnitude and sign of the charge on the ion The magnitude of the charge on the ion (2)alone The sign of charge on the ion alone (3)Size of the ion alone (4)

in water is solubility of BaSO<sub>4</sub> 176. The  $2.42 \times 10^{-3}$  gL<sup>-1</sup> at 298 K. The value of its solubility product (K<sub>sp</sub>) will be (Given molar mass of  $BaSO_4 = 233 \text{ g mol}^{-1}$ )

- $1.08 \times 10^{-14} \text{ mol}^2 \text{ L}^{-2}$
- (1)
- $1.08 imes 10^{-10} ext{ mol}^2 ext{ L}^{-2}$ (2)
- $1.08 imes 10^{-8} ext{ mol}^2 ext{ L}^{-2}$ (3)
- $1.08 imes 10^{-12} ext{ mol}^2 ext{ L}^{-2}$ (4)

- 173. Given van der Waals constant for NH<sub>3</sub>, H<sub>2</sub>, O<sub>2</sub> 177. Magnesium reacts with an element (X) to form an ionic compound. If the ground state electronic configuration of (X) is  $1s^2 2s^2 2p^3$ , the simplest formula for this compound is
  - Mg<sub>2</sub>X (1)
  - (2) $Mg_2X_3$

Mg<sub>3</sub>X<sub>2</sub> (In

- (4)MgX<sub>2</sub>
- 178. Iron exhibits bcc structure at room temperature. Above 900°C, it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is

(1)(2)(3)  $\frac{4\sqrt{3}}{3\sqrt{2}}$ (4)

179. Which one is a wrong statement?

The electronic configuration of N atom is (1)

$1s^2$	$2s^2$	$2p_x^1 2p_y^1 2p_z^1$				
↑↓	<b>↑</b> ↓	1	1	¥		

Total orbital angular momentum of electron (2)in 's' orbital is equal to zero.

The value of m for  $d_{z^2}$  is zero. (3)

An orbital is designated by three quantum (4)numbers while an electron in an atom is designated by four quantum numbers.

180. Consider the following species :

Which one of these will have the highest bond order?

N: 1522522p2'2py'2p2'2p2

0: 152252p,22py 2p2

- $CN^{\dagger}$ (1)
- (2)NO
- CN (3)

SPACE FOR ROUGH WORK 152 252 2 Px 2 Py

CN<sup>-</sup> (4)



## **Read carefully the following instructions :**

- 1. Each candidate must show on demand his/her Admit Card to the Invigilator.
- 2. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
- 3. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. Cases where a candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
- 4. Use of Electronic/Manual Calculator is prohibited.
- 5. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- 6. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 7. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.



CHLAA/HH/Page 24