GUJCET-E-2015

Test Booklet No. 06497

Test Booklet Code A



This booklet contains 48 pages.

DO NOT open this Test Booklet until you are asked to do so.


Important Instructions:

- This test consists 120 questions of Physics, Chemistry and Biology. Each question carries 1 [] mark. For each correct response the candidate will get 1 mark. For each incorrect response 1/4 mark will be deducted. Maximum marks is 120.
- This Test is of 3 hours duration. 2)
- Use Black Ball Point Pen only for writing particulars on OMR Answer Sheet and marking 3) answers by darkening the circle 6.3.
- 4) Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- On completion of the test, the candidate must handover the Answer Sheet to the Invigilator 5) in the Room / Hall. The candidates are allowed to take away this Test Booklet with them.
- The CODE for this Booklet is A. Make sure that the CODE printed on the Answer Sheet is the 6) same as that on this booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- The candidate should ensure that the Answer Sheet is not folded. Do not make any stray marks 7) on the Answer Sheet.
- Do not write your Seat No. anywhere else, except in the specified space in the Test Booklet / 8) Answer Sheet.
- Use of White fluid for correction is not permissible on the Answer Sheet. 9)
- Each candidate must show on demand his / her Admission Card to the Invigilator. 10)
- No candidate, without special permission of the Superintendent or Invigilator, should leave his 11) / her seat.
- Use of Manual Calculator is permi sible.
- The candidate should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and must sign the Attendance Sheet (Patrak - 01). Cases where a candidate has not signed the Attendance Sheet (Patrak - 01) be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
- The candidates are governed by all Rules and Regulations of the Board with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with a per Rules and Regulations of the Board.
- 15) No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- The candidates will write the Correct Test Booklet Code as given in the Test Booklet / Answer Sheet in the Attendance Sheet. (Patrak - 01)

PHYSICS

| 1) | | N–P–N transistor about 10^{10} electrons enter the emitter in 2 μ s, when it onnected to a battery. Then $I_E = \underline{\hspace{1cm}} \mu A$. |
|----|-------|--|
| | (A) | 200 |
| | (B) | 400 |
| | Jer | 800 |
| | (D) | 1600 |
| 2) | | effective length of a magnet is 31.4 cm and its pole strength is 0.8 Am. magnetic moment, if it is bent in the form of a semicircle is Am ² . |
| | (A) | 1.6 |
| | (B) | 1.2 |
| | · (C) | 0.16 |
| | (D) | 0.12 |
| 3) | - | al currents are passing through two very long and straight parallel wires e same direction. They will |
| | (A) | repel each other |
| | (B) | attract each other |
| | (C) | lean towards each other |
| | (D) | neither attract nor repel each other |
| | | |

4) A voltmeter of a very high resistance is joined in the circuit as shown in figure. The voltage shown by this voltmeter will be _____



(C) 2.5 V

(A) 6 V

(D) 3 V

A galvanometer of resistance 50 Ω is connected to a battery of 8 V along with a resistance of 3950 Ω in series. A full scale deflection of 30 div is obtained in the galvanometer. In order to reduce this deflection to 15 division, the resistance in series should be _____ Ω

(A) 7900

(B) 1950

(C) 2000

(D) 7950



At a place on Earth, the vertical component of Earth's magnetic field is $\sqrt{3}$ times its horizontal component. The angle of dip at this place is _____

(A) 30°

_(B) 60°

45°


(D) 0

| 7) Which gate can be obtained by shorting both the input terminals gate. | | | |
|--|---|---|--|
| | (A) OR | (B) NOT | |
| | (C) AND | (D) NAND | |
| 8) | An optical fiber can offer a band | width of | |
| | (A) 100 MHz | (B) 100 GHz | |
| | (C) 750 MHz | (D) 250 MHz | |
| 9) | To transmit a signal of 3 KHz frekm | quency, the minimum length of antenna is | |
| | (A) 20 | (B) 25 | |
| | (C) 50 | (D) 75 | |
| 10) | 27 identical drops of mercury are charged simultaneously with the sam potential of 10 Volt. Assuming the drop to be spherical, if all the charge drops are made to combine to form one large drop, then its potential will be Volt. | | |
| | (A) 90 | (B) 40 | |
| | (C) 160 | (B) 10 | |
| 11) | When 10 ¹⁹ electrons are removed process, the charge on it become | from a neutral metal plate through some s | |
| | (A) -1.6 C | (B) +1.6 C | |
| | (C) 10^{19} C | (D) 10^{-19} C | |
| | | | |
| | | | |

| 12) One moving electron when comes closer to other staticits kinetic energy and potential energy respectively | | • | | |
|---|-------------------------|--|---------------------------------|---|
| | (A) | increases, decreases | \checkmark (B) | increases, increases |
| | (C) | decreases, increases | (D) | decreases, decreases |
| (13) | is pland of heigh | aced in an uniform electric field charge 10 ⁻² C is allowed to slide | dE = 10 $down fr$ $of friction$ | n angle of 45° with the horizontal 00 Vm ⁻¹ . A particle of mass 1 kg om rest position from maximum on is 0.1, the time taken by the |
| | (A) | 1 s | (B) | 1.41 s |
| | (C) | 2 s | (D) | None of these |
| 14) | $\frac{2\sqrt{2}}{(A)}$ | | nt of in | our corners of a square of side attersection of the diagonals is 1800 V None of these |
| 15) | cond its le (A) | | charge ic force | *** |
| | | | | |


| 16) | If alpha particle and deutron move w ratio of their de - Broglie wave length | | | |
|-----|--|------------------|--|--|
| | (A) $1:\sqrt{2}$ | (B) 2:1 | | |
| | (C) 1:1 | (D) $\sqrt{2}:1$ | | |

- 17) de Broglie wave length of atom at TK absolute temperature will be
 - (A) mKT (B) $\sqrt{3mKT}$ (C) $\frac{\sqrt{2mKT}}{h}$ (D) $\sqrt{2mKT}$
- 18) If the wave length of light is 4000A°, then the number of waves in 1 mm length will be _____
 - (A) 25 (C) 250 (D) 25000



- 20) Photons having energy 1eV and 2.5 eV successively incident on a metal, having work function is 0.5 eV. The ratio of maximum speed of emitted electrons is
 - (A) 1:2 (C) 3:1 (B) 2:1 (D) 1:3

21) A and B are two points on a uniform ring of radius r. The resistance of the ring is R. $\angle AOB = \theta$ as shown in the figure. The equivalent resistance between points A & B is ______





(A) $\frac{R\theta}{2\pi}$

(B) $\frac{R(2\pi-\theta)}{4\pi}$

(C) $R\left(1-\frac{\theta}{2\pi}\right)$

(D) $\frac{R}{4\pi^2}(2\pi - \theta)\theta$



Two wires of equal length and equal diameter and having resistivities ρ_1 and ρ_2 are connected in series. The equivalent resistivity of the combination is

(A) $(\rho_1 + \rho_2)$

(B) $\rho_1 + \rho_2$

 $(e) \frac{\rho_1 \rho_2}{\rho_1 + \rho_2}$

(D) $\sqrt{\rho_1 \rho_2}$

23) Match the following two columns.

| | Column I | | Column II | | |
|----|-----------------------|-----|---|--|--|
| a) | Electrical resistance | p) | $ML^{3}T^{-3}A^{-2}$ | | |
| b) | Electrical potential | (q) | $ML^2T^{-3}A^{-2}$ | | |
| c) | Specific resistance | (r) | ML ² T ⁻³ A ⁻¹ | | |
| d) | Specific conductance | s) | None of these | | |

(A)
$$a-q, b-s, c-r, d-p$$

(B)
$$a-q$$
, $b-r$, $c-p$, $d-s$

(C)
$$a - p, b - q, c - s, d - r$$

(D)
$$a-p, b-r, c-q, d-s$$

- 24) Angle of minimum deviation for a prism of refractive index 1.5 is equal to the angle of prism of given prism. Then the angle of prism is _____ ($\sin 48^{\circ}36' = 0.75$)
 - (A) 41°24'

(B) 80°

(C) 60°

- (D) 82°48'
- 25) A ray of light passes from a medium A having refractive index 1.6 to the medium B having refractive index 1.5. The value of critical angle of medium A is ______
 - (A) $\sin^{-1}\left(\frac{16}{15}\right)$

(B) $\sin^{-1}\sqrt{\frac{16}{15}}$

(C) $\sin^{-1}\left(\frac{1}{-}\right)$

(D) $\sin^{-1}\left(\frac{15}{16}\right)$

26) The power of plane mirror is _____

| (A) | o |
|-----|---|

(B) 0


(D) 4D

27) Light waves travel from optically rarer medium to optically denser medium. Its velocity decreases because of change in _____

(B) wavelength

(D) phase

The Network shown in Figure is a part of the circuit. (The battery has 28) negligible resistance)



At a certain instant the current I = 2 A and it is decreasing at the rate of 10² As⁻¹. What is the potential difference between the points B and A?

(A)
$$8.0 V$$

(B) 8.5 V

(D) 15 V

29) A rod of 10 cm length is moving perpendicular to uniform magnetic field of intensity 5×10^{-4} Wb/m². If the acceleration of the rod is 5 m/s², then the rate of increase of induced emf is _____

$$(A) 2.5 \times 10^{-4} \text{ Vs}^{-1}$$

(B) $25 \times 10^{-4} \text{ Vs}$

(C)
$$20 \times 10^{-4} \text{ Vs}$$

(C) $20 \times 10^{-4} \text{ Vs}$ (D) $20 \times 10^{-4} \text{ Vs}^{-1}$

| 30) | A current of $^{25}\!\!/_{\pi}$ Hz frequency is passing through an A.C. circuit having series combination of R = 100 Ω and L = 2 H, the phase difference between voltage and current is | | | |
|-----|--|---|-----------|---|
| | VOITA | | (B) | 60° |
| | ` ' | | ` , | |
| | (C) | 30 | (D) | 45* |
| 31) | In A | .C. circuit having only capacito | or, the c | urrent |
| | (A) | lags behind the voltage by $\frac{\pi}{2}$ | in phas | se |
| | (B) | leads the voltage by $\frac{\pi}{2}$ in pha | ise | |
| | (C) | leads the voltage by π in phase | е | |
| | (D) | lags behind the voltage by π in | n phase | |
| | | | Vo | |
| 32) | capa | | =100 | $\sqrt{2} \sin 100t$ volt is applied to a the ammeter will be equal to |
| | (A) | 10 | (B) | 20 |
| | (C) | 40 | (D) | 80 |
| 33) | with | | ince of | alpha particle fired at a nucleus the closest approach when the α netic energy 2K will be |
| | (A) | r ₀ 2 | (B) | $4r_0$ |
| | (C) | r ₀ 4 | (D) | $2r_0$ |
| | | | | |

| 34) | Number of spectral line in hydrogen atom is | | |
|--|--|--|--|
| | (A) 6 | (B) 8 | |
| | (C) 15 | (D) α | |
| | | | |
| 35) | A radioactive element X disintegrate | es successively as under | |
| <i>X</i> | $X \xrightarrow{\beta^{-}} X_{1} \xrightarrow{\alpha} X_{2} \xrightarrow{\beta^{-}} X_{3}$ | $^{\alpha}$ X_4 | |
| \ | | number of X are respectively 72 and | |
| | (Λ) 69, 176 | (B) 69, 172 | |
| | (C) 71, 176 | (D) 70, 172 | |
| 36) The energy released by the fission of one uranium atom is 200 MeV. The number of fission per second required to produce 6.4 W power is | | | |
| | (A) 10^{11} | (B) 2×10^{11} | |
| | (C) 10^{10} | (D) 2×10^{10} | |
| | | | |
| 37) | If by successive disintegration of | $\mathbb{Q}_2 U^{238}$, the final product obtained is | |
| | 82 Pb 206, then how many number of | f α and β particles are emitted? | |
| | (A) 8 and 6 | (B) 6 and 8 | |
| | (C) 12 and 6 | (D) 8 and 12 | |
| | | | |

| 38) | A change of 0.04 V takes place between the base and the emitter when an |
|-----|---|
| | input signal is connected to the CE transistor amplifier. As a result , $20\mu A$ |
| | change take place in the base current and a change of 2 mA takes place in |
| | the collector current. Find the input resistance and A.C. current gain. |

(A) $2k\Omega$, 100

(B) $1k\Omega$, 100

(C) $2k\Omega$, 200

(D) $1k\Omega$, 200

39) A plane polarized light is incident normally on a tourmaline plate. Its \vec{E} vectors make an angle of 60° with the optic axis of the plate. Find the percentage difference between initial and final intensities.

(A) 25%

(B) 50%

(C) 75%

(D) 90%

40) Light of wave length λ is incident on slit of width d. The resulting diffraction pattern is observed on a screen placed at distance D. The linear width of central maximum is equal to width of the slit, then D = _____

(A) $\frac{d^2}{2\lambda}$


(B) $\frac{2\lambda^2}{d}$

(C) d

(D) $\frac{2\lambda}{d}$

CHEMISTRY

| 41) | Which of the following defect is seen in FeO? | | | |
|-----|--|--------------------------------------|---------|--------------------------------|
| | (A) | Metal excess defect | | |
| | (B) | Metal deficiency defect | | |
| | (C) | Displacement defect | | |
| | (D) | Impurity defect | | |
| 42) | Whi | ch of the following substance p | ossess | antiferromagnetic property? |
| | (A) | Fe ₃ O ₄ | (B) | CrO ₂ |
| | (C) | H ₂ O | (D) | MnO |
| 43) | The boiling points for aqueous solutions of sucrose and urea are same a constant temperature. If 3 gm of urea is dissolved in its 1 litre solution what is the weight of sucrose dissolved in its 1 litre solution? [Urea - 60 gm/mole, sucrose = 342 gm/mole] | | | |
| | (A) | 3.0 gram | (B) | 17.1 gram |
| | (C) | 6.0 gram | (D) | 34.2 gram |
| 44) | Whi | ch option is inconsistant for Ra | oult's | law? |
| | (A) | Volume of liquid solvent + solution. | volum | e of liquid solute = volume of |
| | (B) | The change in heat of dilution | for so | lution = 0 |
| | (C) | Solute does not undergo associ | ciation | in solution |
| | (D) | Solute undergoes dissociation | in solu | ıtion |
| | | | | |
| | | | | |



| 49) | Which method is used to get very pure germanium used in semiconductor? | | |
|-----|--|--|---|
| | (A) | electrolysis | |
| | (B) | vapour - phase refining | |
| | (C) | liquation | |
| | (D) | zone - refining | |
| 50) | Whi | nich product will be obtained in the follow | ing reaction? |
| | Read | $action: P_{4_{(s)}} + 3NaOH_{(aq)} + 3H_2O_{(l)} \rightarrow$ | |
| | (A) | $PH_{3_{(g)}} + 3Na_2HPO_{2_{(aa)}}$ (B) F | $\widetilde{PH}_{3(g)} + 3NaH_2PO_{2(aq)}$ |
| | (C) | $2PH_{3_{(g)}} + 3Na_2HPO_{2_{(ag)}} $ (D) 2 | $PH_{3_{(g)}} + 3NaH_2PO_{2_{(aq)}}$ |
| 51) | | e molecular formulae for phosgene and te pectively. | ar gas are and |
| | (A) | $SOCl_2$ and CCl_2NO_2 (B) C | OCl ₂ and CCl ₂ NO ₂ |
| | (C) | COCl ₂ and CCl ₃ NO ₂ (D) S | OCl ₂ and CCl ₃ NO ₂ |
| 52) | Whic | ich of the following mixture is called Aqu | aregia? |
| | (A) | Two parts of conc. HCl and two parts of | conc. HNO ₃ |
| , | (B) | Three parts of dil. HCl and 1 part of con | c. HNO ₃ |
| | (C) | Three parts of conc. HCl and 1 part of d | |
| | (D) | Three parts of conc. HCl and 1 part of co | 3 |
| | | | 3 |
| | | | |
| | | | |

| 53) | Which of the following is allylic halide? | | | |
|-----|---|---|-------|---|
| | (A) | Benzyl chloride | | |
| | (B) | (1 - bromo ethyl) benzene | | |
| | (C) | 1 - bromo benzene | | |
| | (D) | 3 - chloro cyclo hex-1-ene | | |
| 54) | | % of the reagent is used for dehydro at will be the weight of the main p | | |
| | [At. | . mass of H, C and Cl are 1, 12 & 3 | 35.5 | gm/mole-1 respectively] |
| | (A) | 0.7 gm | (B) | 1.4 gm |
| | (C) | 2.8 gm | (D) | 5.6 gm |
| | | | | |
| 55) | Nan | ne the following reaction CH ₃ CH ₂ C | 1 + N | NaI $\frac{\text{acetone}}{\text{CH}_3\text{CH}_2\text{I} + \text{NaCl}}$ |
| | (A) | Swartz reaction | | |
| | (B) | Frinkel-stein reaction | | |
| | (C) | Wurtz reaction | | |
| | (D) | Hell-Volhard Zelinsky reaction | | |
| 56) | Whi | ich reagent is used for bromination | of m | methyl phenyl ether? |
| 50) | | Br ₂ / Red P | OI II | metry pheny ether: |
| | | Br, / CH, COOH | | |
| | | Br_2 / FeBr ₃ | | |
| | | HBr / Δ | | |
| | (D) | ПБГ / Д | | |
| | | | | |
| | | | | |

- 57.) Which of the following acid does not have -COOH group?
 - (A) Ethanoic acid

(C) Benzoic acid

- 58) Which of the following statement is not correct?
 - (A) Phenol is used to prepare analgesic drugs
 - (B) Phenol is neutralised by sodium carbonate
 - (C) Solubility of phenol in water is more than that of chlorobenzene
 - (D) Boiling point of o-nitrophenol is lower than that of p-nitrophenol
- Total order of reaction $X + Y \rightarrow XY$ is 3. The order of reaction with **59**) respect to X is 2. State the differential rate equation for the reaction.

(A)
$$-\frac{d[X]}{dt} = K[X]^3[Y]^0$$
 (B) $-\frac{d[X]}{dt} = K[X]^0[Y]^3$

(B)
$$-\frac{d[X]}{dt} = K[X]^0 [Y]^3$$

$$\frac{d[X]}{dt} = K[X]^{2}[Y] \qquad (D) \quad -\frac{d[X]}{dt} = K[X][Y]^{2}$$

$$d(D) - \frac{d[X]}{dt} = K[X][Y]^2$$

- 60) $X \xrightarrow{Step-1} \rightarrow Y \xrightarrow{Step-U} \rightarrow Z$ is a complex reaction. Total order of reaction is 2 and Step - II is slow step. What is molecularity of Step-II?
 - $\langle (A) | 1$

(B) 2

(C) 3

(D) 4

61) Reaction $3ClO^{-} \rightarrow ClO_{3}^{-} + 2Cl^{-}$ occurs in following two steps.

 $ClO^{-} + ClO^{-} \xrightarrow{K_1} \rightarrow ClO_2^{-} + Cl^{-} (Slow step)$

(ii) $ClO_2^- + ClO^ K_2 \rightarrow ClO_3^- + Cl^-$ (Fast step)

then the rate of given reaction = ____

 $(A)^{\prime} K_1 [ClO^{-}]^2$

(B) $K_1[ClO^-]$

(C) $K_2[ClO_2^-][ClO^-]$

(D) $K_2[ClO^-]^3$

62) At given temperature and pressure adsorption of which gas of the following will take place the most?

(A) Di hydrogen 2

(B) Di oxygen & L

(C) Ammonia 17

(D) Di nitrogen 18

63) Which type of colloid is the dissolution of sulphur (S_8) ?

(A) Associated colloid

(B) Micelle

(C) Multimolecular colloid

(D) Macromolecular colloid

64) For Adsorption phenomenon,

(A)
$$\Delta H = +ve$$
, $\Delta S = -ve$ (B) $\Delta H = -ve$, $\Delta S = +ve$

(C) $\Delta H = -ve$, $\Delta S = -ve$ (D) $\Delta H = +ve$, $\Delta S = +ve$

| 65) | Which of the following statement is incorrect for KMnO ₄ ? | | | | | | | |
|-------------|---|------------------------------------|---------|--------------------------------|--|--|--|--|
| | (A) | (A) It is an oxidising agent. | | | | | | |
| | (B) | It is used as antiseptic. | | | | | | |
| | (C) | It is used as bleaching agent in | textile | e industries. | | | | |
| | (D) | It is dark purple coloured amorp | phous | substance. | | | | |
| | | | | | | | | |
| 66) | Whi | ch of the following ion has the ma | ximuı | m theoretical magnetic moment? | | | | |
| | (A) | Fe ³⁺ | (B) | Cr ³⁺ | | | | |
| | (A) (C) | Ti ³⁺ | (D) | Cr ³⁺ | | | | |
| | | | | | | | | |
| 67) | Whi | ch of the following oxide has the | maxi | imum basicity? | | | | |
| | (A) | La_2O_3 | (B) | Pr_2O_3 | | | | |
| | (C) | Sm_2O_3 | (D) | Gd ₂ O ₃ | | | | |
| | | | | | | | | |
| 68) | Whi | ch of the following spectrochemi | cal se | eries is true? | | | | |
| | (A) | $SCN^- < NH_3 < F^- < en < CO$ | | | | | | |

(B) $SCN^- < F^- < NH_3 < en < CO$

(C) $SCN^- < F^- < en < NH_3 < CO$

(D) $SCN^- < F^- < en < CO < NH_3$


| 69) | agnetic? | | | |
|-------------|------------|---|---------------------------------------|--|
| | (A) | [Ni (CO) ₄] | (B) | $[Co(NH_3)_6]^{3+}$ |
| | (C) | [Ni (CN) ₄] ²⁻ | (D) | [NiCl ₄] ²⁻ |
| | of N | i in these complexes are | _& \XB) | sp³, dsp² |
| ` | (C) | dsp², sp³ | (D) | dsp², dsp² |
| 1 | (A) (B) | Ch of the following order of aci Cl ₃ ·C·COOH > Cl ₂ ·CH·COOH CH ₃ ·CH ₂ ·CH.COOH > CH ₃ ·CI Cl | I > Cl·(H·CH ₂ ·(l | CH ₂ ·COOH COOH > CH ₂ ·CH ₂ · CH ₂ ·COOH Cl |
| 72) | | t is the formula of Acrolein? $CH_2 = CH - CHO$ | | |
| | | $CH_2 = CH - CN$ | | |
| | | $CH_2 = CH - COOH$ | | |
| | (C) | CII ₂ - CII - COOH | | |

(D) $CH_2 = CH - CONH_2$

| 73) | What is IUPAC name for isophthalic acid? | | | | | | | |
|-----|--|----------------------------------|----------|----------------------------------|--|--|--|--|
| | (A) | Benzene - 1, 3 dicarboxylic acid | | | | | | |
| | (B) | Benzene - 1, 2 dicarboxylic acid | | | | | | |
| | (0) | Benzene - 1, 4 dicarboxylic acid | | | | | | |
| | (D) | Benzene - 1, 5 dicarboxylic | acid | | | | | |
| | | | | | | | | |
| 74) | Wha | at is the name for red azo dyes | ? | | | | | |
| | (A) | p - hydroxy azo benzene | | | | | | |
| | (B) | β - napthyl azo benzene | | | | | | |
| | (C) | p - amino azo benzene | | | | | | |
| | (D) | p - N, N dimethyl amino azo | benzene | 2 | | | | |
| | | | | | | | | |
| 75) | Whi | ch of the following is not forr | ned by S | andmayer reaction? | | | | |
| | (A) | C ₆ H ₅ Cl | (B) | C_6H_5I | | | | |
| | (C) | C_6H_5Br | (D) | C ₆ H ₅ CN | | | | |
| | | | | | | | | |
| 76) | For | which vitamin liver is not the | source? | | | | | |
| | (A) | Vitamin - B ₁ | (B) | Vitamin - B ₂ | | | | |
| | (C) | Vitamin - B ₁₂ | | Vitamin - H | | | | |
| | | | | | | | | |
| | | | | | | | | |

| 77) | In which of the following compound, all the monosaccharide units are not joined by $C_1 - O - C_4$ chain. | | | | | |
|-------------|---|---|--------|---------------------------------|--|--|
| | (A) | Maltose | (B) | Lactose | | |
| | (C) | Cellulose | (D) | Amylopectin | | |
| 78) | | ich of the following polymeromerisation reaction? | | | | |
| | (A) | Butyl rubber | (B) | Poly styrene | | |
| | (C) | Teflon | (D) | PVC | | |
| | | | | | | |
| 7 9) | Whi | ch of the following polymer is us | sed in | pigment? | | |
| | (A) | Buna - S | (B) | Neoprene | | |
| | (C) | Teflon | (D) | Orlon | | |
| | | | | | | |
| 80) | Тор | revent food from spoilage by mic | roorga | anism, which substance is used? | | |
| | ~(A) | Aspartame | (B) | Ameto | | |
| | (C) | Salt of sorbic acid | (D) | Tetrazine | | |
| | | | | | | |
| | | | | | | |

BIOLOGY



Match the column I, II and III 84)

Column I

Column II

Column III

- A) Sickle Cell Anaemia
- i) Due to recessive PP genes
- P) Arrangement of Valine in place of Glutamic acid

- B) Phenyl Keton 'a,
- ii) Due to absence of homogentisic oxidase enzyme
- Q) Inborn error of metabolism `

- C) Alkaptonuria
- ii) Follows Mendelian R) Urine turns black Principles
- when exposed to air

- D) Thalassaemia
- iv) Characters caused S) The required by homozygous recessive genes
- haemoglobin is not generated in the blood

(B)
$$(A - iv - P) (B - i - Q) (C - ii - R) (D - iii - S)$$

(D)
$$(A - iii - R) (B - i - Q) (C - iv - P) (D - ii - S)$$

- Which of the following is the symptom of Ulcerative colitis?
 - (A) Watery stools containing blood and mucus
 - (B) Difficulty in swallowing
 - (C) Loss of appetite
 - (D) Eyes turn yellow


- 86) Which one is not cranial bone?
 - (A) Frontal

(B) Zygometic

(C) Temporal

(D) Sphenoid

87)



In this process which of the following play important role?

(A) Chlorophyll

- (B) Light energy
- (C) Ca++, Mn++, Cl⁻
- (D) All of the above
- 88) Which of the following is correct trend of succession in Hydroseric succession?
 - (A) Phytoplankton \rightarrow Rooted submerged \rightarrow Reed swamp \rightarrow Sedge medow.
 - (B) Phytoplankton → Reed swamp → Rooted submerged → Sedge medow
 - (C) Phytoplankton → Sedge medow → Reed swamp → Root submerged
 - (D) Rooted submerged → Phytoplankton → Reed swamp → Sedge medow

| 89) | On which surface of cell Donnan equilibrium occur? | | | | | |
|-----|---|------------------------------------|--------|------------------------|--|--|
| / | (A) Cell wall | | | Tonoplast | | |
| | (C) | Plasma membrane | (D) | Nuclear membrane | | |
| | | | | | | |
| 90) | Whi | ch type of gene regulate sex-dete | rmina | tion in Spinach plant? | | |
| | (A) | Homozygous genes | (B) | Heterozygous genes | | |
| | (C) | Single gene | (D) | Multiple genes | | |
| | | | | | | |
| 91) | When the respiratory substances are more than one then which respiratory substrates are not used? | | | | | |
| | (A) | Pure Protein | (B) | Lipid | | |
| | (C) | Carbohydrate | (D) | (A) and (B) both | | |
| | | | | | | |
| 92) | State | e the condition of muscle contract | ion in | n following diagram. | | |
| | | | | | | |

(B) Contraction

(D) None

(A) Resting potential

(C) Maximally contracted

| 93) | How many years are considered in one minute in Geological clock? | | | | | |
|-----|--|-----------------------------------|---------|---------------------------------|--|--|
| | (A) | 52000 years | | 1,87,500,000 years | | |
| | (C) | 3,25,000 years | (B) | 1,90,000 years | | |
| | | | | | | |
| 94) | | ch structure is formed at the tim | | hange of gamete nuclei in given | | |
| | | | | | | |
| ١, | (A) | Plasmodesmata | (B) | Cytoplasmic filaments | | |
| | (C) | Internal tubule | (D) | Cytoplasmic bridge | | |
| | | | | | | |
| 95) | Nam | ne the plant shows adventive en | nbryoni | c cells. | | |
| | (A) | Sunflower and Mango | (B) | Citrus and Mango | | |
| | (C) | Lemon and Maize | (D) | Lemon and Palms | | |
| | | | | | | |
| | | | | | | |

- 96) During respiration _____
 - (A) 2 PGAL during glycolysis and none of the PGAL produced in Kreb's cycle
 - (B) 2 PGAL during glycolysis and 4 Pyruvic acid are produced in Kreb's cycle
 - (C) 2 PGAL during glycolysis and 2 Pyruvic acid are produced in Kreb's cycle
 - (D) PGAL is not produced during respiratory events
- 97) Which of the following function is performed by collecting tubule of kidney?
 - (A) In the maintenance of pH and ionic balance of blood by the secretion of H⁺ and K⁺ ions
 - (B) Maintenance of pH of blood and removal of Na⁺ and K⁺ ions
 - (C) Absorption of glucose and ammonia from the blood
 - (D) None of above
- 98) A Nerve fibre can become excited through touch, smell, pressure and chemical changes and there is a change in polarity.
 - R It is called active potential.
 - (A) A and R both are correct and A is correct explanation of R.
 - (B) A and R both are correct but A is not correct explanation of R.
 - (C) A is correct and R is wrong
 - (D) A is wrong and R is correct

99) Select proper option, by matching column I, II and III.

Column I Column II Column III

(Common Name) (Roman Numerical (Activation product)

Designation)

- P) Prothrombin (iu) x) I
- Q) Proconvertin (i) y) V
- R) Fibrinogen (1) z) II
- S) Proaccelerin (iv)w) VII

- i) Convertin
- ii) Fibrin
- iii) Thrombin
- iv) Accelerin

(A)
$$(P - z - iii)$$
 $(Q - w - i)$ $(R - y - ii)$ $(S - x - iv)$

(C)
$$(P - z - iii)$$
 $(Q - w - ii)$ $(R - x - iv)$ $(S - y - i)$

$$\mathcal{D}$$
) $(P-z-iii)$ $(Q-w-i)$ $(R-x-ii)$ $(S-y-iv)$

100) What is "A" and "B" in given diagram?

$$(A)$$
 $A = RNA Primer$

B = RNA Helicase

(B)
$$A = RNA Primer$$


B = DNA Helicase

(C) A = Single strand Binding Protein

B = DNA Helicase


(D) A = Lagging strand

B = Movement of Helicase



| 101) | In w | which field application of biotechnology occurs? | | | | | | |
|------|------|---|---------|--------------------|--|--|--|--|
| | (A) | Bio-medicine | | | | | | |
| | (B) | Agriculture | | | | | | |
| | (C) | Environmental field | | | | | | |
| · | (D) | All of the above | | | | | | |
| | | | | | | | | |
| 102) | | shows anti-allergic and anti-i | nflam | nmatory effect. | | | | |
| | (A) | Mineralocorticoids | | | | | | |
| | (B) | Glucocorticoids | | | | | | |
| | (C) | Sexcorticoids | | | | | | |
| | (D) | Noradrenaline | | | | | | |
| | | | | | | | | |
| 103) | | ng the process of decomposition in ert into inorganic ions and salts b | | | | | | |
| į | (A) | Mineralization | (B) | Catabolism | | | | |
| | (C) | Fragmentation | (D) | All of the above | | | | |
| | | | | | | | | |
| 104) | How | much amount of volume of air i | s in lı | ings FRC? | | | | |
| | (A) | 1500 ml to 1600 ml | (B) | 2100 ml to 2500 ml | | | | |
| | (C) | 2500 ml to 3000 ml | (D) | 1600 ml to 2100 ml | | | | |
| | | | | | | | | |
| | | | | | | | | |

105) What indicated "A" in given figure?



(A) Peptide bond

(B) Glycocidic bond

(C) Disulfide bond

(D) Hydrophobic bond

(106) What is total diastolic time of ventricle in cardiac cycle?

(A) 0.30 second

. (B) 0.40 second

(C) 0.50 second

(D) 0.10 second

107) Which amino acid determines by four genetic codes?

(A) Leucine (Leu)

(B) Proline (Pro)

(C) Serine (Ser)

(D) Tyrosine (Tyr)

- 108) Which is the inhibitory hormone of GH?
 - (A) Insulin
 - (B) Parathormone
 - (C) Somatostatin
 - (D) Testosterone
- 109) Complete and balanced the following reaction.

$$Na_2HPO_4 + X \rightarrow Y + NaH_2PO_4$$

- (A) $X = NaHCO_3$, Y = NaCl
- (B) $X = H_2CO_3^-$, $Y = NaH_2CO_3$
- (C) $X = NaHCO_3$, $Y = H_2CO_3$
- (D) $X = H_2CO_3$, $Y = NaHCO_3$
- 110) How many molecules of ATP and NADPH are require in formation of two molecules of glucose? How many Calvin cycles are required?
 - (A) 36 ATP, 24 NADPH, 12 Calvin cycles
 - (B) 18 ATP, 12 NADPH, 6 Calvin cycles
 - (C) 36 ATP, 24 NADPH, 6 Calvin cycles
 - (D) 24 ATP, 36 NADPH, 12 Calvin cycles

| 111) | A | The DNA fingerprint is the same for every cell, tissue and organ of a person. | | | | | |
|-------|--------|---|--------|--------------------|--|--|--|
| | R - | DNA fingerprint is used for treatment of inherited disorders lil Huntigton's disease, Alzheimer's and Sickle cell anemia. | | | | | |
| | (A) | A and R both are correct. R is explanation of A | | | | | |
| | (B) | A and R both are correct but R is not explanation of A | | | | | |
| | (C) | A is correct and R is wrong | | | | | |
| | (D) | A is wrong and R is correct | | | | | |
| (112) | Whi | ch part is not included in Coehle | ar duc | t? | | | |
| | (A) | Reissner's membrane | (B) | Macula of Utricle | | | |
| | (Ç) | Scala Media | JADI. | Tectorial membrane | | | |
| 143) | Whi | ch is Gynandromorph type of an | imal? | | | | |
| | \(.A') | Drossophilla | (B) | Beetles | | | |
| | (C) | Silk worms | (D) | All of the above | | | |
| 114) | DNA | A polymerase enzyme is isolated | from | which bacteria? | | | |
| | (A) | E.Coli | (B) | Thermus aquaticus | | | |
| | (C) | Bacillus thrunegenesis | (D) | Agro bacterium | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

115) Match the column I, II and III

Column I

Column II

Column III

- P) Trichomoniasis
- i) Herpes Simplex
- x) Pain in lower abdomen

- Q) Syphilis
- ii) Neisseria
- y) Inflammation and

gonorrhoeae

itching in and around

vagina

- R) Gonorrhoea
- iii) Treponema
- z) Patchy hair loss

Pallidium

- S) Genital herpes
- iv) Trichomonas
- w) Feeling of uneasiness

Vaginalis

(B)
$$(P - iv - y) (Q - i - z) (R - ii - x) (S - iii - w)$$

(C)
$$(P - iv - x) (Q - i - w) (R - ii - y) (S - iii - z)$$

(D)
$$(P - i - z) (Q - ii - y) (R - iv - w) (S - iii - x)$$

116) What is the height and weight of twelve weeks old human embryo?

- (A) 7.5 cm, 650 gram
- (B) 7.5 cm, 14 gram
- (C) 42 cm, 1800 gram
- (D) 32 cm, 650 gram

117) Assertion A: Restriction endonuclease recognize short palindromic sequence and cut at specific sites.

Reason - R: When a restriction endonuclease acts on Palindrome, it cleaves both the strands of DNA molecule.

- (A) A and R are both correct. R is explanation of A
- (B) A and R are both correct but R is not explanation of A
 - (C) A is correct and R is wrong
- √D) A is wrong and R is correct
- 118) Write proper option by matching column I, II and III.

| Column I | | Column II | Column III | | |
|----------|------------------|--------------------------|--|--|--|
| | (Name) | (Enzyme) | (Function) | | |
| i) | Gastric Juice | P) Chymo- trypsinogen | A) Dipeptide convert into amino acid | | |
| ii) | Intestinal Juice | Q) Ptylin | B) Proteoses convert into small polypeptides | | |
| iii) | Saliva | R) Renin | C) Casein convert into paracasein | | |
| iv) | Pancreatic juice | S) Erepsin | D) Conversion of starch into maltose | | |

(A)
$$(i - R - C)(ii - S - A)(iii - Q - B)(iv - P - D)$$

| 119) Write the correct sequence of genetic diversity. | | | | | | | | | |
|---|--|--------------------|----------|-----------|--|--|--|--|--|
| (A) | (A) Kingdom → Population → Species → Genes → Chromosome → Nucleotides | | | | | | | | |
| (B) | (B) Population \rightarrow Species \rightarrow Chromosomes \rightarrow Genes \rightarrow Nucleotides | | | | | | | | |
| (C) | | | | | | | | | |
| (D) | Kingd | om \rightarrow S | Species | → Chro | omosomes → Genes → Nucleotides | | | | |
| | | | | | | | | | |
| 120) Mat | ch the c | olumn I | and II a | nd select | t the correct option. | | | | |
| Colı | ımn I | | | Col | olumn II (concentration of DDT in ppm) | | | | |
| A) | Zooto Plankton | | | _ P) | 0.003 ppm | | | | |
| B) | Small fishes | | | Q) | 2 ppm | | | | |
| C) | Water | | | (R) | 25 ppm | | | | |
| D) | Fish ea | ating bire | ds | (S) | 0.04 ppm | | | | |
| E) | Big fis | hes | | T) | 0.5 ppm | | | | |
| | A | В | С | D | Е | | | | |
| WAS | S | T | P | R | Q | | | | |
| (B) | S | T | P | Q | R | | | | |
| (C) | S | T | R | Q | P | | | | |
| (D) | Q | P | S | T | R | | | | |
| | | | | | | | | | |
| | | | | | | | | | |