

GSEB QUESTION PAPER MATHS

Time : 3 Hours]

[Maximum Marks : 100]

Instructions:

1. Answer **all** questions.
2. Write your answers according to the instructions given below with the questions.
3. Begin each section on a new page.

Section - A

Given below are 1 to 15 multiple choice questions. Each carry **one** mark. Write the serial number (*a* or *b* or *c* or *d*) in your answer book of the alternative which you feel is the correct answer of the question. 15

- $d((|7|, -8), (|-7|, -3)) = ?$
 - -5
 - 11
 - 5
 - -11
- The Cartesian equation of the line passing through the points $(5, 6)$ and $(-3, 6)$ is
 - $y - 6 = 0$
 - $y + 6 = 0$
 - $x - 5 = 0$
 - $x + 3 = 0$
- The equation of the circle touching the Y -axis and having its centre at $(3, -4)$ is
 - $x^2 + y^2 + 6x + 8y + 16 = 0$
 - $x^2 + y^2 - 6x + 8y + 9 = 0$
 - $x^2 + y^2 - 6x - 8y + 9 = 0$
 - $x^2 + y^2 - 6x + 8y + 16 = 0$
- The end points of the Latus-rectum for parabola $x^2 = -6y$ are
 - $(\pm 3, -\frac{3}{2})$
 - $(-\frac{3}{2}, 3)$
 - $(-\frac{3}{2}, -3)$
 - $(\pm 3, \frac{3}{2})$

5. Measure of the angle between asymptotes of $4x^2 - y^2 = 9$ is
 - a) $\tan^{-1}\left(-\frac{4}{3}\right)$
 - b) $\pi - \tan^{-1}\left(\frac{4}{3}\right)$
 - c) $\frac{\pi}{3}$
 - d) $\tan^{-1}\left(\frac{4}{3}\right)$
6. Which is a unit vector ?
 - a) $(\cos \alpha, 2\sin \alpha)$
 - b) $(\sin \alpha, \cos \alpha)$
 - c) $(1, -1)$
 - d) $(2\cos \alpha, \sin \alpha)$
7. $\bar{x} = (1, -1)$ and $\bar{y} = (1, 0)$ then $\text{Comp}_{\bar{x}}\bar{y}$
 - a) 1
 - b) 0
 - c) $\frac{1}{\sqrt{2}}$
 - d) \bar{y}
8. Measure of the angle between $x + 2y + z = 1$ and $\bar{r} = (0, 0, 0) + K(2, 1, -1), K \in R$ is
 - a) $\frac{\pi}{6}$
 - b) $\frac{\pi}{3}$
 - c) $\frac{\pi}{2}$
 - d) $\frac{\pi}{4}$
9. The plane $\bar{r} \cdot (2, -2, 1) = -12$ touches the sphere $x^2 + y^2 + z^2 - 2x - 4y + 2z - 3 = 0$, then the point of contact is
 - a) $(1, -4, 2)$
 - b) $(-1, 4, -2)$
 - c) $(-1, 4, 2)$
 - d) none of these
10. $\lim_{x \rightarrow \frac{1}{4}} \frac{e^{4x} - e}{x - \frac{1}{4}} = ?$
 - a) 4
 - b) $-4e$
 - c) $-4e$
 - d) $-4e$
11. The derivative of $\sin^{-1}x$ with respect to $\cos^{-1}x$ is
 - a) 1
 - b) -1
 - c) 0
 - d) None of these

- 12.** Radius of a circular metal plate when heated, increase by 2%. If its radius is 10 c.m., then the increase in its area is
- a) 4π (c.m.)² b) 4π c.m.
c) 20π (c.m.)² d) 2π (c.m.)²
- 13.** $\int_{-1}^0 |x| \cdot dx = ?$
- a) $-\frac{1}{2}$ b) $\frac{1}{2}$
c) 1 d) None of these
- 14.** The degree and order of the $\frac{d^2y}{dx^2} = \left(1 + \left(\frac{dy}{dx}\right)^2\right)^{\frac{3}{2}}$ are
- a) 6 and 1 b) 3 and 2
c) 2 and 2 d) 1 and 1
- 15.** A body projected in vertical direction attains maximum height 50m. Its velocity at 25 m height is
- a) $7\sqrt{10}$ m/s b) $7\sqrt{10}$ m/s²
c) $-7\sqrt{10}$ m/s d) 490 m.

Section - B

Answer the following **16 to 30** questions. Each question carry **one** mark.

15

- 16.** In which ratio does the X - axis divide the line-segment joining $A (3, 5)$ and $B (2, 6)$?
- 17.** Obtain the equation of the circle which has a diagonal of rectangle formed by $x = 2$, $x = -2$, $y = 3$ and $y = 1$.

OR

Obtain the equation of a circle with radius $\frac{5}{2}$, if it passes through $(-1, 1)$ and $(-1, -4)$.

18. There is a point on the parabola $y^2 = 2x$, whose x -co-ordinate is two times the y -co-ordinate. If this point is not the vertex of the parabola, find the point.
19. Find the parametric equation of director circle of $\frac{x^2}{16} + \frac{y^2}{9} = 1$
20. Find a unit vector orthogonal to both $(2, 2, 1)$ and $(3, 2, 2)$.
21. Find the projection of $(1, 1, 1)$ on $(2, 2, 1)$.
22. Find the perpendicular distance of the point $P(4, -5, 3)$ from the line

$$\frac{x-5}{3} = \frac{y+2}{-4} = \frac{z-6}{5}.$$

23. Find $\frac{d}{dx}(\sin^3 x)$

OR

Find $\frac{d}{dx} \left(e^{-2006 \log_e x} \right)$

24. Evaluate $\int \frac{ex}{\sqrt{2x^2+3}} \cdot dx$
25. Find the area of the region bounded by the curve $y = \cos x$ X - axis and the the lines $x = 0$, $x = \pi$.
26. Evaluate $\int \tan^2 x \cdot \sec^2 x \cdot dx$.

OR

Evaluate $\int \frac{1}{9+4x^2} \cdot dx$.

27. Evaluate $\int_1^{4013} (\operatorname{Cosec}^{-1} x + \operatorname{Sec}^{-1} x) \cdot dx, |x| \geq 1$
28. Obtain the differential equation representing all line of family $y = mx + c$ (where m and c are arbitrary constants).

29. If the distance of a particle executing rectilinear motion is x from fixed point at time t , where $x = 2t^3 - 9t^2 + 12t + 8$, then when will the velocity become 0.
30. Two balls are thrown vertically upwards with velocities 19.6 m/s and 9.8 m/s. Find the height of the second ball, when the first ball attains maximum height.

Section - C

Answer the following 31 to 40 questions. Each carrying **two** marks as directed in the question. 20

31. Prove by using slopes that $A (12, 8)$, $B (-2, 6)$, $C (6, 0)$ are the vertices of a right triangle.

OR

Find the equation of the perpendicular bisector of \overline{AB} where A is $(-3, 2)$ and B is $(7, 6)$.

32. For the parabola $x^2 = 12y$, find the area of the triangle whose vertices are the vertex of the parabola and two-end points its latus-rectum.
33. If the end-points of a chord of the ellipse $b^2x^2 + a^2y^2 - a^2b^2 = 0$ have eccentric angle with measure α and β , then prove that the equation of the line containing the chord is

$$\frac{x}{a} \cos\left(\frac{\alpha + \beta}{2}\right) + \frac{y}{b} \sin\left(\frac{\alpha + \beta}{2}\right) = \cos\left(\frac{\alpha - \beta}{2}\right).$$

34. If the eccentricities of $\frac{x^2}{a^2} - \frac{y^2}{b^2} = \pm 1$ are e_1 and e_2 respectively, then prove that $e_1^2 + e_2^2 = e_1^2 \cdot e_2^2$.

OR

If the chord of hyperbola joining $P(\alpha)$ and $Q(\beta)$ on the hyperbola subtends a right angle at the centre $C(0, 0)$, then prove that $a^2 + b^2 \sin \alpha \cdot \sin \beta = 0$.

35. Prove that : $[\bar{x} + \bar{y} \quad \bar{y} + \bar{z} \quad \bar{z} + \bar{x}] = 2 [\bar{x} \quad \bar{y} \quad \bar{z}]$
36. If $\bar{x}, \bar{y}, \bar{z}$ are coplanar vectors, then prove that $\bar{x} + \bar{y}, \bar{y} + \bar{z}, \bar{z} + \bar{x}$ are coplanar.

OR

If $(\bar{x} + \bar{y}) \cdot (\bar{x} - \bar{y}) = 63$ and $|\bar{x}| = 8|\bar{y}|$ then, find $|\bar{x}|$.

37. Get the radius of the circle that is the intersection of the sphere $x^2 + y^2 + z^2 = 49$ and the plane $2x + 3y - z = 5\sqrt{14}$.
38. If $x = a(1 - \cos \theta), y = a(\theta - \sin \theta), \theta \in (0, \pi), a \neq 0$, then find $\frac{d^2y}{dx^2}$.
39. Verify Rolle's theorem for $f(x) = \sin x + \cos x - 1, x \in \left[0, \frac{\pi}{2}\right]$ If it is applicable, find C .

OR

In which interval the function $f(x) = 5x^3 - 15x^2 - 120x + 3$ is increasing and in which it is decreasing ?

40. Evaluate $\int \frac{\sin x}{1 + \sin x} \cdot dx$.

Section - D

Answer the following 41 to 50 questions. Each carrying **three** marks as directed in the question. **30**

41. A is $(2\sqrt{2}, 0)$ and B is $(-2\sqrt{2}, 0)$. If $|AP - PB| = 4$, then find the equation of locus of P .

OR

Origin is circumcentre of triangle with vertices $A(x_1, x_1 \tan \theta_1),$

$B(x_2, x_2 \tan \theta_2), C(x_3, x_3 \tan \theta_3) \quad (0 < \theta_i < \pi/2, x_i > 0, i = 1, 2, 3)$

If the centroid of $\triangle ABC$ is (x, y) prove that

$$\frac{y}{x} = \frac{\sin \theta_1 + \sin \theta_2 + \sin \theta_3}{\cos \theta_1 + \cos \theta_2 + \cos \theta_3}.$$

42. If the equation $3x^2 + (3-p)xy + qy^2 - 2px = 8pq$ represents a circle, find p and q . Also determine the centre and radius of the circle.
43. Forces measuring 5, 3 and 1 unit act in the direction : (6, 2, 3), (3, -2, 6), (2, -3, -6) respectively. As a result, the particle moves from (2, -1, -3) to (5, -1, 1). Find the resultant force and work done.
44. Find the vector and Cartesian equations of the line passing through (1, 2, 3) and perpendicular to the two lines

$$\vec{r} = (0, 0, 0) + K(1, 2, -1), K \in R \quad \text{and} \quad \frac{x-1}{3} = \frac{y}{2} = \frac{z}{6}$$

OR

Find the measure of the angle between two lines, if their direction cosines l, m, n satisfy $l + m + n = 0$, $l^2 + m^2 - n^2 = 0$.

45. Find the vector and Cartesian equations of the plane containing the lines $\vec{r} = (1, 2, 3) + K(2, 3, 4), K \in R$ and $\frac{x-1}{1} = \frac{y}{3} = \frac{z-5}{4}$.

46. Find $\lim_{x \rightarrow \frac{1}{\sqrt{2}}} \frac{x - \cos(\sin^{-1}x)}{1 - \tan(\sin^{-1}x)}$

47. Prove that, if $x > 0$, then $\frac{x}{1+x^2} < \tan^{-1}x < x$.

48. Obtain $\int_0^{\pi/2} \sin x \cdot dx$ as the limit of a sum.

49. Prove that $\int_8^{27} \frac{dx}{x - \sqrt[3]{x}} = \frac{3}{2} \log\left(\frac{8}{3}\right)$.

50. Solve $xy \cdot \frac{dy}{dx} = y + 2$. If $y(2) = 0$, then find the particular solution of the given differential equation.

OR

The population of a city increases at the rate of 3% per year. How many years will take to double the population ?

Section - E

Answer the following 51 to 54 questions. Each carrying five marks.

20

51. A is $(-4, -5)$ in $\triangle ABC$ and the lines $5x+3y-4=0$ and $3x+8y+13=0$ contain two of the altitudes of the triangle. Find the co-ordinates of B and C.

52. If $f(x) = \frac{e^{1/x} - e^{-1/x}}{e^{1/x} + e^{-1/x}}$, $x \neq 0$, $f(0)=1$ then prove that f is not continuous at $x = 0$.

OR

Find $\lim_{x \rightarrow 0} \frac{(1+mx)^n - (1+nx)^m}{x^2}$, $m, n \in N$.

53. If $x = \sin t$, $y = \sin pt$ then prove that $(1-x^2) \frac{d^2y}{dx^2} - x \frac{dy}{dx} + p^2y = 0$.

54. Evaluate $\int \frac{1}{1+5e^x+6e^{2x}} \cdot dx$.

OR

Evaluate $\int \frac{\sec x}{1+\operatorname{Cosec} x} \cdot dx$.