# **ICSE Question Paper (2012)**

# **MATHEMATICS**

SECTION A [40 Marks]

(Answer all questions from this Section.)

Question 1.

(a) If 
$$A = \begin{bmatrix} 3 & 1 \\ -1 & 2 \end{bmatrix}$$
 and  $I = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ , find  $A^2 - 5A + 7I$ . [3]

- (b) The monthly pocket money of Ravi and Sanjeev are in the ratio 5 : 7. Their expenditures are in the ratio 3 : 5. If each saves ₹ 80 every month, find their monthly pocket money.
- (c) Using the Remainder Theorem factorise completely the following polynomial :

$$3x^3 + 2x^2 - 19x + 6$$
 [4]

Solution :

(a)	Let	$\mathbf{A} = \begin{bmatrix} 3 & 1 \\ -1 & 2 \end{bmatrix} \text{ and } \mathbf{I} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$	
	than	$\mathbf{A}^2 = \begin{bmatrix} 3 & 1 \\ -1 & 2 \end{bmatrix} \begin{bmatrix} 3 & 1 \\ -1 & 2 \end{bmatrix}$	
		$= \begin{bmatrix} 9-1 & 3+2 \\ -3-2 & -1+4 \end{bmatrix} = \begin{bmatrix} 8 & 5 \\ -5 & 3 \end{bmatrix}$	
		$A^{2} - 5A + 7I = \begin{bmatrix} 8 & 5 \\ -5 & 3 \end{bmatrix} - 5 \begin{bmatrix} 3 & 1 \\ -1 & 2 \end{bmatrix} + 7 \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$	
		$= \begin{bmatrix} 8 & 5 \\ -5 & 3 \end{bmatrix} - \begin{bmatrix} 15 & 5 \\ -5 & 10 \end{bmatrix} + \begin{bmatrix} 7 & 0 \\ 0 & 7 \end{bmatrix}$	
		$= \begin{bmatrix} 8 - 15 + 7 & 5 - 5 + 10 \\ -5 + 5 + 0 & 3 - 10 + 7 \end{bmatrix}$	
		$= \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix} = 0$	Ans.
<b>(b)</b>	Let n	conthly pocket money of Ravi is $5x$ and Sanjeev is $7x$ .	

$$\frac{5x - 80}{7x - 80} = \frac{3}{5}$$

$$\Rightarrow 25x - 400 = 21x - 240$$

$$4x = 160$$

$$x = 40$$
Ravi's pocket money =  $5 \times 40 = \sqrt{200}$ 
Sanjeev's pocket money =  $7 \times 40 = \sqrt{280}$ 
Ans.
(c) Let  $f(x) = 3x^3 + 2x^2 - 19x + 6$ 
Using hit and trial method,
$$f(1) = 3 + 2 - 19 + 6 \neq 0$$

$$f(-1) = -3 + 2 + 19 + 6 \neq 0$$

$$f(2) = 24 + 8 - 38 + 6 = 0$$

$$\therefore (x - 2) \text{ is a factor of } f(x).$$
Now,  

$$3x^2 + 8x - 3$$

$$x - 2) \ 3x^3 + 2x^2 - 19x + 6$$

$$3x^3 - 6x^2$$

$$8x^2 - 19x$$

$$8x^2 - 19x$$

$$8x^2 - 16x$$

$$-3x + 6$$

$$-3x + 6$$

$$x$$
To factorise  

$$3x^2 + 8x - 3$$

$$= 3x^2 + 9x - x - 3$$

$$= 3x(x + 3) - 1(x + 3)$$

$$= (3x - 1)(x + 3)$$
Hence  

$$3x^3 + 2x^2 - 19x + 6 = (x - 2)(3x - 1)(x + 3)$$
Ans.

#### **Question 2**.

- (a) On what sum of money will the difference between the compound interest and simple interest for 2 years be equal to ₹ 25 if the rate of interest charged for both is 5% p.a. ?
   [3]
- (b) ABC is an isosceles right angled triangle with  $\angle ABC =$ 90°. A semi-circle is drawn with AC as the diameter. If AB = BC = 7 cm, find the area of the shaded region.  $\left(Take \ \pi = \frac{22}{7}\right)$  [3]
- (c) Given a line segment AB joining the points A (-4, 6) and B (8, -3). Find :
  - (i) the ratio in which AB is divided by the y-axis.
  - (ii) find the coordinates of the point of intersection.
  - (iii) the length of AB.

#### Solution :

(a) Let the principal be  $\overline{\mathbf{x}} \mathbf{P}$ .

 $Given: \mathbf{R} = 5\%, \mathbf{T} = 24$  years

C.I. for 2 years = 
$$P\left(1 + \frac{5}{100}\right)^2 - P$$
  
S.I. for 2 years =  $\frac{P \times 5 \times 2}{100} = \frac{P}{10}$ 

∴ Difference between C.I. and S.P. = ₹25

$$P\left(1+\frac{5}{100}\right)^2 - P - \frac{P}{10} = 25$$

[4]

 $\frac{441 P}{400} - \frac{11P}{10} = 25$  $\frac{441P - 440P}{400} = 25$ P = 10,000

Hence, the principle be 10,000

(b) Let ABC is a right angled triangle. So

 $AC^2 = AB^2 + BC^2$  $= (7)^2 + (7)^2 = 2(7)^2$ AC =  $7\sqrt{2}$ Area of semi circle =  $\frac{1}{2} \times \frac{22}{7} \times \left(\frac{7\sqrt{2}}{2}\right)^2$  $=\frac{1}{2}\times\frac{22}{7}\times\frac{49\times2}{4}$  $= 38.5 \text{ cm}^2$ Area of  $\triangle$  ABC =  $\frac{1}{2} \times 7 \times 7 = 24.5 \text{ cm}^2$ Area of shaded region = Area of semi circle – Area of  $\triangle$  ABC.  $= 38.5 - 24.5 = 14 \text{ cm}^2$ . Ans. (c) Let P be the point at which (i) AB intersect y-axis Let AP:PB = m:nB (8, ~ 3)  $x = \frac{mx_1 + nx_2}{m + n}$ P (0, y)  $y = \frac{my_1 + ny_2}{m + n}$   $0 = \frac{m \cdot 8 + n (-4)}{m + n}$ C A (-4, 6) and  $\frac{8m-4n}{m+n} = 0$ 8m = 4nm: n = 1: 2Ans.  $y = \frac{my_2 + ny_1}{m + n}$ (ii)  $1 \times (-3) + 2 \times 6$ 1 + 2Using the above ratio,  $y = \frac{-3+12}{1+2} = 3$  $\therefore$  Point of P be (0, 3) Ans.

(iii)  

$$AB = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

$$= \sqrt{(-4 - 8)^2 + (6 + 3)^2}$$

$$= \sqrt{144 + 81} = 15 \text{ units.}$$
Ans.

Ans.

#### **Question 3.**

(a) In the given figure O is the centre of the circle and AB is a tangent at B. If AB =15 cm and AC = 7.5 cm. Calculate the radius of the circle. [3]



(b) Evaluate without using trigonometric tables :

$$\cos^2 26^\circ + \cos 64^\circ \sin 26^\circ + \frac{\tan 36^\circ}{\cot 54^\circ}$$
 [3]

(c) Marks obtained by 40 students in a short assessment is given below, where a and b are two missing data.

Marks	5	6	7	8	9
No. of students	6	a	1 <b>6</b>	13	ь
If the mean of the distribu	ition is 7.2, find	l a and b.	,		[4]

If the mean of the distribution is 7.2, find a and b.

# Solution :

(a) Applying intercept theorem

$$AC \times AD = AB^2$$
  
7.5 × (7.5 + 2R) = 15<sup>2</sup>

$$\times (7.5 + 2R) = 15^2$$

where R is the radius of the circle

(7.5 + 2R) = 
$$\frac{15 \times 15}{7.5}$$
 = 30  
2R = 22.5  
R = 11.25 cm. Ans.  
(b) Given :  $\cos^2 26^\circ + \cos 64^\circ \sin 26^\circ + \frac{\tan 36^\circ}{1.5.40}$ 

$$= \cos^2 26^\circ + \cos (90^\circ - 26^\circ) \cdot \sin 26^\circ + \frac{\tan (90^\circ - 54^\circ)}{\cot 54^\circ}$$

$$= (\cos^2 26^\circ + \sin^2 26^\circ) + \frac{\cot 54^\circ}{\cot 54^\circ}$$
  
= 1 + 1 = 2 Ans.

(c) Let 6 + a + 16 + 13 + b = 40a+b = 5...(i) ⇒  $\frac{1}{r} = \Sigma f x$ 

Mean

$$x = \sum f$$

$$7 \cdot 2 = \frac{30 + 6a + 112 + 104 + 9b}{40}$$

$$246 + 6a + 9b = 288$$

$$6a + 9b = 42$$

$$2a + 3b = 14$$
...(ii)

Solving (i) and (ii), we get

#### Question 4.

(a) Kiran deposited ₹ 200 per month for 36 months in a bank's recurring deposit account. If the bank pays interest at the rate of 11% per annum, find the amount she gets on maturity.
 [3]

[8]

[4]

- (b) Two coins are tossed once. Find the probability of getting :
  - (i) 2 heads
  - (ii) at least 1 tail.

(c) Using graph paper and taking 
$$1 \text{ cm} = 1$$
 unit along both x-axis and y-axis.

- (i) Plot the points A(-4, 4) and B (2, 2)
- (ii) Reflect A and B in the origin to get the images A' and B' respectively.
- (iii) Write down the co-ordinates of A' and B'.
- (iv) Give the geometrical name for the figure ABAB'.
- (v) Draw and name its lines of symmetry.

#### Solution :

(a) Given : P per month = ₹200, Time (n) = 36 months, R = 11%.

Equivalent principal for 36 months = 
$$200 \times \frac{n(n+1)}{2}$$
  
=  $200 \times \frac{36 \times 37}{2}$   
=  $36 \times 37 \times 100$   
Interest =  $\frac{PRT}{100}$   
=  $\frac{36 \times 37 \times 100 \times 11 \times 1}{100 \times 12}$   
=  $\boxed{1221}$   
Maturity Amount =  $Pn$  + Interest  
=  $200 \times 36 + 1221$   
=  $\boxed{8421}$ . Ans.

(b) If two coins are tossed once, then

Sample Space (S) = {H H, HT, TH, TT} n (S) = 4 (i) E : getting two heads = {H H} n(E) = 1  $P(E) = \frac{n(E)}{n(S)} = \frac{1}{4}$  Ans. (ii) E : At least one tail = {HT, TH, TT} n(E') = 3 $P(E') = \frac{n(E')}{n(S)} = \frac{3}{4}$  Ans.

- (c) (i) Please See Graph.
  - (ii) Please See Graph.



- (iii) A' (4, -4) B' (-2, -2)
- (iv) Rhombus
- (v) Two lines of symmetry.Both diagonals, AA' and BB'

#### SECTION B [40 Marks]

Answer any four Questions in this Section.

### Question 5.

(a) In the given figure, AB is the diameter of a circle with centre O.

 $\angle BCD = 130^{\circ}$ . Find : (i)  $\angle DAB$ , (ii)  $\angle DBA$ 

- **(b)** Given  $\begin{bmatrix} 2 & 1 \\ -3 & 4 \end{bmatrix} X = \begin{bmatrix} 7 \\ 6 \end{bmatrix}$ . Write :
  - (i) the order of the matrix X
  - (ii) the matrix X.

#### (c) A page from the Savings Bank Account of Mr. Prateek is given below :

Date	Particulars	Withdrawal	Deposit	Balances
		(In 🎝	(In 🎝	(In 🕄
Jan. 1 <sup>st</sup> 2006	B/F	_	_	1,270
Jan. 7 <sup>th</sup> 2006	By Cheque	<u> </u>	2,310	3,580
March 9 <sup>th</sup> 2006	To Self	2,000	_	1,580
March 26 <sup>th</sup> 2006	By Cash		6,200	7,780
June 10 <sup>th</sup> 2006	To Cheque	4,500		3,280
July 15 <sup>th</sup> 2006	By Clearing		2,630	5,910
October 18th 2006	To Cheque	530	_	5,380
October 27th 2006	To Self	2,690	_	2,690
November 3 <sup>rd</sup> 2006	By Cash	_	1,500	4,190
December 6 <sup>th</sup> 2006	To Cheque	950	_	3,240
December 23 <sup>rd</sup> 2006	By Transfer	_	2,920	6,160



[8]

If he receives ₹ 198 as interest on 1st January, 2007, find the rate of interest paid by the bank. [4]

# Solution :

(a) On joining BD,  $\angle$  ADB is in the semicircle.

$$\angle ADB = 90^{\circ}$$

(Angle in a simicircle is right angle)

(i) Let ABCD is a cyclic quadilateral.

$$\angle BCD + \angle DAB = 180^{\circ}$$

$$130^{\circ} + \angle DAB = 180^{\circ}$$

$$\angle DAB = 180^{\circ} - 130^{\circ} = 50^{\circ}$$
(ii) Now,  $\angle BAD + \angle BDA + \angle DBA = 180^{\circ}$ 

$$90^{\circ} + 50^{\circ} + \angle DBA = 180^{\circ}$$

$$\angle DBA = 40^{\circ}$$
Ans.
(b) (i) Order of matrix X is 2 × 1.

(ii) Let 
$$X = \begin{bmatrix} a \\ b \end{bmatrix}$$
$$\begin{bmatrix} 2 & 1 \\ -3 & 4 \end{bmatrix} \begin{bmatrix} a \\ b \end{bmatrix} = \begin{bmatrix} 7 \\ 6 \end{bmatrix}$$
$$\begin{bmatrix} 2a + b \\ -3a + 4b \end{bmatrix} = \begin{bmatrix} 7 \\ 6 \end{bmatrix}$$
$$2a + b = 7$$
$$-3a + 4b = 6$$
$$\dots \dots \dots (1)$$
$$\dots \dots (2)$$
Solving (1) and (2), we get
$$a = 2, b = 3$$

$$a = 2, b = 3$$
$$X = \begin{bmatrix} 2\\ 3 \end{bmatrix}$$

Ans.

(c)	Months	Minimum Balance
	January	3,580
	February	3,580
	March	1,580
	April	7,780
	May	7,780
	June	3,280
	July	3,280
	August	5,910
	September	5,910
	October	2,690
	November	4,190
	December	3,240
	Total	₹ 52,800

Now,

Principal = 
$$₹ 52,800$$
  
Time = 1 month =  $\frac{1}{12}$  year,  
Interest =  $₹ 198$   
I =  $\frac{PRT}{100}$   
 $52,800 \times R \times 1$   
 $100 \times 12$  = 198  
R = 4.5%. Ans.

#### **Question 6.**

- (a) The printed price of an article is ₹ 60,000. The wholesaler allows a discount of 20% to the shopkeeper. The shopkeeper sells the article to the customer at the printed price. Sales tax (under VAT) is charged at the rate of 6% at every stage. Find :
  - (i) the cost to the shopkeeper inclusive of tax.
  - (ii) VAT paid by the shopkeeper to the Government.
  - (iii) the cost to the customer inclusive of tax.
- (b) Solve the following inequation and represent the solution set on the number line :

$$4x - 19 < \frac{3x}{5} - 2 \le \frac{-2}{5} + x, \ x \in R$$
<sup>[3]</sup>

[3]

(c) Without solving the following quadratic equation, find the value of 'm' for which the given equation has real and equal roots.

$$x^{2} + 2(m-1)x + (m+5) = 0$$
 [3]

#### Solution :

(a) (i) Printed price of the article =  $\mathbf{\overline{\xi}}$  60,000 Given : discount = 20% of ₹ 60,000 and  $= \frac{20}{100} \times 60,000 = ₹ 12,000$ Sale price of the article = 60,000 - 12,000 = ₹48,000Sales tax paid by the shopkeeper = 6% of ₹ 48,000  $= \frac{6}{100} \times 48,000 = ₹2,880$ . The cost of the shopkeeper inclusive of tax = 48,000 + 2,880= ₹ 50,880. Ans. VAT paid by shopkeeper = Tax charged - Tax paid (ii)  $= 60,000 \times \frac{6}{100} - 48,000 \times \frac{6}{100}$ = ₹720 Ans. Sales tax paid by the customer = 6% of ₹ 60,000(iii) =  $\frac{6}{100}$  × 60,000 = ₹ 3,600 The cost to the customer inclusive of tax : = 60,000 + 3,600

(b) Given :

$$4x - 19 < \frac{3x}{5} - 2 \text{ and } \frac{3x}{5} - 2 \le -\frac{2}{5} + x$$

$$\frac{17x}{5} < 17 \text{ and } -\frac{2x}{5} \le \frac{8}{5}$$

$$x < 5 \implies x \ge -4$$
Solution set =  $\{x : 5 > x \ge -4\}$ 

 $4x - 19 < \frac{3x}{5} - 2 \le -\frac{2}{5} + x$ 

-4-3-2-1 0 1 2 3 4 5 6

(c) Given :  $x^2 + 2(m-1)x + (m+5) = 0$ For real and equal roots,

.

$$b^2 - 4ac = 0$$
$$b^2 = 4ac$$

Comparing given equation (i) with  $ax^2 + bx + c = 0$ , we get

$$a = 1, b = 2(m - 1), c = (m + 5)$$

$$4 (m - 1)^{2} = 4 (m + 5)$$

$$m^{2} - 3m - 4 = 0$$

$$m^{2} - 4m + m - 4 = 0$$

$$m (m - 4) + 1 (m - 4) = 0$$

$$m = 4 \text{ or } m = -1$$
Ans.

#### Question 7.

- (a) A hollow sphere of internal and external radii 6 cm and 8 cm respectively is melted and recast into small cones of base radius 2 cm and height 8 cm. Find the number of cones.
   [3]
- (b) Solve the following equation and give your answer correct to 3 significant figures:

$$5x^2 - 3x - 4 = 0$$
 [3]

...(i)

(c) As observed from the top of a 80 m tall lighthouse, the angles of depression of two ships on the same side of the light house in horizontal line with its base are 30° and 40° respectively. Find the distance between the two ships. Give your answer correct to the nearest metre.

#### Solution :

(a) Given : External Radius R = 8 cm, Internal Radius = 6 cm,

Volume of hollow spheres 
$$=\frac{4}{3}\pi (\mathbb{R}^3 - r^3)$$
.  
Volume of hollow spheres  $=\frac{4}{3}\pi [8^3 - 6^3]$   
 $=\frac{4}{3}\pi [512 - 216] = \frac{4}{3}\pi (296)$   
Volume of cones  $=\frac{1}{3}\pi r^2 h$   
 $=\frac{1}{3}\pi (2)^2 (8)$ 

A

Number of cones = 
$$\frac{\text{Volume of sphere}}{\text{Volume of cones}} = \frac{\frac{4}{3}\pi [296]}{\frac{1}{3}\pi \times 4 \times 8}$$
  
=  $\frac{296}{8} = 37 \text{ cones.}$  Ans.

**(b)** Given :  $5x^2 - 3x - 4 = 0$ 

Comparing given equation with  $ax^2 + bx + c = 0$ , we get a = 5, b = -3, c = -4

Let

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{3 \pm \sqrt{(-3)^2 - 4 \times 5 \times (-4)}}{2 \times 5}$$

$$x = \frac{3 \pm \sqrt{9 + 80}}{10} = \frac{3 \pm \sqrt{89}}{10} = \frac{3 \pm 9 \cdot 43}{10}$$

Taking +ve sign

$$x = \frac{3 + 9.43}{10} = 1.243$$

and taking – ve sign

$$x = \frac{3 - 9 \cdot 43}{10}$$
  
=  $\frac{-6 \cdot 43}{10}$   
=  $-0 \cdot 643$   
 $x = 1 \cdot 243 \text{ or } x = -0 \cdot 643$  Ans.  
(c) In  $\triangle$  ABC,  $\tan 50^{\circ} = \frac{BC}{80}$   
BC =  $80 \times 1 \cdot 1918$   
BC =  $95 \cdot 34 \text{ m}$   
In  $\triangle$  ABD,  $\tan 60^{\circ} = \frac{BD}{80}$   
BD =  $80 \sqrt{3}$   
BD =  $138 \cdot 56 \text{ m}$   
CD = BD - BC  
=  $138 \cdot 66 - 95 \cdot 34$   
=  $43 \cdot 2 \text{ m}$ . Ans.

#### Question 8.

- (a) A man invests ♥ 9,600 on ♥ 100 shares at ♥ 80. If the company pays him 18% dividend find
  - (i) the number of shares he buys.
  - (ii) his total dividend.
  - (iii) his percentage return on the shares.

(b) In the given figure  $\triangle$  ABC and  $\triangle$  AMP are right С angled at B and M respectively. Given AB = 10 cm, AP = 15 cm and PM = 12 cm. Prove  $\triangle ABC \sim \triangle AMP$ . (i) (ii) Find AB and BC. [3] B (c) If  $x = \frac{\sqrt{a+1} + \sqrt{a-1}}{\sqrt{a+1} - \sqrt{a-1}}$ , using properties of proportion show that  $x^2 - 2ax + 1$ *≈ 0.* [4] Solution : (a) Given : Investment = ₹ 9,600, N.V. = ₹ 100, M.V. = ₹ 80, Div. % = 18% Investment (i)  $=\frac{9600}{80}=120$  shares Ans. Total dividend =  $\frac{18}{100} \times 120 \times 100$ (ii) = ₹2,160 Ans.  $N.V \times Div\% = M.V. \times Return\%$ (iii) Since Return % =  $\frac{100 \times 189}{80}$ = 22.5% Ans. (b) (i) In  $\triangle$  ABC and  $\triangle$  APM, 1  $\angle ABC = \angle AMP = 90^{\circ}$  $\angle$  BAC =  $\angle$  PAM (Common)  $\triangle ABC \sim \triangle APM$ AC BC (ii) Also, AP = PM 10 BC 15 = 12 BC = 8 cm. Ans.  $\therefore \Delta$  ABC is right angled  $\Delta$ . Applying Pythagorous,

(c) Given:  

$$AB^2 = AC^2 - BC^2$$
  
 $= 10^2 - 8^2$   
 $AB = 6 \text{ cm.}$   
 $\frac{x}{1} - \frac{\sqrt{a+1} + \sqrt{a-1}}{\sqrt{a+1} - \sqrt{a-1}}$ 

Using componendo and dividendo,

$$x+1 = \frac{\sqrt{a+1}}{\sqrt{a-1}}$$
  
Squaring both sides,  
$$(x+1)^2 = \frac{a+1}{a-1}$$
  
again using componendo and dividendo,  
$$\frac{x^2+1}{2x} = \frac{a}{1}$$
$$x^2 - 2ax + 1 = 0$$

#### Hence Proved

# Question 9.

(a) The line through A (-2, 3) and B (4, b) is perpendicular to the line 2x - 4y = 5. Find the value of b. [3]

**(b)** Prove that 
$$\frac{\tan^2 \theta}{(\sec \theta - 1)^2} = \frac{1 + \cos \theta}{1 - \cos \theta}$$
**[3]**

(c) A car covers a distance of 400 km at a certain speed. Had the speed been 12 km/h more, the time taken for the journey would have been 1 hour 40 minutes less. Find the original speed of the car. [4]

•••

### Solution :

(a)  
Slope of AB 
$$(m_1) = \frac{y_2 - y_1}{x_2 - x_1} = \frac{b - 3}{4 + 2} = \frac{b - 3}{6}$$
  
Equation of given line  
 $2x - 4y = 5$   
 $4y = 2x - 5$   
 $y = \frac{1}{2}x - \frac{5}{4}$   
Slope of given line  $(m_2) = \frac{1}{2}$   
As per the question, line are perpendicular.  
 $m_1 m_2 = -1$ 

$$m_{1} \cdot m_{2} = -1$$

$$\frac{b-3}{6} \times \frac{1}{2} = -1$$

$$b-3 = -12$$

$$b = -9$$
Ans.
(b)
$$L.H.S. = \frac{\tan^{2} \theta}{(\sec \theta - 1)^{2}}$$

$$= \frac{\sec^{2} \theta - 1}{(\sec \theta - 1)^{2}}$$

$$= (\sec \theta - 1)(\sec \theta + 1)$$

$$(\sec \theta - 1)^{2}$$

$$= \frac{\sec \theta + 1}{\sec \theta - 1} - \frac{1}{\cos \theta} + 1$$

$$= \frac{1 + \cos \theta}{1 - \cos \theta} = R.H.S.$$
Hence Proved

(c) Let the original speed of car be x km/hr.

Usual time =  $\frac{400}{x}$ , New speed = x + 12, New time =  $\frac{400}{x+1}$ According to the condition :

$$\frac{400}{x} \frac{400}{x+12} = \frac{5}{3}$$
$$\frac{x+12-x}{x(x+12)} = \frac{1}{240}$$
$$x^2 + 12x - 2880 = 0$$
$$x^2 + 60x - 48x - 2880 = 0$$
$$x(x+60) - 48(x+60) = 0$$
$$x = -60 \text{ or } x = 48$$
can not be negative.

But speed can not be negative Origin

#### Question 10.

- (a) Construct a triangle ABC in which base BC = 6 cm, AB = 5.5 cm and  $\angle ABC = 120^{\circ}$ .
  - (i) Construct a circle circumscribing the triangle ABC.
  - (ii) Draw a cyclic quadrilateral ABCD so that D is equidistant from B and C.

[3]

(b) The following distribution represents the height of 160 students of a school.

Height (in cm)	No. of students	
140-145	12	
145-150	20	
150-155	30	
155-160	38	
<i>160-165</i>	24	
165-170	16	
170-175	12	1
175-180	8	

Draw an ogive for the given distribution taking 2 cm = 5 cm of height on one axis and 2 cm = 20 students on the other axis. Using the graph, determine :

- (i) The median height.
- (ii) The interquartile range.
- (iii) The number of students whose height is above 172 cm.

#### [8]

#### Solution :

#### (a) (i) Steps of constructions :

- (1) Draw a line segment BC = 6 cm.
- (2) Construct  $\angle$  CBP = 120°.
- (3) Cut BA = 5.5 cm from BP.
- (4) Join A to C.
- (5) Construct perpendicular bisectors of AB and BC, intersecting at O. Join AO.
- (6) Taking as the centre and OA as radius draw a circle, passing through, A, B, and C.



- (ii) (1) Extend the right bisector of BC intersecting the circle at D.
  - (2) Join A to D and C to D.
  - (3) ABCD is required cyclic quadrilateral.



(iii) No. of students above 172 cm = 160 - 144 = 16. Question 11.

(a) In triangle PQR, PQ = 24 cm, QR = 7 cm and  $\angle PQR = 90^{\circ}$ .

Find the radius of the inscribed circle.



(b) Find the mode and median of the following frequency distribution :

x	10	11	12	13	14	15
f	1	-4	7	<b>5</b> ·	9	3

Ans.

[3]

[3]



- (i) Write the slope of the line.
- (ii) Write the equation of the line.
- (iii) Find the co-ordinates of Q.

#### Solution :

(a) Given : 
$$\triangle$$
 PQR is right angled.

$$PR^{2} = PQ^{2} + QR^{2}$$
$$= (24)^{2} + (7)^{2}$$
$$= 576 + 49 = 625$$

$$PR = 25 cm$$

Draw  $\perp r$  from O on PQ and PR and mark as B and C respectively.

$$\angle OBQ = \angle OAQ = \angle OCR$$
  
= 90°

( $\angle$  between radius and tangent is 90°)

All  $\angle$ 's of OAQB are 90° and QA = QB

(Since the tangent to a circle from an exterior point are equal in length).



У

Ans.

 $\therefore$  OAQB is a square.

$$QA = QB = x$$

$$AR = 7 - x = RC$$

$$BP = 12 - x = PC$$

$$PC + RC = PR$$

$$7 - x + 12 - x = 25$$

$$x = 3 \text{ cm}$$

$$(: AR = RC) \text{ Tangents from ext.}$$

$$(: PB = PC) \text{ point are equal}$$

(b) Mode is the value of the highest frequency.

$$Mode = 14$$

. Median is the middle most value.

$$M_{e} = \left(\frac{N+1}{2}\right)^{th} \text{ observation}$$
$$= \left(\frac{29+1}{2}\right)^{th} = 15 \text{ th observation} = 13 \qquad \text{ Ans}$$

(c) (i) Slope of line  $PQ = \tan 45^\circ = 1$ (ii) Equation of line PQ:  $y - y_1 = m(x - x_1)$ Ans.

$$y - y_1 = m(1 - x_1)$$
  
 $y - 3 = 1(x - 5)$   
 $y = x - 2$  Ans.

(iii) Put x = 0 in equation of line PQ. y = -2

Coordinate of 
$$Q = (0, -2)$$
 Ans