

Exercise 13.2

Page No: 216

9. The curved surface area of a right circular cylinder of height 14 cm is 88 cm². Find the diameter of the base of the cylinder. (Assume $\pi = 22/7$)

Solution:

Height of cylinder, h = 14cm Let the diameter of the cylinder be d Curved surface area of cylinder = 88 cm² We know that, formula to find Curved surface area of cylinder is $2\pi rh$. So $2\pi rh = 88 cm^2$ (r is the radius of the base of the cylinder) $2 \times 22/7 \times r \times 14 = 88 cm^2$ 2r = 2 cmd = 2 cmTherefore, the diameter of the base of the cylinder is 2 cm.

10. It is required to make a closed cylindrical tank of height 1m and base diameter 140 cm from a metal sheet. How many square meters of the sheet are required for the same? Assume $\pi=22/7$

Solution:

Let h be the height and r be the radius of a cylindrical tank.

Height of cylindrical tank, h = 1mRadius = half of diameter = (140/2) cm = 70 cm = 0.7m

Area of sheet required = Total surface are of tank = $2\pi r(r + h)$ unit square [2 x 22/7 x 0.7 (0.7 + 1)] = 7.48 Therefore, 7.48 square meters of the sheet are required.

11. A metal pipe is 77 cm long. The inner diameter of a cross section is 4 cm, the outer diameter being 4.4cm. (see fig. 13.11). Find its





(i) inner curved surface area,(ii) outer curved surface area(iii) total surface area

(Assume $\pi=22/7$)

Solution:

Let r_1 and r_2 Inner and outer radii of cylindrical pipe $r_1 = 4/2$ cm = 2cm $r_2 = 4.4/2$ cm = 2.2 cm Height of cylindrical pipe, h = length of cylindrical pipe = 77 cm

(i)curved surface area of outer surface of pipe = $2\pi r_1 h$ = $2 \times 22/7 \times 2 \times 77 \text{ cm}^2$ = 968 cm^2 (ii) curved surface area of outer surface of pipe = $2\pi r_2 h$ = $2 \times 22/7 \times 2.2 \times 77 \text{ cm}^2$ = $(22 \times 22 \times 2.2) \text{ cm}^2$ = 1064.8 cm^2

(iii) Total surface area of pipe = inner curved surface area + outer curved surface area + Area of both circular ends of pipe.

 $= 2\pi r_1 h + 2\pi r_2 h + (r_2^2 - r_1^2)$ = 9668 + 1064.8 + 2\pi((2.2)^2 - 2^2) = 2031.8 + 5.28 2038.08 cm²

Therefore, the total surface area of the cylindrical pipe is 2038.08 cm^2 .

4. The diameter of a roller is 84 cm and its length is 120 cm. It take 500 complete revolutions to move once over to level a playground. Find the area of the playground in m²? (Assume $\pi=22/7$)

Solution:

A roller is shaped like a cylinder. Let h be the height of the roller and r be the radius. h = Length of roller = 120 cmRadius of the circular end of roller = r = (84/2) cm = 42 cmNow, CSA of roller = $2 \pi rh$ = $2 \times 22/7 \times 42 \times 120$ = $31680 cm^2$

https://byjus.com



Area of field = $500 \times CSA$ of roller = (500×31680) cm² = 15840000 cm² = 1584 m². Therefore, area of playground is 1584 m². Answer!

5. A cylindrical pillar is 50 cm in diameter and 3.5 m in height. Find the cost of painting the curved surface of the pillar at the rate of Rs. 12.50 per m². (Assume π =22/7)

Solution:

Let h be the height of a cylindrical pillar and r be the radius. Given: Height cylindrical pillar = h = 3.5 m Radius of the circular end of pillar = r = diameter/2 = 50/2 = 25cm = 0.25m CSA of pillar = 2π rh = $2 \times 22/7 \times 0.25 \times 3.5$ = 5.5 m^2 Cost of painting 1 m² area = Rs. 12.50 Cost of painting 5.5 m² area = Rs(5.5×12.50) = Rs. 68.75 Therefore, the cost of painting the curved surface of the pillar at the rate of Rs. 12.50 per m² is Rs 68.75.

6. Curved surface area of a right circular cylinder is 4.4 m². If the radius of the base of the base of the cylinder is 0.7 m, find its height. (Assume $\pi=22/7$)

Solution:

Let h be the height of the circular cylinder and r be the radius. Radius of the base of cylinder, r = 0.7mCSA of cylinder = $2\pi rh$ CSA of cylinder = $4.4 m^2$ Equating both the equations, we have $2 \ge 22/7 \ge 0.7 \ge h = 4.4$ Or h = 1Therefore, the height of the cylinder is 1 m.

7. The inner diameter of a circular well is 3.5 m. It is 10 m deep. Find (i) its inner curved surface area, (ii) the cost of plastering this curved surface at the rate of Rs. 40 per m². (Assume π =22/7)

https://byjus.com



Solution:

Inner radius of circular well, r = 3.5/2m = 1.75mDepth of circular well, say h = 10m(i)Inner curved surface area $= 2\pi rh$ $= (2 \times 22/7 \times 1.75 \times 10)$ = 110Therefore, the inner curved surface area of the circular well is 110 m².

(ii)Cost of plastering 1 m² area = Rs.40
Cost of plastering 110 m² area = Rs (110 x 40)
= Rs.4400
Therefore, the cost of plastering the curved surface of the well is Rs. 4400.

8. In a hot water heating system, there is cylindrical pipe of length 28 m and diameter 5 cm. Find the total radiating surface in the system. (Assume $\pi=22/7$)

Solution:

Height of cylindrical pipe = Length of cylindrical pipe = 28 m Radius of circular end of pipe = diameter/ 2 = 5/2 cm = 2.5 cm = 0.025 m Now, CSA of cylindrical pipe = 2π rh, where r = radius and h = height of the cylinder = $2 \times 22/7 \times 0.025 \times 28 \text{ m}^2$ = 4.4 m^2 The area of the radiating surface of the system is 4.4m^2 .

9. Find

(i) the lateral or curved surface area of a closed cylindrical petrol storage tank that is 4.2 m in diameter and 4.5m high.

(ii) How much steel was actually used, if 1/12 of the steel actually used was wasted in making the tank. (Assume $\pi = 22/7$)

Solution:

Height of cylindrical tank, h = 4.5 mRadius of the circular end , r = (4.2/2)m = 2.1 m(i) the lateral or curved surface area of cylindrical tank is $2\pi \text{rh}$ = $2 \times 22/7 \times 2.1 \times 4.5$ } m² = $(44 \times 0.3 \times 4.5) \text{ m}^2$ = 59.4 m^2 Therefore, CSA of tank is 59.4 m^2 .



(ii)Total surface area of tank = $2\pi r(r + h)$ = 2 x 22/7 x (2.1 + 4.5) = 44 x 0.3 x 6.6 = 87.12 m² Now, Let S m² steel sheet be actually used in making the tank. S(1 - 1/12) = 87.12 m²

This implies, $S = 95.04 \text{ m}^2$

Therefore, 95.04m² steel was used in actual while making such a tank.

10. In fig. 13.12, you see the frame of a lampshade. It is to be covered with a decorative cloth. The frame has a base diameter of 20 cm and height of 30 cm. A margin of 2.5 cm is to be given for folding it over the top and bottom of the frame. Find how much cloth is required for covering the lampshade. (Assume π =22/7)

_

Fig. 13.12

Solution:

Say h = height of the frame of lampshade, looks like cylindrical shape r = radius Total height is h = (2.5 + 30 + 2.5) cm = 35 cm and r = (20/2) cm = 10cm Use curved surface area formula to find the cloth required for covering the lampshade which is 2π rh = $(2 \times 22/7 \times 10 \times 35)$ cm² = 2200 cm² Hence, 2200 cm² cloth is required for covering the lampshade.





11. The students of vidyalaya were asked to participate in a competition for making and decorating penholders in the shape of a cylinder with a base, using cardboard. Each penholder was to be of radius 3 cm and height 10.5 cm. The Vidyalaya was to supply the competitors with cardboard. If there were 35 competitors, how much cardboard was required to be bought for the competition? (Assume π =22/7)

Solution:

Radius of the circular end of cylindrical penholder, r = 3 cmHeight of penholder, h = 10.5 cmSurface area of a penholder = CSA of penholder + Area of base of penholder = $2\pi rh + \pi r^2$ = $2 \times 22/7 \times 3 \times 10.5 + 22/7 \times 3^2 = 1584/7$ Therefore, Area of cardboard sheet used by one competitor is 1584/7 cm²

So, Area of cardboard sheet used by 35 competitors = $35 \times 1584/7 = 7920 \text{ cm}^2$

Therefore, 7920 cm^2 cardboard sheet will be needed for the competition.