

## Exercise 4.1

Page: 60

1. Construct the following quadrilaterals.

(i) Quadrilateral ABCD

AB = 4.5 cm

BC = 5.5 cm


CD = 4 cm

AD = 6 cm


AC = 7 cm

**Solution:**


The rough sketch of the quadrilateral ABCD can be drawn as follows.




(1)  $\triangle ABC$  can be constructed by using the given measurements as follows.



(2) Vertex D is 6 cm away from vertex A. Therefore, while taking A as centre, draw an arc of radius 6 cm.



(3) Taking C as centre, draw an arc of radius 4 cm, cutting the previous arc at point D. Join D to A and C.



ABCD is the required quadrilateral.

(ii) Quadrilateral JUMP

$$JU = 3.5 \text{ cm}$$

$$UM = 4 \text{ cm}$$


$$MP = 5 \text{ cm}$$

$$PJ = 4.5 \text{ cm}$$


$$PU = 6.5 \text{ cm}$$

**Solution:**


The rough sketch of the quadrilateral JUMP can be drawn as follows.




(1)  $\Delta JUP$  can be constructed by using the given measurements as follows.



(2) Vertex M is 5 cm away from vertex P and 4 cm away from vertex U. Taking P and U as centres, draw arcs of radii 5 cm and 4 cm respectively. Let the point of intersection be M.



(3) Join M to P and U.



JUMP is the required quadrilateral.

(iii) Parallelogram MORE

$$OR = 6 \text{ cm}$$

$$RE = 4.5 \text{ cm}$$


$$EO = 7.5 \text{ cm}$$

**Solution:**


We know that opposite sides of a parallelogram are equal in length and also these are parallel to each other.

i.e.,  $ME = OR$ ,  $MO = ER$


The rough sketch of the parallelogram MORE can be drawn as follows.




- (1)  $\Delta EOR$  can be constructed by using the given measurements as follows.



- (2) Vertex M is 4.5 cm away from vertex O and 6 cm away from vertex E. Therefore, while taking O and E as centres, draw arcs of 4.5 cm radius and 6 cm radius respectively. These will intersect each other at point M.



- (3) Join M to O and E.




MORE is the required parallelogram.

- (iv) Rhombus BEST  
 $BE = 4.5 \text{ cm}$


$$ET = 6 \text{ cm}$$

Solution:


We know that all sides of a rhombus are of the same measure. Hence,  $BE = ES = ST = TB$   
The rough sketch of the rhombus BEST can be drawn as follows.




(1)  $\Delta BET$  can be constructed by using the given measurements as follows.



(2) Vertex S is 4.5 cm away from vertex E and also from vertex T. Therefore, while taking E and T as centres, draw arcs of 4.5 cm radius, which will be intersecting each other at point S.



(3) Join S to E and T.



BEST is the required rhombus.

## Exercise 4.2

Page: 62

1. Construct the following quadrilaterals.

(i) Quadrilateral LIFT

LI = 4 cm


IF = 3 cm

TL = 2.5 cm


LF = 4.5 cm

IT = 4 cm


**Solution:** A rough sketch of the quadrilateral LIFT can be drawn as follows.




(1)  $\Delta ITL$  can be constructed by using the given measurements as follows.



(2) Vertex F is 4.5 cm away from vertex L and 3 cm away from vertex I.  $\therefore$ , while taking L and I as centres, draw arcs of 4.5 cm radius and 3 cm radius respectively, which will be intersecting each other at point F.



(3) Join F to T and F to I.



LIFT is the required quadrilateral.

(ii) Quadrilateral GOLD

$OL = 7.5 \text{ cm}$

$GL = 6 \text{ cm}$


$GD = 6 \text{ cm}$

$LD = 5 \text{ cm}$


$OD = 10 \text{ cm}$

**Solution:**


The rough sketch of the quadrilateral GOLD can be drawn as follows.




(1)  $\triangle GDL$  can be constructed by using the given measurements as follows.



(2) Vertex O is 10 cm away from vertex D and 7.5 cm away from vertex L. Therefore, while taking D and L as centres, draw arcs of 10 cm radius and 7.5 cm radius respectively. These will intersect each other at point O.



(3) Join O to G and L.



GOLD is the required quadrilateral.

(iii) Rhombus BEND

$BN = 5.6 \text{ cm}$

$DE = 6.5 \text{ cm}$


**Solution:**

We know that the diagonals of a rhombus always bisect each other at  $90^\circ$ .


Let us assume that these are intersecting each other at point O in this rhombus.

Hence,  $EO = OD = 3.25 \text{ cm}$

The rough sketch of the rhombus BEND can be drawn as follows.




- (1) Draw a line segment BN of 5.6 cm and also draw its perpendicular bisector. Let it intersect the line segment BN at point O.




- (2) Taking O as centre, draw arcs of 3.25 cm radius to intersect the perpendicular bisector at point D and E.





(3) Join points D and E to points B and N.



BEND is the required quadrilateral.



## Exercise 4.3

Page: 64

1. Construct the following quadrilaterals.

(i) Quadrilateral MORE

MO = 6 cm

OR = 4.5 cm


$\angle M = 60^\circ$

$\angle O = 105^\circ$


$\angle R = 105^\circ$

Solution:


Rough Figure:




- (1) Draw a line segment MO of 6 cm and an angle of  $105^\circ$  at point O. As vertex R is 4.5 cm away from the vertex O, cut a line segment OR of 4.5 cm from this ray.



- (2) Again, draw an angle of  $105^\circ$  at point R.



- (3) Draw an angle of  $60^\circ$  at point M. Let this ray meet the previously drawn ray from R at point E.



MEOR is the required quadrilateral.

**(ii) Quadrilateral PLAN**

PL = 4 cm

LA = 6.5 cm

$\angle P = 90^\circ$

$\angle A = 110^\circ$

$\angle N = 85^\circ$

**Solution:**

The sum of the angles of a quadrilateral is  $360^\circ$ .  
In quadrilateral PLAN,


$$\angle P + \angle L + \angle A + \angle N = 360^\circ$$

$$90^\circ + \angle L + 110^\circ + 85^\circ = 360^\circ$$


$$285^\circ + \angle L = 360^\circ$$

$$\angle L = 360^\circ - 285^\circ = 75^\circ$$


Rough Figure:




- (1) Draw a line segment PL of 4 cm and draw an angle of  $75^\circ$  at point L. As vertex A is 6.5 cm away from vertex L, cut a line segment LA of 6.5 cm from this ray.



- (2) Again draw an angle of  $110^\circ$  at point A.



- (3) Draw an angle of  $90^\circ$  at point P. This ray will meet the previously drawn ray from A at point N.



PLAN is the required quadrilateral.

**(iii) Parallelogram HEAR**


HE = 5 cm

EA = 6 cm


$\angle R = 85^\circ$

**Solution:**


Rough Figure:




- (1) Draw a line segment HE of 5 cm and an angle of  $85^\circ$  at point E. As vertex A is 6 cm away from vertex E, cut a line segment EA of 6 cm from this ray.



- (2) Vertex R is 6 cm and 5 cm away from vertex H and A respectively. By taking radius as 6 cm and 5 cm, draw arcs from point H and A respectively. These will be intersecting each other at point R.



(3) Join R to H and A.



HEAR is the required quadrilateral.


**(iv) Rectangle OKAY**

OK = 7 cm


KA = 5 cm

**Solution:**

Rough Figure:




(1) Draw a line segment OK of 7 cm and an angle of  $90^\circ$  at point K. As vertex A is 5 cm away from vertex K, cut a line segment KA of 5 cm from this ray.




(2) Vertex Y is 5 cm and 7 cm away from vertex O and A respectively. By taking

radius as 5 cm and 7 cm, draw arcs from point O and A respectively. These will be intersecting each other at point Y.



(3) Join Y to A and O.



OKAY is the required quadrilateral.

## Exercise 4.4

Page: 67


1. Construct the following quadrilaterals,

(i) Quadrilateral DEAR


DE = 4 cm  
EA = 5 cm  
AR = 4.5 cm  
 $\angle E = 60^\circ$   
 $\angle A = 90^\circ$

Solution:

Rough Figure:




(1) Draw a line segment DE of 4 cm and an angle of  $60^\circ$  at point E. As vertex A is 5 cm away from vertex E, cut a line segment EA of 5 cm from this ray.




(2) Again draw an angle of  $90^\circ$  at point A. As vertex R is 4.5 cm away from vertex A, cut a line segment RA of 4.5 cm from this ray.





(3) Join D to R.



DEAR is the required quadrilateral.

(ii) **Quadrilateral TRUE**

TR = 3.5 cm

RU = 3 cm


UE = 4 cm

$\angle R = 75^\circ$


$\angle U = 120^\circ$

**Solution:**


Rough Figure:




(1) Draw a line segment RU of 3 cm and an angle of  $120^\circ$  at point U. As vertex E is 4 cm away from vertex U, cut a line segment UE of 4 cm from this ray.



- (2) Next, draw an angle of  $75^\circ$  at point R. As vertex T is 3.5 cm away from vertex R, cut a line segment RT of 3.5 cm from this ray.



- (3) Join T to E.



TRUE is the required quadrilateral.

## Exercise 4.5

Page: 68


Draw the following:

1. The square READ with  $RE = 5.1$  cm


**Solution:**

All the sides of a square are of the same measure and also all the interior angles of a square are of  $90^\circ$  measure. Therefore, the given square READ can be drawn as follows.


Rough Figure:




(1) Draw a line segment  $RE$  of 5.1 cm and an angle of  $90^\circ$  at point  $R$  and  $E$ .



(2) As vertex  $A$  and  $D$  are 5.1 cm away from vertex  $E$  and  $R$  respectively, cut line segments  $EA$  and  $RD$ , each of 5.1 cm from these rays.



(3) Join  $D$  to  $A$ .




READ is the required square.

2. A rhombus whose diagonals are 5.2 cm and 6.4 cm long.


**Solution:**

In a rhombus, diagonals bisect each other at  $90^\circ$ .  $\therefore$ , the given rhombus ABCD can be drawn as follows.


Rough Figure:




- (1) Draw a line segment AC of 5.2 cm and draw its perpendicular bisector. Let it intersect the line segment AC at point O.



- (2) Draw arcs of  $\frac{6.4}{2} = 3.2$  on both sides of this perpendicular bisector. Let the arcs intersect the perpendicular bisector at point B and D.



(3) Join points B and D with points A and C.




ABCD is the required rhombus.

**3. A rectangle with adjacent sides of length 5 cm and 4 cm.**


**Solution:**

Opposite sides of a rectangle have their lengths of same measure and also, all the interior angles of a rectangle are of  $90^\circ$  measure. The given rectangle ABCD may be drawn as follows.


Rough figure:




(1) Draw a line segment AB of 5 cm and an angle of  $90^\circ$  at point A and B.



(2) As vertex C and D are 4 cm away from vertex B and A respectively, cut line segments AD and BC, each of 4 cm, from these rays.



(3) Join D to C.




ABCD is the required rectangle.

4. A parallelogram OKAY where  $OK = 5.5$  cm and  $KA = 4.2$  cm.


**Solution:**

Opposite sides of a parallelogram are equal and parallel to each other. The given parallelogram OKAY can be drawn as follows.


Rough Figure:




(1) Draw a line segment OK of 5.5 cm and a ray at point K at a convenient angle.



(2) Draw a ray at point O parallel to the ray at K. As the vertices, A and Y, are 4.2 cm away from the vertices K and O respectively, cut line segments KA and OY, each of 4.2 cm, from these rays.



(3) Join Y to A.



OKAY is the required rectangle.