

Miscellaneous Examples

Page No: 371

1. Find the area under the given curves and given lines:


(i) $y = x^2, x = 1, x = 2$ and x-axis.

(ii) $y = x^4, x = 1, x = 5$ and x-axis.

Solution:

(i) Equation of the curve is

$$y = x^2 \dots\dots(1)$$



Required area bounded by curve (1), vertical line $x=1$, $x=2$ and x-axis


$$= \int_1^2 y \, dx$$

$$= \left(\frac{x^3}{3} \right)_1^2$$

$$= \frac{8}{3} - \frac{1}{3} = \frac{7}{3} \text{ sq. units}$$

(ii) Equation of the curve

$$y = x^4 \dots\dots(1)$$



It is clear that curve (1) passes through the origin because $x=0$ from (1) $y=0$.

Table of values for curve $y = x^4$

x	1	2	3	4	5
y	1	16	81	256	625

Required shaded area between the curve $y = x^4$, vertical lines $x=1, x=5$ and x -axis

$$= \int_1^5 y \, dx = \int_1^5 x^4 \, dx$$


$$= \left(\frac{x^5}{5} \right)_1^5 = \frac{5^5}{5} - \frac{1^5}{5}$$

$$= \frac{3125-1}{5} = \frac{3124}{5}$$

$$= 624.8 \text{ sq. units}$$

2. Find the area between the curves $y=x$ and $y=x^2$

Solution: Equation of one curve (straight line) is $y=x$ (i)



Equation of second curve (parabola) is $y = x^2$ (ii)

Solving equation (i) and (ii), we get $x=0$ or $x=1$ and $y=0$ or $y=1$

Points of intersection of line (i) and parabola (ii) are O (0, 0) and A (1, 1).

Now Area of triangle OAM

= Area bounded by line (i) and x-axis

$$= \int_0^1 y \, dx = \int_0^1 x \, dx$$

$$= \left(\frac{x^2}{2} \right)_0^1$$

$$= \frac{1}{2} - 0 = \frac{1}{2} \text{ sq. units}$$

Also Area OBAM = Area bounded by parabola (ii) and x-axis

$$= \int_0^1 y \, dx = \int_0^1 x^2 \, dx$$

$$= \left(\frac{x^3}{3} \right)_0^1$$

$$= \frac{1}{3} - 0 = \frac{1}{3} \text{ sq. units}$$


Required area OBA between line (i) and parabola (ii)

= Area of triangle OAM – Area of OBAM

$$= \frac{1}{2} - \frac{1}{3} = \frac{3-2}{6} = \frac{1}{6} \text{ sq. units}$$

3. Find the area of the region lying in the first quadrant and bounded by $y = 4x^2$, $x = 0$, $y = 1$ and $y = 4$.

Solution: Equation of the curve is $y = 4x^2$



$$x^2 = \frac{y}{4} \dots\dots\dots(i)$$

$$\text{or } x = \frac{\sqrt{y}}{2} \dots\dots\dots(ii)$$


Here required shaded area of the region lying in first quadrant bounded by parabola (i), $x = 0$ and the horizontal lines $y = 1$ and $y = 4$ is

$$\int_1^4 x \, dy = \int_1^4 \frac{\sqrt{y}}{2} \, dy = \frac{1}{2} \int_1^4 y^{\frac{1}{2}} \, dy$$

$$\begin{aligned}
 &= \left| \frac{1}{\frac{3}{2}} \left(y^{\frac{3}{2}} \right)_1^4 \right| \\
 &= \frac{1}{2} \cdot \frac{2}{3} \left(4^{\frac{3}{2}} - 1^{\frac{3}{2}} \right) \\
 &= \frac{1}{3} (4\sqrt{4} - 1) \\
 &= \frac{1}{3} (8 - 1) = \frac{7}{3} \text{ sq. units}
 \end{aligned}$$

4. Sketch the graph of $y = |x + 3|$ and evaluate $\int_{-6}^0 |x + 3| dx$.

Solution: Equation of the given curve is $y = |x + 3|$ (i)



$$y = |x+3| \geq 0 \text{ for all real } x.$$

Graph of curve is only above the x-axis i.e., in first and second quadrant only.

$$y = |x+3|$$

$$= x+3$$

$$\text{If } x+3 \geq 0$$

$$x \geq -3 \dots\dots(\text{ii})$$

$$\text{And } y = |x+3|$$

$$= -(x+3)$$

$$\text{If } x+3 \leq 0$$

$$x \leq -3 \dots\dots\dots(\text{iii})$$

Table of values for $y = x+3$ for $x \geq -3$

x	y
-3	0
-2	1
-1	2
0	3

Table of values for $y = x+3$ for $x \leq -3$

x	y
-3	0
-4	1
-5	2
-6	3

Now, $\int_{-6}^0 |x+3| dx$

$$= \int_{-6}^{-3} |x+3| dx + \int_{-3}^0 |x+3| dx$$

$$= \int_{-6}^{-3} -(x+3) dx + \int_{-3}^0 (x+3) dx$$

$$= \left(\frac{x^2}{2} + 3x \right)_{-6}^{-3} + \left(\frac{x^2}{2} + 3x \right)_{-3}^0$$

$$= \left[\frac{9}{2} - 9 - (18 - 18) \right] + \left[0 - \left(\frac{9}{2} - 9 \right) \right]$$

$$= \frac{9}{2} + 9 + 0 + 0 - \frac{9}{2} + 9$$


$$= 18 - \frac{18}{2} = 18 - 9 = 9 \text{ sq. units}$$

5. Find the area bounded by the curve $y = \sin x$ between $x=0$ and $x=2\pi$.

Solution: Equation of the curve is $y = \sin x$ (i)

$y = \sin x \geq 0$ for $0 \leq x \leq \pi$: as graph is in I and II quadrant.

And $y = \sin x \leq 0$ for $\pi \leq x \leq 2\pi$: as graph is in III and IV quadrant.



If tangent is parallel to x-axis, then

$$\frac{dy}{dx} = 0$$

$$\Rightarrow \cos x = 0$$

$$\Rightarrow x = \frac{\pi}{2}, \frac{3\pi}{2}$$

Table of values for curve $y = \sin x$ between $x = 0$ and $x = 2\pi$


x	y
0	0
$\frac{\pi}{2}$	1
π	0
$\frac{3\pi}{2}$	-1
2π	0

Now Required shaded area = Area OAB + Area BCD

$$\begin{aligned}
 &= \int_0^{\pi} y \, dx + \int_{\pi}^{2\pi} y \, dx \\
 &= \int_0^{\pi} \sin x \, dx + \int_{\pi}^{2\pi} \sin x \, dx \\
 &= -(\cos x)_0^{\pi} + (\cos x)_{\pi}^{2\pi} \\
 &= -1(-1-1) + -(1+1) \\
 &= 2 + 2 = 4 \text{ sq. units}
 \end{aligned}$$

6. Find the area enclosed by the parabola $y^2 = 4ax$ and the line $y=mx$.

Solution: Equation of parabola is $y^2 = 4ax$ (i)



The area enclosed between the parabola and line is the shaded area OADO.

From figure: And the points of intersection of curve and line are

O (0, 0) and A $\left(\frac{4a}{m^2}, \frac{4a}{m}\right)$.

Now Area ODAM = Area of parabola and x-axis

$$= \int_0^{\frac{4a}{m^2}} 2\sqrt{a} \cdot x^{\frac{1}{2}} dx$$

$$= 2\sqrt{a} \left[\frac{x^{\frac{3}{2}}}{\frac{3}{2}} \right]_0^{\frac{4a}{m^2}}$$

$$= \frac{4\sqrt{a}}{3} \left(\frac{4a}{m^2} \right)^{\frac{3}{2}}$$

$$= \frac{32a^2}{3m^3} \dots\dots\dots(ii)$$

Again Area of ΔOAM = Area between line and x-axis

$$= \left| \int_0^{\frac{4a}{m^2}} mx dx \right| = m \left[\frac{x^2}{2} \right]_0^{\frac{4a}{m^2}}$$

$$= \frac{m}{2} \left(\left(\frac{4a}{m^2} \right)^2 - 0 \right)$$

$$= \frac{m}{2} \cdot \frac{16a^2}{m^4} = \frac{8a^2}{m^3} \dots\dots\dots(ii)$$

Requires shaded area = Area ODAM – Area of ΔOAM

$$= \frac{32a^2}{3m^3} - \frac{8a^2}{m^3}$$

$$= \frac{a^2}{m^3} \left(\frac{32}{3} - 8 \right)$$

$$= \frac{8a^2}{3m^3}$$


7. Find the area enclosed by the parabola $4y = 3x^2$ and the line $2y = 3x + 12$.

Solution:

Equation of the parabola is

$$4y = 3x^2 \quad \dots\dots\dots(i)$$

$$\text{or } x^2 = \frac{4}{3}y$$



Equation of the line is $2y = 3x + 12$ (ii)

From graph, points of intersection are B (4, 12) and C(-2, 3).

$$\text{Now, Area ABCD} = \left| \int_{-2}^4 \left(\frac{3}{2}x + 6 \right) dx \right|$$

$$= \left[\frac{3}{4}x^2 + 6x \right]_{-2}^4$$

$$= (12 + 24) - (3 - 12)$$

$$= 45 \text{ sq. units}$$

Again, Area CDO + Area OAB = $\int_{-2}^4 \left(\frac{3}{4}x^2 \right) dx$

$$= \frac{1}{4} [64 - (-8)] = 18 \text{ sq. units}$$

Therefore,


Required area = Area ABCD – (Area CDO + Area OAB)

$$= 45 - 18 = 27 \text{ sq. units}$$

8. Find the area of the smaller region bounded by the ellipse $\frac{x^2}{9} + \frac{y^2}{4} = 1$ and the line $\frac{x}{3} + \frac{y}{2} = 1$.

Solution: Equation of the ellipse is

$$\frac{x^2}{9} + \frac{y^2}{4} = 1 \quad \dots\dots\dots(i)$$



Here points of intersection of ellipse (i) with x-axis are

A (3, 0) and A'(-3, 0) and intersection of ellipse (i) with y- axis are B (0, 2) and B'(0, -2).

Also, the points of intersections of ellipse (i) and line $\frac{x}{3} + \frac{y}{2} = 1$ are A (3, 0) and B (0, 2).

Therefore,

Area OADB = Area between ellipse (i) (arc AB of it) and x-axis

$$\begin{aligned}
 &= \int_0^3 \frac{2}{3} \sqrt{9-x^2} \, dx \\
 &= \frac{2}{3} \left[\frac{x}{2} \sqrt{9-x^2} + \frac{3^2}{2} \sin^{-1} \frac{x}{3} \right] \\
 &= \frac{2}{3} \left[\frac{3}{2} \sqrt{9-9} + \frac{9}{2} \sin^{-1} 1 - \left(0 + \frac{9}{2} \sin^{-1} 0 \right) \right] \\
 &= \frac{2}{3} \cdot \frac{9\pi}{4} = \frac{3\pi}{2} \text{ sq. units.....(ii)}
 \end{aligned}$$

Again Area of triangle OAB = Area bounded by line AB and x-axis


$$\begin{aligned}
 &= \int_0^3 \frac{2}{3} \sqrt{9-x^2} \, dx \\
 &= \frac{2}{3} \left\{ \left(9 - \frac{9}{2} \right) - 0 \right\} \\
 &= \frac{2}{3} \cdot \frac{9}{2} = 3 \text{ sq. units(iii)}
 \end{aligned}$$

Now Required shaded area = Area OADB – Area OAB

$$\begin{aligned}
 &= \frac{3\pi}{2} - 3 \\
 &= 3 \left(\frac{\pi}{2} - 1 \right) = \frac{3}{2} (\pi - 2) \text{ sq. units}
 \end{aligned}$$

9. Find the area of the smaller region bounded by the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ and the line $\frac{x}{a} + \frac{y}{b} = 1$.

Solution: Equation of ellipse is $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ (i)



Area between arc AB of the ellipse and x-axis

$$\begin{aligned}
 &= \int_0^a \frac{b}{a} \sqrt{a^2 - x^2} \, dx \\
 &= \frac{b}{a} \left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \frac{x}{a} \right]_0^a \\
 &= \frac{b}{a} \left[0 + \frac{a^2}{2} \sin^{-1} 1 - (0 + 0) \right] \\
 &= \frac{b}{a} \cdot \frac{a^2}{2} \cdot \frac{\pi}{2} = \frac{\pi ab}{4} \quad \text{.....(ii)}
 \end{aligned}$$

Also Area between chord AB and x-axis

$$= \int_0^a \frac{b}{a}(a-x) dx$$

$$= \frac{b}{a} \left[ax - \frac{x^2}{2} \right]_0^a$$

$$= \frac{b}{a} \left(a^2 - \frac{a^2}{2} \right)$$

$$= \frac{b}{a} \cdot \frac{a^2}{2} = \frac{1}{2} ab$$

Now, Required area = (Area between arc AB of the ellipse and x-axis) – (Area between chord AB and x-axis)

$$= \frac{\pi ab}{4} - \frac{ab}{2} = \frac{ab}{4}(\pi - 2) \text{ sq. units}$$

10. Find the area of the region enclosed by the parabola $x^2 = y$, the line $y = x+2$ and x- axis.

Solution: Equation of parabola is $x^2 = y$ (i)


Equation of line is $y = x+2$ (ii)

Here the two points of intersections of parabola (i) and line (ii) are A(-1, 1) and B (2, 4).

Area ALODBM = Area bounded by parabola (i) and x-axis

$$= \int_{-1}^2 x^2 dx = \left(\frac{x^3}{3} \right)_{-1}^2$$

$$= \frac{8}{3} - \left(-\frac{1}{3} \right) = \frac{9}{3} = 3 \text{ sq. units}$$



Also, Area of trapezium ALMB = Area bounded by line (ii) and x-axis

$$\begin{aligned}
 &= \int_{-1}^2 (x+2) \, dx = \left(\frac{x^2}{2} + 2x \right)_{-1}^2 \\
 &= 2+4 - \left(\frac{1}{2} - 2 \right) \\
 &= \frac{15}{2} \text{ sq. units}
 \end{aligned}$$

Now, required area = Area of trapezium ALMB – Area ALODBM


$$= \frac{15}{2} - 3 = \frac{9}{2} \text{ sq. units}$$

11. Using the method of integration, find the area enclosed by the curve $|x| + |y| = 1$.

[Hint: The required region is bounded by lines $x + y = 1$, $x - y = 1$, $-x + y = 1$ and $-x - y = 1$.]

Solution: Equation of the curve is

$$|x| + |y| = 1 \quad \dots(i)$$



The area bounded by the curve (i) is represented by the shaded region ABCD.

The curve intersects the axes at points A (1, 0), B (0, 1), C(-1, 0) and D(0, -1)

As, given curve is symmetrical about x-axis and y-axis.

Area bounded by the curve = Area of square ABCD = 4 x Δ OAB


$$= 4 \int_0^1 (1-x) dx$$

$$= 4 \left(x - \frac{x^2}{2} \right)_0^1$$

$$= 4 \times \frac{1}{2} = 2 \text{ sq. units}$$

12. Find the area bounded by the curves $\{(x, y) : y \geq x^2 \text{ and } y = |x|\}$.

Solution: The area bounded by the curves $\{(x, y) : y \geq x^2 \text{ and } y = |x|\}$ is represented by the shaded region.



Since, area is symmetrical about y-axis.

Therefore, Required area = Area between parabola and x-axis between limits $x=0$ and $x=1$

$$= \int_0^1 y \, dx = \int_0^1 x^2 \, dx$$

$$= \left(\frac{x^3}{3} \right)_0^1 = \frac{1}{3} \dots\dots\dots(i)$$

And Area of ray $y=x$ and x-axis,

$$= \int_0^1 y \, dx = \int_0^1 x \, dx = \left(\frac{x^2}{2} \right)_0^1 = \frac{1}{2} \dots\dots\dots(ii)$$

Required shaded area in first quadrant


= (Area between ray $y=x$ for $x \geq 0$ and x-axis) – (Area between parabola $y=x^2$ and x-axis in first quadrant)

= Area given by equation (ii) – Area given by equation (i)

$$= \frac{1}{2} - \frac{1}{3} = \frac{1}{6} \text{ sq. units}$$

13.Using the method of integration, find the area of the triangle whose vertices are A (2, 0), B (4, 5) and C (6, 3).

Solution: Vertices of the given triangle are A (2, 0), B (4, 5) and C (6, 3).



Equation of side AB is $y - 0 = \frac{5-0}{4-2}(x-2)$

$$= y = \frac{5}{2}(x-2)$$

Equation of side BC is $y - 5 = \frac{3-5}{6-4}(x-4)$

$$= y = 9 - x$$

Equation of side AC is $y - 0 = \frac{3-0}{6-2}(x-2)$

$$= y = \frac{3}{4}(x-2)$$

Now, Required shaded area = Area $\triangle ALB$ + Area of trapezium BLMC – Area $\triangle AMC$

$$= \int_2^4 \frac{5}{2}(x-2) \, dx + \int_4^6 (9-x) \, dx - \int_2^6 \frac{3}{4}(x-2) \, dx$$

$$\begin{aligned}
 &= \left[\frac{5}{2}(8-8) - (2-4) \right] + |54 - 18 - (36-8)| - \left[\frac{3}{4} \{18 - 12 - (2-4)\} \right] \\
 &= \frac{5}{2}(0+2) + |36 - 36 + 8| - \frac{3}{4}(6+2) \\
 &= 5 + 8 - 6 = 7 \text{ sq. units}
 \end{aligned}$$


14. Using the method of integration, find the area of the region bounded by the lines: $2x + y = 4$, $3x - 2y = 6$ and $x - 3y + 5 = 0$.

Solution:

Lets say, equation of one line l_1 is $2x + y = 4$,
equation of second line l_2 is $3x - 2y = 6$

And equation of third line l_3 is $x - 3y + 5 = 0$.

Draw all the lines on the coordinate plane, we get



Here, vertices of triangle ABC are A (2, 0), B (4, 3) and C (1, 2).

Now, Required area of triangle = Area of trapezium CLMB – Area $\triangle ACM$ – Area $\triangle ABL$

$$= \int_1^4 \frac{1}{3}(x+5) dx - \int_1^2 (4-2x) dx - \int_2^4 \frac{3}{2}(x-2) dx$$

$$= \frac{1}{3} \left[8 + 20 - \left(\frac{1}{2} + 5 \right) \right] - \{ (8-4) - (4-1) \} - \frac{3}{2} \{ (8-8) - (2-4) \}$$

$$= \frac{1}{3} \left(28 - \frac{11}{2} \right) - (4-3) - \frac{3}{2} \times 2$$


$$= \frac{1}{3} \times \frac{45}{2} - 1 - 3$$

$$= \frac{15}{2} - 1 - 3 = \frac{7}{2} \text{ sq. units}$$

15. Find the area of the region $\{(x, y) : y^2 \leq 4x \text{ and } 4x^2 + 4y^2 \leq 9\}$.

Solution: Equation of parabola is $y^2 = 4x$ (i)

And equation of circle is $4x^2 + 4y^2 = 9$ (ii)



From figures, points of intersection of parabola (i) and circle (ii) are

$$A\left(\frac{1}{2}, \sqrt{2}\right) \text{ and } B\left(\frac{1}{2}, -\sqrt{2}\right)$$

Required shaded area OADBO (Area of the circle which is interior to the parabola)

$$= 2 \times \text{Area OADO} = 2 [\text{Area OAC} + \text{Area CAD}]$$

$$= 2 \left[\int_0^{\frac{1}{2}} 2\sqrt{x} \, dx + \int_{\frac{1}{2}}^{\frac{3}{2}} \sqrt{\frac{9}{4} - x^2} \, dx \right]$$

$$= \left[\left\{ 2 \cdot \frac{x^{\frac{3}{2}}}{\frac{3}{2}} \right\}_0^{\frac{1}{2}} + \left\{ \frac{x\sqrt{\frac{9}{4} - x^2}}{2} + \frac{9}{2} \sin^{-1} \frac{x}{\frac{3}{2}} \right\}_{\frac{1}{2}}^{\frac{3}{2}} \right]$$

$$= 2 \left[\frac{4}{3} \times \frac{1}{2\sqrt{2}} + \frac{9}{8} \sin^{-1} 1 - \frac{\frac{1}{2}\sqrt{2}}{2} - \frac{9}{8} \sin^{-1} \frac{1}{3} \right]$$

$$= 2 \left[\frac{\sqrt{2}}{3} + \frac{9}{8} \cdot \frac{\pi}{2} - \frac{\sqrt{2}}{4} - \frac{9}{8} \sin^{-1} \frac{1}{3} \right]$$

$$= \left(\frac{9\pi}{8} - \frac{9}{4} \sin^{-1} \frac{1}{3} + \frac{\sqrt{2}}{6} \right) \text{ sq. units}$$

16. Choose the correct answer:

Area bounded by the curve $y=x^3$ the x-axis and the ordinate $x=-2$ and $x=1$ is:


- (A) -9 (B) -15/4 (C) 15/4 (D) 17/4

Solution:

Option (D) is correct.

Explanation:

Equation of the curve is $y = x^3$



Now, Area OBN ($y = x^3$ for $-2 \leq x \leq 0$) and Area OAM ($y = x^3$ for $0 \leq x \leq 1$)

Therefore, Required area = Area OBN + Area OAM

$$= \int_{-2}^0 x^3 dx + \int_0^1 x^3 dx$$

$$= \frac{17}{4} \text{ sq. units}$$

17. Choose the correct answer:

The area bounded by the curve $y = x|x|$, x- axis and the ordinates $x = -1$ and $x = 1$ is given by:


- (A) 0 (B) 1/3 (C) 2/3 (D) 4/3

Solution:

Option (C) is correct.

Explanation:

Equation of the curve is



$$y = x|x| = x(x) = x^2 \text{ if } x \geq 0 \dots\dots\dots(1)$$

$$\text{And } y = x|x| = x(-x) = -x^2 \text{ if } x \leq 0 \dots\dots\dots(2)$$

Required area = Area ONBO + Area OAMO

$$= \int_{-1}^0 -x^2 dx + \int_0^1 x^2 dx$$

$$= 2/3 \text{ sq. units}$$

18. Choose the correct answer:

The area of the circle $x^2 + y^2 = 16$ exterior to the parabola $y^2 = 6x$.

- (A) $\frac{4}{3}(4\pi - \sqrt{3})$ (B) $\frac{4}{3}(4\pi + \sqrt{3})$
(C) $\frac{4}{3}(8\pi - \sqrt{3})$ (D) $\frac{4}{3}(8\pi + \sqrt{3})$

Solution:

Option (C) is correct.


Explanation:

Equation of the circle is $x^2 + y^2 = 16$ (1)

Thus, radius of circle is 4

This circle is symmetrical about x-axis and y- axis.

Here two points of intersection are $B(2, 2\sqrt{3})$ and $B'(2, -2\sqrt{3})$.



Required area = Area of circle – Area of circle interior to the parabola

$$= \pi r^2 - \text{Area OBAB'O}$$

$$= 16\pi - 2 \times \text{Area OBACO}$$

$$= 16\pi - 2[\text{Area OBCO} + \text{Area BACB}]$$

$$= 16\pi - 2 \left[\int_0^2 \sqrt{6x} \, dx + \int_2^4 \sqrt{16-x^2} \, dx \right]$$

$$\begin{aligned}
 &= 16\pi - 2 \left[\frac{2}{3} \sqrt{6} (2\sqrt{2}) + 8 \sin^{-1} 1 - \sqrt{12} - 8 \sin^{-1} \frac{1}{2} \right] \\
 &= 16\pi - 2 \left[\frac{8}{\sqrt{3}} + 8 \cdot \frac{\pi}{2} - 2\sqrt{3} - 8 \cdot \frac{\pi}{6} \right] \\
 &= 16\pi - 2 \left[\frac{8}{\sqrt{3}} - 2\sqrt{3} + 8\pi \left(\frac{1}{2} - \frac{1}{6} \right) \right] \\
 &= 16\pi - 2 \left[\frac{2}{\sqrt{3}} + \frac{8\pi}{3} \right] \\
 &= 16\pi \left(1 - \frac{1}{3} \right) - \frac{4}{\sqrt{3}} \\
 &= \frac{4}{3} (8\pi - \sqrt{3}) \text{ sq. units}
 \end{aligned}$$

19. Choose the correct answer:

The area bounded by the y-axis, $y = \cos x$ and $y = \sin x$ when $0 \leq x \leq \frac{\pi}{2}$ is:
 (A) $2(\sqrt{2}-1)$ (B) $\sqrt{2}-1$ (C) $\sqrt{2}+1$ (D) $\sqrt{2}$


Solution:

Option (B) is correct.

Explanation:

Graph of both the functions are intersect at the point

$$B \left(\frac{\pi}{4}, \frac{1}{\sqrt{2}} \right).$$



Required Shaded Area = Area OABC – Area OBC

= Area OABC – (Area OBM + Area BCM)

$$= \int_0^{\pi/2} \cos x \, dx - \left(\int_0^{\pi/4} \sin x \, dx + \int_{\pi/4}^{\pi/2} \cos x \, dx \right)$$

$$= \left(\sin \frac{\pi}{2} - \sin 0^\circ \right) - \left(-\cos \frac{\pi}{4} + \cos 0^\circ + \sin \frac{\pi}{2} - \sin \frac{\pi}{4} \right)$$

$$= 1 + \frac{1}{\sqrt{2}} - 1 - 1 + \frac{1}{\sqrt{2}} = (\sqrt{2} - 1) \text{ sq. units}$$