



CBSE Class 10 Science Solution PDF


MARKING SCHEME OF SCIENCE (086) OF AISSE 2018


SET – 31/1


Max. Marks: 80


Q No	Value Points/ Expected Answers	Marks	Total
SECTION – A			
1.	Violet flowers	1	1
2.	Potential /Kinetic/ Mechanical Energy into Electrical energy	1	1
3.	<ul style="list-style-type: none"> • X-Ethanol/ (C₂ H₅OH)/Ethyl Alcohol • Y- Ethene / (C₂ H₄) • Z- Hydrogen/ (H₂) <p style="text-align: right;">(any two)</p> $\text{CH}_3\text{-CH}_2\text{OH} \xrightarrow{\text{Conc H}_2\text{SO}_4} \text{CH}_2=\text{CH}_2+\text{H}_2\text{O}$ <ul style="list-style-type: none"> • Role of sulphuric acid –dehydrating agent 	<p>$\frac{1}{2} + \frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>	2
4.	<p>(a) Due to ambiguity in the question award 1 mark whether attempted or not.</p> <p>(b) a) Cell body/ cyton b) Axon</p>	<p>$\frac{1}{2} \times 2$</p> <p>$\frac{1}{2} \times 2$</p>	2
5.	<ul style="list-style-type: none"> • Convex Mirror • Labelled Ray diagram for any position of object  <p style="text-align: center;">OR</p> <p>Note: If arrows not marked, $\frac{1}{2}$ mark to be deducted.</p>	<p>$\frac{1}{2}$</p> <p>1 $\frac{1}{2}$</p>	2


6.	<p> $\bullet \text{CaCO}_3 \xrightarrow{\text{heat}} \text{CaO} + \text{CO}_2$ $2\text{FeSO}_4 \xrightarrow{\text{heat}} \text{Fe}_2\text{O}_3 + \text{SO}_2 + \text{SO}_3$ $2\text{Pb}(\text{NO}_3)_2 \xrightarrow{\text{heat}} 2\text{PbO} + 4\text{NO}_2 + \text{O}_2$ </p> <p> $\bullet 2\text{AgCl} \xrightarrow{\text{sunlight}} 2\text{Ag} + \text{Cl}_2$ $2\text{AgBr} \xrightarrow{\text{Sunlight}} 2\text{Ag} + \text{Br}_2$ </p> <p> $\bullet 2\text{H}_2\text{O} \xrightarrow{\text{electricity}} 2\text{H}_2 + \text{O}_2$ (or any other equation for above decomposition reaction.) </p> <p>Note: No marks to be deducted if equations are not balanced.</p>	<p>Any one</p> <p>1</p> <p>1</p> <p>1</p> <p>3</p>	
7.	<p> $\bullet \text{Zn} + 2\text{NaOH} \rightarrow \text{Na}_2\text{ZnO}_2 + \text{H}_2$ \bullet When a burning splinter is brought near the gas, it burns with a Pop Sound. \bullet Gas – Hydrogen / H_2 </p> <p style="text-align: center;">OR</p> <p> $\bullet \text{NaHCO}_3$ (Sodium Hydrogen Carbonate/ Sodium Bicarbonate) $\bullet \text{NaCl} + \text{H}_2\text{O} + \text{CO}_2 + \text{NH}_3 \rightarrow \text{NH}_4\text{Cl} + \text{NaHCO}_3$ </p> <p>Uses: For making baking powder As ingredient of antacid. Soda-acid fire extinguishers (Any two)</p> <p>Note: As no salt can have pH = 14, give full credit for any attempt of the candidates.</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>$\frac{1}{2} + \frac{1}{2}$</p> <p>3</p>	
8.	<p>a) Carbon compounds form Covalent bonds/ do not dissociate into ions/ do not have charged particles (ions)</p> <p>b) Cyclohexane</p>  <p>Total No. of single bonds=18 (OR any other cycloalkane with corresponding number of bonds)</p>	<p>1</p> <p>1</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>3</p>	



9.	<p>a. Thyroxine, regulates carbohydrate protein and fat metabolism/ controls metabolism for balance of body growth</p> <p>b. Growth hormone, regulates growth and development of body (or any other correct answer)</p> <p>c. Insulin, regulates/ decreases blood sugar level</p> <p style="text-align: center;">Or</p> <p>Glucagon, regulates / increases blood sugar</p>	<p>½ + ½</p> <p>½ + ½</p> <p>½ + ½</p>	3	
10.	<p>Any one of the following difference:</p> <p>(i) In sexual reproduction two opposite sexes are involved where as in asexual reproduction only one individual is involved.</p> <p>(ii) In sexual reproduction male and female gamete formation takes place where as in asexual no gamete formation occurs.</p> <ul style="list-style-type: none"> • Sexually reproducing organisms have better chances of survival • Because more variations are generated. 	<p>1</p> <p>1</p> <p>1</p>	3	
11.	<p><u>1st law</u>: the incident ray, refracted ray and normal to the interface at the point of incidence lie in the same plane.</p> <p><u>2nd law</u>: The sine of angle of incidence bears a constant ratio with sine of angle of refraction for a given pair of media. Or $\frac{\sin i}{\sin r} = \text{constant}$</p> <p>Absolute Refractive Index of a medium = $\frac{\text{Speed of light in air or vacuum}}{\text{Speed of light in the medium}}$</p> <p>(Award full marks if the same thing is given in the form of statement)</p> <p style="text-align: center;">OR</p> <p>Power of lens = Ability to converge/ diverge light rays passing through it/ reciprocal of the focal length in metres / $\frac{1}{f}$ (in meters)</p> <p>SI unit of power is Dioptre</p> <p>Power of 1st lens $P_1 = \frac{100}{f_1} = \frac{100}{40 \text{ cm}} = +2.5 \text{ D}$</p> <p>Nature: Converging lens / Convex lens</p> <p>Power of 2nd lens $P_2 = \frac{100}{f_2} = \frac{100}{-20 \text{ cm}} = -5 \text{ D}$</p> <p>Nature: Diverging lens / Concave lens</p>	<p>1</p> <p>1</p> <p>1</p> <p>½</p> <p>½</p> <p>½</p> <p>½</p> <p>½</p>	3	
12.	<p>(i)</p> 	<p>Two 9 ohm resistors in parallel connected to one 9 ohms in series</p> $\frac{1}{R_p} = \frac{1}{9} + \frac{1}{9} = \frac{2}{9}$ $\therefore R_p = \frac{9}{2} \Omega$ $R = 9\Omega + \frac{9}{2} \Omega = 13.5\Omega$	1 ½	

	(ii) 	Two 9 ohm resistors in series connected to one 9 ohms in parallel $R_s = 9\Omega + 9\Omega = 18\Omega$ $\frac{1}{R} = \frac{1}{18} + \frac{1}{9} = \frac{3}{18}$ $\therefore R = 6\Omega$	1 ½	
OR				
(a) <u>Joule's law of heating</u> – Heat produced in a resistor is (i) directly proportional to the square of current for a given resistance, (ii) directly proportional to the resistance for a given current and (iii) directly proportional to the time for which the current flows through the resistor / $H = I^2Rt$ where, H = Heat produced, I = current, R = Resistance of the conductor and t = Time for which the current flows through the resistor Note :If the candidate gives only the expression $H = I^2Rt$ award ½ mark only.		1		
(b) Current in 1 st bulb, $I_1 = \frac{P_1}{V} = \frac{100}{220} = \frac{5}{11}$ A or 0.45 A Current in 2 nd bulb, $I_2 = \frac{P_2}{V} = \frac{60}{220} = \frac{3}{11}$ A or 0.27 A		1 1	3	
13.	a. Factors on which resistance of a conductor depends: i. Length of conductor [or $R \propto l$] ii. Area of cross-section of the conductor [or $R \propto 1/A$] b. Metals are good conductor of electricity –as they have low resistivity/ have free electrons Glass is a bad conductor of electricity – as it has high resistivity/have no free electrons c. Reason: Alloys have high resistivity /high melting point / alloys do not oxidize (Or burn) readily at high temperatures.	½ ½ ½ ½	(any one) 1 3	
14.	a. Incineration/ Waste compaction/ Biogas generation/ Composting/ Segregation and safe disposal/Vermicomposting (Any other) (any two) b. Reuse of empty bottles, books etc. Reduce the use of non-biodegradable substances like polythene, thermocol etc. (Any other) c. Awareness about environment, scientific attitude, Concern for community health and personal health (Any two)	½ + ½ ½ ½	½, ½ 3	
15.	1. Dam is a barrier that is built across a river or a stream for storage of water. 2. Large dam can ensure the storage of adequate water for irrigation and also for generating electricity. 3. Social problem, economic problem and environmental problem	½ ½ + ½ 1 ½	3	

16.	<p>a. (i) Calcination (ii) Reduction (iii) Purification (in the given sequence only))</p> <p>b. Sulphide ore of copper is heated in air $2\text{Cu}_2\text{S} + 3\text{O}_2 \rightarrow 2\text{Cu}_2\text{O} + 2\text{SO}_2$ $2\text{Cu}_2\text{O} + \text{Cu}_2\text{S} \rightarrow 6\text{Cu} + \text{SO}_2$ (Note: Full marks to be awarded even when only equations are written.)</p> <p>c. Labelled diagram of electrolytic refining of copper</p> 	1 ½ 2 1½	5
17.	<p>Dobereiner Periodic Table Advantage: To predict the atomic mass of middle element in each triad Limitation: Dobereiner could identify only three triads</p> <p>Newland Periodic table Advantage: Every eighth element had properties similar to that of first/ co-related the properties of elements with their atomic mass., Limitation: It was only applicable up to Calcium / only 56 elements and no future element</p> <p>Mendeleev's Periodic Table Advantage: Elements with similar properties could be grouped / He predicted the existence of new elements that had not been discovered at that time. Limitation: No fixed position for hydrogen/ position of isotopes/ Atomic masses do not increase in a regular manner.</p> <p>Henry Moseley</p> <p>Properties of elements are a periodic function of their atomic number</p>	½ + ½ ½ + ½ ½ + ½ 1 1	5
18.	<p>a. Plasma, red blood cells, white blood cells, platelets (any two)</p> <p>b. Lungs → Left side of the heart → aorta → body organs Note : Give weightage even if same thing is explained in the form of paragraph.</p> <p>c. Prevent back flow of blood</p> <p>d. Artery has thick elastic wall and vein is thin walled/ valves are present in the veins and not in arteries</p> <p style="text-align: center;">OR</p> <p>a. Process involved in removal of nitrogenous / harmful metabolic waste from the body.</p> <p>b. Nephron.</p> <p>c) Diagram of Human Excretory System: Labelling of the following parts i) kidney ii) ureter iii) urinary bladder</p>	½, ½ ½ x 4 1 1 1 1	5


		<p style="text-align: right;">Drawing Labelling</p> <p>1 ½ 1 ½</p>	<p style="text-align: right;">5</p>
<p>19.</p>	<p>a. i) <u>Ovary</u> – releases egg/ female gamete/ ovum releases oestrogen/ female hormones (any one)</p> <p>ii) <u>Oviduct</u>- Transportation of ovum/ egg from ovary to the uterus/ Site of fertilization</p> <p>iii) <u>Uterus</u> – Development of embryo/ foetus</p> <p>a) <u>Placenta</u>- It is a disc embedded in uterine wall which contains villi on the embryo side of the tissue and blood space on mother side. Function of placenta: Provides nourishment to embryo from mother’s blood / Removal of waste from embryo to mother’s blood. (Any one)</p>	<p>1 1 1 1 1</p>	<p style="text-align: right;">5</p>
<p>20.</p>	<p>a. <u>Defect of vision</u> – Myopia or short sightedness or near sightedness Causes of myopia: i) Excessive curvature of eye lens/eye lens becomes more converging ii) Elongation of eye ball Methods of correction: By the use of concave lens of suitable power or focal length the defect is corrected. / suitable diagrammatic representation.</p> <p>b. <u>Due to atmospheric refraction</u> The density of different layers of air keeps on changing due to which the apparent image of the stars keeps on changing. This changing position of stars appears as twinkling of stars.</p> <p style="text-align: center;">OR</p> <p>a. Function of:</p> <ul style="list-style-type: none"> • <u>Cornea</u>: focuses light rays / permits the light to enter the eye.. • <u>Iris</u>: Controls amount of light entering the eye. / controls the size of pupil. • <u>Crystalline Lens</u>: Converges light rays onto retina. • <u>Cilliary Muscles</u>: Adjusts focal length of eye lens by contraction and relaxation so that sharp image can be obtained on the retina. / helps in accommodation 	<p>1 ½ + ½ 1 1 1</p>	<p style="text-align: right;">½ x 4</p>

	<p>b. In early morning, sun light has to cover larger distance in the atmosphere. So, the shorter wavelengths scatter out. Only the longer wavelengths like red reach our eye. On moon – No Cause: Moon has no atmosphere</p>	<p>1 ½ ½ 1</p>	<p>5</p>
21.	<ul style="list-style-type: none"> • <u>Fleming’s left-hand rule</u>: stretch the forefinger, middle finger and thumb of left hand in such a way that they are mutually perpendicular to each other. If the forefinger point in the direction of magnetic field, middle finger point in the direction of current then the thumb show the direction of force or motion on the current carrying conductor. • <u>Principle of working of electric motor</u>: A coil carrying electric current placed in an external magnetic field experiences a force. • <u>Function of armature</u>: Enhances the power of the motor/ induces motion. • <u>Function of brushes</u>: Helps easy transfer of charge between the coil and the external circuit. • <u>Function of split rings</u>: Reverses the direction of current after each half rotation of the coil so that the coil can keep rotating continuously. 	<p>1 1 1 1 1</p>	<p>5</p>
SECTION – B			
22.	<p>In the test tube A, B, D she will observe colour change (No splitting of marks)</p> <p>Aluminum is the most reactive metal, because it displaces Iron, Zinc and Copper from their aqueous salt solutions.</p>	<p>1 ½ + ½</p>	<p>2</p>
23.	<p>White precipitate is observed</p> $\text{Na}_2\text{SO}_4(\text{aq}) + \text{BaCl}_2(\text{aq}) \rightarrow \text{BaSO}_4(\text{s}) + 2\text{NaCl}(\text{aq})$ <p>Double displacement reaction</p>	<p>½ 1 ½</p>	<p>2</p>
24.	<p>The steps are:</p> <ol style="list-style-type: none"> Removal of peel from leaf Stain with safranin Put the stained peel on a clean slide Mount it with glycerine and cover slip 	<p>½ ½ ½ ½</p>	<p>2</p>
25.	<ul style="list-style-type: none"> • Binary fission • Diagram 	<p>½ 1 ½</p>	



Position of O and F
Ratio = h_i/h_o approximately 2:1

$\frac{1}{2}$
 $\frac{1}{2}$
2



Plotting of correct graph
Calculation of resistance

1
1
2