

2017



माध्यमिक शिक्षा मण्डल, मध्य प्रदेश, भोपाल

24 पृष्ठीय

परीक्षार्थी द्वारा भरा जावे ↓

परीक्षा का विषय	विषय कोड	परीक्षा का माध्यम
CHEMISTRY	2 2 0	ENGLISH

परीक्षा की तिथि के विषय में मे लिखना नपाये

पुस्तिका का सरल क्रमांक

3540819

को में

परीक्षार्थी का रोल नम्बर

2 7 6 7 3 1 7 0 2 ✓

को में

0	seven	5	7	seven	three	one	seven	zero	two
---	-------	---	---	-------	-------	-----	-------	------	-----

नीचे लिखने के लिए

उप

एक	एक	दो	चार	तीन	नौ	पाच	छः	आठ
----	----	----	-----	-----	----	-----	----	----

क - पूरक उत्तर पुस्तिकाओं की संख्या अंकों में 1 शब्दों में one
 ख - परीक्षार्थी का कक्ष क्रमांक HALL-B
 ग - परीक्षा का दिनांक 23 03 2017

परीक्षा का नाम एवं परीक्षा केन्द्र क्रमांक की मुद्रा

हायर सेकेण्डरी परीक्षा

केन्द्राध्यक्ष

केन्द्र क्रमांक-671054

पर्यवेक्षक का नाम एवं हस्ताक्षर

Shuk
23/03/17

केन्द्राध्यक्ष/सहायक केन्द्राध्यक्ष के हस्ताक्षर

Sonakia

परीक्षक एवं उपमुख्य परीक्षक द्वारा भरा जावे ↓

प्रमाणित किया जाता है कि मूल्यांकन के समय पूरक उत्तर पुस्तिकाओं की संख्या उपरोक्तानुसार सही पाई होलो क्राफ्ट स्टीकर क्षतिग्रस्त नहीं पाया गया तथा अन्दर के पृष्ठों के अनुरूप मुख्य पृष्ठ पर अंकों की प्रविष्टि एवं अंकों का योग सही है।

निर्धारित मुद्रा : नाम, पदनाम, मोबाईल नम्बर, परीक्षक क्रमांक एवं पदांकित संस्था के नाम की मुद्रा लगाएँ।

उप मुख्य परीक्षक के हस्ताक्षर एवं निर्धारित मुद्रा

[Signature]

परीक्षक के हस्ताक्षर एवं निर्धारित मुद्रा

[Signature]
अभिलाषा तिवारी
31710260 -
एच.एल.डी., गुना

केवल परीक्षक द्वारा भरा जावे।
प्रश्न क्रमांक के सम्मुख प्राप्तांकों की प्रविष्टि करें।

प्रश्न क्रमांक	पृष्ठ क्रमांक	प्राप्तांक (अंकों में)
----------------	---------------	------------------------

1 0

2

3

4

5

6

7

8

9

10

11

12 $\frac{1}{2}$

13

14

15

16

17

18

19 0

20

21

22

23

24

25

26

27

28

कुल प्राप्तांक शब्दों में

क

अंकों में

0 1

0 1

3



+



=



योग पूर्व पृष्ठ

पृष्ठ 3 के अंक

कुल अंक



Question - 01

(1)

(a) 8

(2)

(d) cm^{-1}

(3)

(a) active mass.

B

S(4)

(a) Exothermic.

E

(5)

(b) Chlorine.

Question - 2

(a) Seven (7)


(b) adsorbent

(c) HgCl_2

(d) Diamagnetic

(e) $(\text{C}_2\text{H}_5)_4\text{Pb}$. [Tetraethyl lead]


6



+



=



योग पूर्व पृष्ठ

पृष्ठ 6 क अंक

कुल अंक



प्रश्न क्र.

Question 5


Ans. Peptization :-

Peptization is defined as a process to obtain a colloidal solution from precipitated compound or coagulated compound by addition of electrolyte into it.


B

S

L



Electrolyte



precipitate

colloid.

Question - 6

Ans

Ionisation energy of noble gas is highest because they have complete duplet or octate that is why all the electrons in its orbitals are paired and the element is stable.

To ionise an electron from noble gas require

7

2

योग पूर्व पृष्ठ

+

पृष्ठ 7 के अंक

=


कुल अंक




huge amount of energy. So, we can say that ionisation energy of noble gas is highest.

Question - 07

OR



→ Potassium-tetra-iodomercurate(II)



→ Diammino silver(I) chloride.

Question - 08

OR

(i) Vitamin A

Diseases → Night Blindness
→ weak eyesight.

(ii) Vitamin D


Diseases → Rickets (Children)
→ Osteomalacia (Adults).

9




शुभ पूर्व पृष्ठ

+



पृष्ठ 9 के अंक

=



कुल अंक



MADHYAPRADESH BOARD OF SECONDARY EDUCATION

(4) It forms constant boiling azeotropic solution with lower boiling point.

It forms constant boiling azeotropic solution with higher boiling point.

(5) force of attraction between component of solution is weak.

force of attraction between component of solution is strong.

Eg
 $CCl_4 + \text{Benzene}$
 $CCl_4 + C_6H_5CH_3$
 (Toluene).


Eg $\rightarrow H_2O + HNO_3$
 $\rightarrow \text{Acetone} + \text{Chloroform}$

Question 10

Solution \Rightarrow Given, wt of NaOH (solute) = 4gms.
 wt of solⁿ = 500 ml.
 we know that,

Normality = $\frac{\text{Gram equivalent of solute}}{\text{Volume of solution}}$

10




योग पूर्व पृष्ठ

+



अंक

=



कुल अंक



प्रश्न क्र.

$$\text{Gram eqvt. of solute} = \frac{\text{Equivalent wt. of NaOH}}{\text{Molecular wt. of NaOH}}$$

$$\Rightarrow \text{Gram equivalent wt of NaOH} = \frac{\text{given wt of solute}}{\text{Equivalent wt.}}$$

$$\Rightarrow \text{Equivalent wt of NaOH} = 40 \text{ gm.}$$

$$\text{So, Gram equivalent wt of NaOH} = \frac{4 \text{ gm}}{40 \text{ gm.}} = \frac{1}{10}$$


$$\Rightarrow \text{Normality} = \frac{\text{Gram eqvt.} \times 1000}{\text{Volume of sol}^n \text{ in ml}}$$

$$= \frac{1 \times 1000}{10 \times 500}$$

$$= \frac{1}{5} = \boxed{0.2 \text{ N}}$$

Hence, normality of solution is 0.2 N.

11



प्रश्न क्र.


Question - 11

Ans Inner Transition Elements :-

(1) Inner transition elements are also known as f-block elements.

(2) In these elements last electrons enter in $(n-2)f$ orbital.

(3) The general electronic configuration of these elements is




(4) Inner transition elements occupy two rows in periodic elements namely:-

- (i) Lanthanides
- (ii) Actinides.


(5) All the inner transition elements show metallic property and are electro positive.

12




योग पृष्ठ

+



पृष्ठ 12 के अंक

=



कुल अंक



MADHYA PRADESH BOARD OF SECONDARY EDUCATION

प्रश्न क्र.

(6) f-block elements are called inner transitional elements because in these elements transition takes place in anti-penultimate shells or inner orbital.

(7) Inner transitional elements are rarely found and are used for purpose of radioactivity.

B
S
E

Question - 12

Lanthanides

Actinide.

(1) Last electron in these elements enters in 4f shell.

Last electron in these shells enters into 5f shell.


(2) Lanthanides are less basic.

Actinides are more basic in character.

(3) They have less tendency to form complexes.

They have more tendency to form complexes.

13




योग पूर्व पृष्ठ

+



पृष्ठ 13 के अंक

=



कुल अंक



MADHYAPRADESH BHOPAL BOARD OF SECONDARY EDUCATION

सं क्र.

(4) Lanthanides do not form oxoflours.

Actinides form oxoflours.

(5) Lanthanides are generally non radio active.

Actinides are generally radio-active.

(6) Lanthanides are placed before actinides in periodic table.

Actinides are placed after lanthanides in periodic table.

B
S
E


Question - 13

Factors affecting rate of reaction:-

(1) Concentration of reactant


→ rate of reaction depends on the concentration of reactant. As the concentration of reactant increases the reaction proceeds in forward direction.

14



योग पूर्व पृष्ठ

+



पृष्ठ 14 के अंक

=



कुल अंक



प्रश्न क्र.

(II) Temperature

→ Temperature of the system and surrounding is an important factor in determining the rate of reaction.

Exothermic reactions proceed rapidly in forward direction under the condition of low temperature.

B

(III) Presence of catalyst

E

→ Involvement of catalyst enhance the rate of reaction in a drastic way. There are two type of catalyst:-

(a) Positive catalyst → enhance the rate of reaction.

(b) Negative catalyst → decrease the rate of reaction.

(16)



यो



इ

+



पृष्ठ 16 नं अंक

=



कुल अंक



प्रश्न क्र.


Question - 14

OR

Ans. Chemical Reaction of copper with nitric acid.


I Condition I → cold & dilute HNO_3 used.

when cold and dilute HNO_3 is made to react with copper we get N_2 , $\text{Cu}(\text{NO}_3)_2$ and water as b.p product.



II Condition II → Hot and dilute HNO_3 .

when hot and dilute HNO_3 is made to react with copper we get N_2O , $\text{Cu}(\text{NO}_3)_2$ & water.



17


$$\boxed{\quad} + \boxed{\quad} = \boxed{\quad} +$$

योग पृष्ठ पृष्ठ 17 अंक कुल अंक




Condition III → 50% concentrated HNO₃

when 50% concentrated HNO₃ is made to react with copper we get NO, Cu(NO₃)₂ & water as by-product.



Condition IV :- Highly concentrated HNO₃

when highly concentrated HNO₃ is made to react with copper we get NO₂, Cu(NO₃)₂ & water as by-product.



18









$$\boxed{\text{योग पूर्व पृष्ठ}} + \boxed{\text{पृष्ठ 1, अंक}} = \boxed{\text{कुल अंक}}$$



MADHYA PRADESH BOARD OF SECONDARY EDUCATION

प्रश्न क्र.

Question - 15 OR.



MADHYA PRADESH BOARD OF SECONDARY EDUCATION

20

[]

रूब पृष्ठ

+

[]

पृष्ठ 20 के अंक

=

[]


कुल अंक



प्रश्न क्र.

(6) Phenol react with alkali to give salt.

Alcohol do not react with alkali.






B
S
E

Question - 17

(i) Perkin's Reaction:-


Perkin's reaction takes place between benzaldehyde and acetic anhydride leading to formation of cinnamic acid.





योग

+



पृष्ठ 21 क अंक





कुल अंक



सं क्र.

(ii) Utropine →

Utropine is a compound formed by reaction between ammonia and aldehyde.




Utropine

B
S
E


MADHYAPRADESH BOARD OF SECONDARY EDUCATION

22



या पृष्ठ

+



पृष्ठ 22 के अंक

=



3 अंक



Question - 18

The Kohlrausch Law

→ Kohlrausch law states that "at infinite dilution the molar conductance of solution is the sum of individual molar conductance of cation & anion."

$$\lambda_m^\infty = \nu \lambda_m^+ + \nu \lambda_m^-$$


Here λ_m^∞ = molar conductance of solution at infinity.

$\nu \lambda_m^+$ = molar conductance of cation

$\nu \lambda_m^-$ = molar conductance of anion


ν = no. of anion & cation.

24



या पूर्व पृष्ठ

+



पृष्ठ 24 के अंक

=



कुल अंक



Dissociation = α = molar conductance at constant concⁿ c

molar conductance at infinite dilution.

$$\alpha = \frac{\lambda_m^c}{\lambda_m^\infty}$$

where,

λ_m^c = molar conductance at particular concentration.

λ_m^∞ = molar conductance at infinite dilution.

Question - 19

Ans. Oxy acids of Sulphur

S.no	Name of comp.	Formula	Ox. no.	Structure.
1	Sulphurous acid	H ₂ SO ₃	+4	

2017




माध्यमिक शिक्षा मण्डल, मध्य प्रदेश, रा.पा.ल.

4 पृष्ठों में

परीक्षा का विषय : Chemistry विषय कोड : 220 परीक्षा का माध्यम : English परीक्षा का दिनांक : 23/09/2017

स्टीकर तीर के निशान ↓ से मिलाकर लगायें

→ परीक्षार्थी द्वारा भरा जावे



परीक्षा का नाम एवं परीक्षा केंद्र हाइवर्ड सेकेंडरी परीक्षा

पर्यवेक्षक का नाम एवं हस्ताक्षर [Signature]

केन्द्राध्यक्ष/सहायक केन्द्राध्यक्ष के हस्ताक्षर [Signature]

मुख्य उत्तर पुस्तिका के अंतिम पृष्ठ क्रमांक तक कुल प्राप्तांक + =

S.no	Name	Formula	Ox no.	Structure
2.	Sulphuric acid	H_2SO_4	+6	
3.	Tri sulphuric acid	$H_2S_2O_7$	+2	
4.	Oleum or pyro sulphuric acid	$H_2S_2O_7$	+6	

अंश का योग


2

	+		=	
या पृष्ठ		पृष्ठ 2 के अंक		कुल अंक




प्रश्न क्र.

5. Marshall's acid or peroxo sulphuric acid



+ 6



Question - 20

OR

B (i) Anti fertility drugs :-

S These drugs are responsible for alteration in menstrual cycle of human female. These drugs are taken so as to avoid ovulation & fertilisation.

E They are taken in form of oral pills which is composed of synthetic estrogen and progesterone.

3

$$\boxed{} + \boxed{} = \boxed{}$$

संकेत पृष्ठ के अंक कुल अंक



(ii) Disinfectant →

These are the chemical compounds used to avoid infection caused by bacteria and other micro-organisms.

These include Dettol, Chloroxyleneol, Biothenol, etc which have antiseptic and antibacterial property.

(iii) Sulpha drugs →

Sulpha drugs are antibacterial drugs used as a resistance against various diseases.


eg → Sulphadiazene
→ Sulphadiazine etc.

(iv) Analgesic


→ These drugs reduce pain. These drugs are given to patient who had an injury or fracture to reduce the pain in muscles or other body parts.

Example → Paracetamol
→ Aspirin.

4



+



=



योग पूर्व पृष्ठ

पृष्ठ अंक

कुल अंक



(v) Antipyretic →

Antipyretics are drugs which reduce body temperature. Antipyretics are given to patients suffering from fever and uneasiness.

It includes drugs like paracetamol and aspirin.

