

## CBSE Class 10 Maths Chapter 3 – Pair of Linear Equations in Two Variable

# **Objective Questions**

## **Algebraic Solution**

- **1.** Half the perimeter of a rectangular room is 46 m, and its length is 6 m more than its breadth. What is the length and breadth of the room?
  - (A) 2m, 20m
  - (B) 2m, 3m
  - (C) 56m, 40m
  - (D) 26m, 20m

**Answer:** (D) 26m, 20m

**Solution:** Let I and b be the length and breadth of the room. Then, the perimeter of the room = 2(I+b) metres

From question, I=6+b... (1)

$$\frac{1}{2}$$
×2(I+b) =46 $\Longrightarrow$ I+b=46... (2)

Using Substitution method:

Substituting the value of I from (1) in (2), we get

6+b+b=46

$$\Rightarrow$$
 6+2b=46 $\Rightarrow$ 2b=40

⇒b=20 m.

Thus, I=26 m

2. Solve the following pair of equations:

Choose the correct answer from the given options.

- (A) (-3,2)
- (B) (1,0)
- (C) (3,2)
- (D) (2,3)

**Answer:** (D) (2, 3)



## Solution: We have,

Multiply equation (1) by 2, we get:

$$2(2x+y) = 2(7)$$

$$\Rightarrow 4x+2y=14...(3)$$

Subtracting (2) from (3) we get,

x=2

Substituting the value of x in (1) we get,

Thus, the solution for the given pair of linear equations is (2, 3).

## 3. Solve

$$\frac{3x}{2} - \frac{5y}{3} = -2$$
;  $\frac{x}{2} + \frac{y}{2} = \frac{13}{6}$ 

(A) 
$$Y = \frac{51}{19}$$

(B) 
$$X = = \frac{51}{19}$$

(C) 
$$Y = \frac{94}{57}$$

(D) 
$$X = \frac{117}{54}$$

**Answer:** (A) 
$$Y = \frac{51}{19}$$

Solution: 
$$\frac{3x}{2} - \frac{5y}{3} = -2$$

LCM of 2 and 3 is 6. Multiply by 6 on both sides

$$\frac{x}{2} + \frac{y}{2} = \frac{13}{6}$$

LCM is 6. Multiply by 6 on both sides

Multiply equation (2) by 3 to eliminate x; so we get,

Subtract (3) from (1) we have

$$-19y = -51 \Rightarrow y = \frac{51}{19}$$

Substitute this in one of the equation and we get

$$X = 10\left[\frac{\frac{51}{19} - 2}{9}\right] = \frac{282}{19X9} = \frac{94}{3X19} = \frac{94}{57}$$

$$\Rightarrow x = \frac{94}{57}$$

**4.** Given: 3x–5y=4;9x=2y+7

Solve above equations by Elimination method and find the value of x.

(A) 
$$X = \frac{9}{13}$$

(B) 
$$Y = \frac{5}{13}$$

(C) 
$$X = \frac{-5}{13}$$

(D) 
$$Y = \frac{9}{13}$$

Answer: 
$$X = \frac{9}{13}$$

**Solution:** Given:

$$9x = 2y + 7$$

$$9x-2y=7....(2)$$

Multiply equation (1) by 3

Subtracting (2) from (3) we get,

$$Y = -\frac{-5}{13}$$

Substituting the value of y in (2)

$$X = \frac{7 + 2y}{9}$$

$$X = \frac{7 - \frac{10}{18}}{9} = \frac{81}{13 \times 9}$$

$$X = \frac{9}{13}$$



### **All about Lines**

- 5. Choose the pair of equations which satisfy the point (1,-1)
  - (A) 4x-y=3,4x+y=3
  - (B) 4x+y=3,3x+2y=1
  - (C) 2x+3y=5,2x+3y=-1
  - (D) 2x+y=3,2x-y=1

**Answer:** (B) 4x+y=3, 3x+2y=1

**Solution:** For a pair of equations to satisfy a point, the point should be the unique solution of them.

Solve the pair equations 4x+y=3,3x+2y=1

let 4x+y=3....(1)

and 3x+2y=1 .....(2)

y=3-4x [ From (1)]

Substituting value if y in (2)

3x+2y=1

3x+2(3-4x)=1

3x+6-8x=1

 $-5x=-5 \Rightarrow x=1$ 

Substituting x = 1 in (1),

 $4(1)+y=3 \Rightarrow y=-1$ 

- $\Rightarrow$  (1,-1) is the solution of pair of equation.
- ∴ Pair of equations which satisfy the point (1,-1)

Note: - We can also substitute the value (1,-1) in the given equations and check if it satisfies the pair of equations or not. In this case it only satisfies the pair of equation 4x+y=3, 3x+2y=1 and hence (1,-1) is the unique solution of the equation.

- **6.** 54 is divided into two parts such that sum of 10 times the first part and 22 times the second part is 780. What is the bigger part?
  - (A) 34
  - (B) 32
  - (C) 30
  - (D) 24

Answer: (A) 34

**Solution:** Let the 2 parts of 54 be x and y

$$x+y = 54....(i)$$



Multiply (i) by 10, we get

$$10 x + 10 y = 540$$
-----(iii)

10x + 22y = 780 ----- (ii) {Subtracting (ii) from (iii)}

(-) (-) (-)

\_\_\_\_\_

$$y = 20$$

Substituting y = 20 in x + y = 54, we have x + 20 = 54; x = 34

Hence, x = 34 and y = 20.

7. What are the values of **a**, **b** and **c** for the equation  $y=0.5x+\sqrt{7}$  when written in the standard form: ax+by+c=0?

(A) 0.5, 1, 
$$\sqrt{7}$$

(B) 0.5, 1, 
$$-\sqrt{7}$$

(C) 0.5, -1, 
$$\sqrt{7}$$

(D) -0.5, 1, 
$$\sqrt{7}$$

**Answer:** (C) 0.5, -1, √7

**Solution:** Y=  $0.5X + \sqrt{7}$ 

⇒0.5x-y+
$$\sqrt{7}$$
= 0

The general form of an equation is ax+by+c=0. Here, on comparing, we get a=0.5, b=-1 and  $c=\sqrt{7}$ 



8. Which of the following pair of linear equations has infinite solutions?

(A) 
$$\frac{1}{2}$$
X + 2Y =  $\frac{7}{11}$ ; X+6Y = 21

(B) 
$$y+2x=10$$
;  $11x+6y=21$ 

(C) 
$$4x+3y=7$$
;  $3x+6y=25$ 

(D) 
$$x+2y=7$$
;  $3x+6y=21$ 

**Answer:** (D) 
$$x+2y=7$$
;  $3x+6y=21$ 

**Solution:** If two equations are consistent and overlapping, then they will have infinite solutions. Option A consists of two equations where the second equation can be reduced to an equation which is same as the first equation.

Dividing equation (ii) by 3, we get

x+2y=7 which is the same as equation (i).

The equations coincide and will have an infinite solution.

#### **Alternate Method:**

Let the two equations be

$$a_1x + b_1y + c_1 = 0$$

$$a_2x + b_2y + c_2 = 0$$

The condition for having infinite solutions is:

$$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2} \dots$$
 (I )

For the equations, on substituting values in eq (i), we get

$$\frac{1}{3} = \frac{2}{6} = \frac{-7}{-21}$$

 $\therefore$  The pair of equations x+2y=7 and 3x+6y=21. Have infinite solutions. Similarly, we can check that other options don't have infinite solutions.

#### **Basics Revisited**



- 9. Which of these points lie on the line 7x+8y=61
  - (A) (3,4)
  - (B) (2,5)
  - (C) (-3,7)
  - (D) (3,5)

**Answer**: (D) (3, 5)

**Solution**: Substituting the value of x = 3 and y = 4, 7x+8y=61 = 7(3) +8(4) =53.

Substituting the value of x = 2 and y = 5, 7x+8y=61 = 7(2) +8(5) =54.

Substituting the value of x = -3 and y = 7, 7x+8y=61 = 7(-3) +8(7) = 35.

Substituting the value of x = 3 and y = 5, 7x+8y=61 = 7(3) +8(5) =61

Hence, (3, 5) lies on the given line

- **10.** Which of these following equations have x=-3, y=2 as solutions?
  - (A) 3x-2y=0
  - (B) 3x+2y=0
  - (C) 2x+3y=0
  - (D) 2x-3y=0

**Answer**: (C) 2x+3y=0

Solution: Substituting the values in LHS,

L.H.S=2x+3y

L.H.S=2(-3) +3(2)

L.H.S=0=R.H.S

Hence x=-3, y=2 is the solution of the equation 2x+3y=0



11. If  $y = \frac{1}{2}(3x+7)$  is rewritten in the form ax+by+c=0, what are the values of a, b and

c?

- (A)  $\frac{1}{2}$ ,  $\frac{7}{2}$ ,  $\frac{3}{2}$
- (B) 7,2,3
- (C) -2, 3, -7
- (D) -3,2,-7

**Answer:** (D) -3, 2,-7

Solution: The given equation is:

$$y = \frac{1}{2}(3x+7)$$

Simplifying the equation we get:

$$\Rightarrow$$
 -3x+2y-7=0 (1)

Thus, the value of a, b and c is -3, 2 and -7 respectively.

The equation can also be written as,

Thus, the value of a, b and c is +3, -2 and +7 respectively.

The option -3, 2 and -7 is correct [Since +3, -2 and +7 is not an option]



- **12.** x-y=0 is a line:
  - (A) Passing through origin
  - (B) Passing through (1,-1)
  - (C) || to y axis
  - (D) || to x axis

Answer: (A) Passing through origin

**Solution:** x-y=0, is a line passing through the origin as point (0, 0) satisfies the given equation

## **Graphical Solution**

13. If 
$$\frac{a_1}{a_2} = \frac{b_1}{b_2} \neq \frac{c_1}{c_2}$$
 in the system of equations  $a_1x + b_1y + c_1 = 0$  and  $a_2x + b_2y + c_2 = 0$ 

Statement 1: This is the condition for inconsistent equations

Statement 2: There exists infinitely many solutions

Statement 3: The equations satisfying the condition are parallel

Which of the above statements are true?

- (A) S<sub>1</sub> only
- (B)  $s_1$  and  $s_2$

- (C)  $s_1$  and  $s_3$
- (D)  $s_2$  only

Answer: (C) 
$$S_1$$
 and  $S_3$ 

Solution: If 
$$\frac{a_1}{a_2} = \frac{b_1}{b_2} \neq \frac{c_1}{c_2}$$
,

The condition is for inconsistent pair of equations which are parallel and have no solution.

: Statement 1 and 3 are correct

14. 
$$\frac{x}{5} + \frac{y}{3} = 1$$
 and  $\frac{x}{k} + \frac{y}{m} = 1$ . Choose the correct statement.

- (A) For  $k \neq 3 \frac{m}{5}$  a unique solution exists
- (B) For k=3  $\frac{m}{5}$ , infinitely many solutions exists
- (C) For  $k = 5 \frac{m}{3}$ , a unique solution exists
- (D) For k=  $5 \frac{m}{3}$ , infinitely many solutions exist

**Answer:** For k=  $5 \frac{m}{3}$ , infinitely many solutions exist


Solution: 
$$\frac{a_1}{a_2} = \frac{k}{5}$$
  $\frac{b_1}{b_2} = \frac{m}{3}$ 



For, unique solution, 
$$\frac{k}{5} \neq \frac{m}{3}$$
  $\Rightarrow k \neq 5 \frac{m}{3}$ 

For, infinitely many solutions 
$$\frac{k}{5} = \frac{m}{3}$$
  $\Rightarrow$  k=  $5\frac{m}{3}$ 

**15.** The figure shows the graphical representation of a pair of linear equations. On the basis of graph, the pair of linear equation gives \_\_\_\_\_\_solutions.



- (A) Four
- (B) Only one
- (C) Infinite
- (D) Zero

Answer: (B) Only one

**Solution:** If the graph of linear equations represented by the lines intersects at a point, this point gives the unique solution. Here the lines meet at the point (1,-1) which is the unique solution of the given pair of linear equations.



- **16.** For what value of k, the pair of linear equations 3x+ky = 9 and 6x+4y=18 has infinitely many solutions?
  - (A) -5
  - (B) 6
  - (C) 1
  - (D) 2

Answer: Given equations gives infinitely many solutions if,

$$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$$

The given linear equations are: 3x+ky=9; 6x+4y=18.

$$\Rightarrow$$
  $a_1 = 3, b_1 = k, c_1 = -9$  and  $a_2 = 6, b_2 = 4, c_2 = -18$ 

$$\Rightarrow \frac{3}{6} = \frac{k}{4} = \frac{-9}{-18}$$

$$\Rightarrow \frac{1}{2} = \frac{k}{4}$$

$$\Rightarrow$$
 k = 2

## **Solving Linear Equations**

**17.** Solve the following pair of linear equation



$$\frac{2}{\sqrt{x}} + \frac{3}{\sqrt{y}} = 2$$

$$\frac{4}{\sqrt{x}} - \frac{9}{\sqrt{y}} = -1$$

- (A)9,8
- (B)4,9
- (C) 3,2
- $(D)^{\frac{1}{2},\frac{1}{3}}$

**Answer:** (B) 4, 9

**Solution:** The pair of equations is not linear. We will substitute  $\frac{1}{x}$  as  $u^2$  and  $\frac{1}{y}$  as  $v^2$  then we will get the equation as

2u + 3v = 2

$$4u - 9v = -1$$

We will use method of elimination to solve the equation. Multiply the first equation by 3, we get

6u + 9v = 6

$$4u-9v=-1$$

Adding the above two equations

10u=5

$$u=\frac{1}{2}$$

Substituting u in equation 4u-9v=-1 we get  $v=\frac{1}{3}$ 

So 
$$x = \frac{1}{u^2} = 4$$

$$y = \frac{1}{v^2} = 9$$

18. Solve the following pair of equation

$$\frac{7x-2y}{xy} = 5$$

$$\frac{8x+6y}{xy} = 15$$

- (A) None of these
- (B) 2, not defined
- (C)  $\frac{5}{2}$ , not defined
- (D)  $\frac{-2}{5}$ , not defined

Answer:  $(D)^{\frac{-2}{5}}$ , not defined

**Solution:** First separate the variables  $\frac{7x-2y}{xy} = 5$ 

$$\frac{7x-2y}{xy} = 5$$

$$\frac{7x}{xy} \cdot \frac{2y}{xy} = 5$$

$$\frac{7}{y} - \frac{2}{x} = 5$$



Similarly we can do separation of variables for second equation

$$\frac{8x+6y}{xy} = 15$$

$$\frac{8}{y} - \frac{6}{x} = 15$$

Now we see that the equation is not linear.

So we will substitute  $\frac{1}{x}$ = u and  $\frac{1}{y}$ = v

The pair of equation can be written as

$$-6u+8v=15$$

We can solve the pair of equation by method of elimination.

Subtracting (2) from (1), we get 13v = 0; v = 0

Substituting 
$$v = 0$$
 in  $-2u + 7v = 5$   
we get  $u = -\frac{5}{2}$ 

$$\frac{1}{x}$$
 = u and  $\frac{1}{y}$  = v

$$\therefore x = -\frac{2}{5}$$
 and y = not defined

**19.** Find x and y if 
$$\frac{5}{2+x} + \frac{1}{y-4} = 2$$

$$\frac{6}{2+x} + \frac{3}{y-4} = 1$$

(A) 
$$x = -2$$
,  $y = 2$ 

(B) 
$$x = 7, y = -8$$

(C) 
$$x = 0, y = 8$$

(D) 
$$x = 1$$
,  $y = 7$ 

**Answer:** (D) 
$$x = 1$$
,  $y = 7$ 

**Solution:** Let, 
$$p = \frac{1}{2+x}$$
 and  $q = \frac{1}{y-4}$ 

Thus, 
$$5p + q = 2---- (i)$$
  
 $6p - 3q = 1----- (ii)$ 

Adding (iii) and (ii),

$$21p = 7$$

$$p = \frac{1}{3}$$

Substitute the value of p in (i)

$$5 \times \frac{1}{3} + q = 2$$

$$q = 2 - \frac{5}{3}$$

$$\Rightarrow$$
 q =  $\frac{1}{3}$ 

Now, 
$$p = \frac{1}{2+x}$$

$$\Rightarrow \frac{1}{3} = \frac{1}{2+x}$$

$$\Rightarrow$$
 x = 1

$$q = \frac{1}{y-4}$$

$$\Rightarrow \frac{1}{3} = \frac{1}{y-4}$$

$$\Rightarrow$$
 y = 7

**20.** Solve the following pair of equations:

$$\frac{1}{x} + \frac{3}{y} = 1$$

$$\frac{6}{x} - \frac{12}{y} = 2$$

(where 
$$x \neq 0, y \neq 0$$
)

(A) 
$$X = \frac{5}{3}$$
,  $Y = \frac{15}{2}$ 

(B) 
$$x=4,y=9$$

(C) 
$$x=3,y=11$$

(D) 
$$X = \frac{3}{5}$$
,  $Y = \frac{7}{3}$ 

**Answer:** (A) 
$$X = \frac{5}{3}$$
,  $Y = \frac{15}{2}$ 



**Solution:** Let 
$$\frac{1}{x} = a$$
 and  $\frac{1}{y} = b$ 

(As  $x\neq 0$ ,  $y\neq 0$ )

Then, the given equations become

a+3b=1 ... (1)

6a-12b=2 ... (2)

Multiplying equation (1) by 4, we get 4a+12b=4 ... (3)

On adding equation (2) and equation (3), we get 10a=6

$$\Rightarrow a = \frac{3}{5}$$

Putting  $a = \frac{3}{5}$  in equation (1), we get

$$\frac{3}{5}$$
 +3b=1

$$\Rightarrow b = \frac{1 - (\frac{3}{5})}{3}$$

$$\Rightarrow$$
b= $\frac{2}{15}$ 

Hence, 
$$x = \frac{5}{3}$$
 and  $y = \frac{15}{2}$