

## Exercise 21.2

Page No: 21.19

**Question 1: Find the volume of a sphere whose radius is:**

**(i) 2 cm (ii) 3.5 cm (iii) 10.5 cm.**

**Solution:**

Volume of a sphere =  $\frac{4}{3}\pi r^3$  Cubic Units

Where, r = radius of a sphere

**(i) Radius = 2 cm**

$$\text{Volume} = \frac{4}{3} \times \frac{22}{7} \times (2)^3$$

$$= 33.52$$

$$\text{Volume} = 33.52 \text{ cm}^3$$

**(ii) Radius = 3.5cm**

$$\text{Therefore volume} = \frac{4}{3} \times \frac{22}{7} \times (3.5)^3$$

$$= 179.666$$

$$\text{Volume} = 179.666 \text{ cm}^3$$

**(iii) Radius = 10.5 cm**

$$\text{Volume} = \frac{4}{3} \times \frac{22}{7} \times (10.5)^3$$

$$= 4851$$

$$\text{Volume} = 4851 \text{ cm}^3$$

**Question 2: Find the volume of a sphere whose diameter is:**

**(i) 14 cm (ii) 3.5 dm (iii) 2.1 m**

**Solution:**

Volume of a sphere =  $\frac{4}{3}\pi r^3$  Cubic Units

Where, r = radius of a sphere

**(i) diameter = 14 cm**

So, radius = diameter/2 = 14/2 = 7cm

$$\text{Volume} = \frac{4}{3} \times \frac{22}{7} \times (7)^3$$

$$= 1437.33$$

$$\text{Volume} = 1437.33 \text{ cm}^3$$

(ii) diameter = 3.5 dm

So, radius = diameter/2 = 3.5/2 = 1.75 dm

$$\text{Volume} = \frac{4}{3} \times \frac{22}{7} \times (1.75)^3$$

$$= 22.46$$

$$\text{Volume} = 22.46 \text{ dm}^3$$

(iii) diameter = 2.1 m

So, radius = diameter/2 = 2.1/2 = 1.05 m

$$\text{Volume} = \frac{4}{3} \times \frac{22}{7} \times (1.05)^3$$

$$= 4.851$$

$$\text{Volume} = 4.851 \text{ m}^3$$

**Question 3: A hemispherical tank has the inner radius of 2.8 m. Find its capacity in liters.**

**Solution:**

Radius of hemispherical tank = 2.8 m

$$\text{Capacity of hemispherical tank} = \frac{2}{3} \pi r^3$$

$$= \frac{2}{3} \times \frac{22}{7} \times (2.8)^3 \text{ m}^3$$

$$= 45.997 \text{ m}^3$$

[Using  $1 \text{ m}^3 = 1000 \text{ liters}$ ]

Therefore, capacity in litres = 45997 litres

**Question 4:** A hemispherical bowl is made of steel 0.25 cm thick. The inside radius of the bowl is 5 cm. Find the volume of steel used in making the bowl.

**Solution:**

Inner radius of a hemispherical bowl = 5 cm

Outer radius of a hemispherical bowl = 5 cm + 0.25 cm = 5.25 cm

Volume of steel used = Outer volume - Inner volume

$$= \frac{2}{3} \times \pi \times ((5.25)^3 - (5)^3)$$

$$= \frac{2}{3} \times \frac{22}{7} \times ((5.25)^3 - (5)^3)$$

$$= 41.282$$

Volume of steel used is 41.282 cm<sup>3</sup>

**Question 5:** How many bullets can be made out of a cube of lead, whose edge measures 22 cm, each bullet being 2 cm in diameter?

**Solution:**

Edge of a cube = 22 cm

Diameter of bullet = 2 cm

So, radius of bullet (r) = 1 cm

$$\text{Volume of the cube} = (\text{side})^3 = (22)^3 \text{ cm}^3 = 10648 \text{ cm}^3$$

And,

$$\text{Volume of each bullet which will be spherical in shape} = \frac{4}{3} \pi r^3$$

$$= \frac{4}{3} \times \frac{22}{7} \times (1)^3 \text{ cm}^3$$

$$= \frac{4}{3} \times \frac{22}{7} \text{ cm}^3$$

$$= 8821 \text{ cm}^3$$

Number of bullets = (Volume of cube) / (Volume of bullet)

$$= 10648/8821$$
$$= 2541$$

Therefore, 2541 bullets can be made.

**Question 6: A shopkeeper has one laddoo of radius 5 cm. With the same material, how many laddoos of radius 2.5 cm can be made?**

**Solution:**

$$\text{Volume of laddoo having radius 5 cm (V1)} = \frac{4}{3} \times \frac{22}{7} \times (5)^3$$

$$= 11000/21 \text{ cm}^3$$

$$\text{Also, Volume of laddoo having radius 2.5 cm (V2)} = \frac{4}{3} \pi r^3$$

$$= \frac{4}{3} \times \frac{22}{7} \times (2.5)^3 \text{ cm}^3$$

$$= 1375/21 \text{ cm}^3$$

Therefore,

$$\text{Number of laddoos of radius 2.5 cm that can be made} = V1/V2 = 11000/1375 = 8$$

**Question 7: A spherical ball of lead 3 cm in diameter is melted and recast into three spherical balls. If the diameters of two balls be 3/2 cm and 2 cm, find the diameter of the third ball.**

**Solution:**

$$\text{Volume of lead ball with radius } 3/2 \text{ cm} = \frac{4}{3} \pi r^3$$

$$= \frac{4}{3} \times \pi \times (3/2)^3$$

$$\text{Let, Diameter of first ball (d1)} = 3/2 \text{ cm}$$

$$\text{Radius of first ball (r1)} = 3/4 \text{ cm}$$

$$\text{Diameter of second ball (d2)} = 2 \text{ cm}$$

$$\text{Radius of second ball (r2)} = 2/2 \text{ cm} = 1 \text{ cm}$$

$$\text{Diameter of third ball (d3)} = d$$

$$\text{Radius of third ball (r3)} = d/2 \text{ cm}$$

Now,

$$\text{Volume of lead ball} = \frac{4}{3} \times \pi \times \left(\frac{3}{4}\right)^3 + \frac{4}{3} \times \pi \times (1)^3 + \frac{4}{3} \times \pi \times \left(\frac{d}{2}\right)^3$$

$$\frac{4}{3} \times \pi \times \left(\frac{3}{2}\right)^3 = \frac{4}{3} \times \pi \times \left(\frac{3}{4}\right)^3 + \frac{4}{3} \times \pi \times (1)^3 + \frac{4}{3} \times \pi \times \left(\frac{d}{2}\right)^3$$

$$\frac{4}{3} \pi \left[\left(\frac{3}{2}\right)^3\right] = \frac{4}{3} \pi \left[\left(\frac{3}{4}\right)^3 + (1)^3 + \left(\frac{d}{2}\right)^3\right]$$

$$\frac{27}{8} = \frac{27}{64} + 1 + \frac{d^3}{8}$$

$$d^3 = 8 \left[\frac{27}{8} - \frac{27}{64} - 1\right]$$

$$\frac{d^3}{8} = \frac{125}{64}$$

$$\frac{d}{2} = \frac{5}{4}$$

$$d = \frac{10}{4}$$

$$d = 2.5$$

So, diameter of third ball is 2.5 cm.

**Question 8:** A sphere of radius 5 cm is immersed in water filled in a cylinder, the level of water rises  $\frac{5}{3}$  cm. Find the radius of the cylinder.

**Solution:**

Radius of sphere = 5 cm (Given)

Let 'r' be the radius of cylinder.

We know, Volume of sphere =  $\frac{4}{3}\pi r^3$

By putting values, we get

$$= \frac{4}{3} \times \pi \times (5)^3$$

Height (h) of water rises is  $\frac{5}{3}$  cm (Given)

Volume of water rises in cylinder =  $\pi r^2 h$

Therefore, Volume of water rises in cylinder = Volume of sphere

$$\text{So, } \pi r^2 h = \frac{4}{3} \pi r^3$$

$$\pi r^2 \times \frac{5}{3} = \frac{4}{3} \times \pi \times (5)^3$$

$$\text{or } r^2 = 100$$

$$\text{or } r = 10$$

Therefore, radius of the cylinder is 10 cm.

**Question 9: If the radius of a sphere is doubled, what is the ratio of the volume of the first sphere to that of the second sphere?**

**Solution:**

Let  $r$  be the radius of the first sphere then  $2r$  be the radius of the second sphere.

Now,

$$\frac{\text{Volume of first sphere}}{\text{Volume of second sphere}} = \frac{\frac{4}{3}\pi r^3}{\frac{4}{3}\pi(2r)^3} = \frac{1}{8}$$

Ratio of volume of the first sphere to the second sphere is 1:8.

**Question 10: A cone and a hemisphere have equal bases and equal volumes. Find the ratio of their heights.**

**Solution:**

Volume of the cone = Volume of the hemisphere (Given)

$$\frac{1}{3}\pi r^2 h = \frac{2}{3}\pi r^3$$

(Using respective formulas)

$$r^2 h = 2r^3$$

$$\text{or } h = 2r$$

Since, cone and a hemisphere have equal bases which implies they have the same radius.

$$h/r = 2$$

or  $h : r = 2 : 1$

Therefore, Ratio of their heights is 2:1

**Question 11:** A vessel in the form of a hemispherical bowl is full of water. Its contents are emptied in a right circular cylinder. The internal radii of the bowl and the cylinder are 3.5 cm and 7 cm respectively. Find the height to which the water will rise in the cylinder.

**Solution:**

Volume of water in the hemispherical bowl = Volume of water in the cylinder ... (Given)

Inner radius of the bowl ( $r_1$ ) = 3.5cm

Inner radius of cylinder ( $r_2$ ) = 7cm

Volume of water in the hemispherical bowl = Volume of water in the cylinder

$$\frac{2}{3}\pi r_1^3 = \pi r_2^2 h$$

[Using respective formulas]

Where  $h$  be the height to which water rises in the cylinder.

$$\frac{2}{3}\pi(3.5)^3 = \pi(7)^2 h$$

$$\text{or } h = \frac{7}{12}$$

Therefore,  $\frac{7}{12}$  cm be the height to which water rises in the cylinder.

**Question 12:** A cylinder whose height is two thirds of its diameter, has the same volume as a sphere of radius 4 cm. Calculate the radius of the base of the cylinder.

**Solution:**

Radius of a sphere ( $R$ ) = 4 cm (Given)

Height of the cylinder =  $\frac{2}{3}$  diameter (given)

We know, Diameter = 2(Radius)

Let  $h$  be the height and  $r$  be the base radius of a cylinder, then

$$h = \frac{2}{3} \times (2r) = \frac{4r}{3}$$

Volume of the cylinder = Volume of the sphere

$$\pi r^2 h = \frac{4}{3} \pi R^3$$

$$\pi \times r^2 \times (4r/3) = \frac{4}{3} \pi (4)^3$$

$$(r)^3 = (4)^3$$

$$\text{or } r = 4$$

Therefore, radius of the base of the cylinder is 4 cm.

**Question 13:** A vessel in the form of a hemispherical bowl is full of water. The contents are emptied into a cylinder. The internal radii of the bowl and cylinder are respectively 6 cm and 4 cm. Find the height of water in the cylinder.

**Solution:**

Radius of a bowl (R) = 6 cm (Given)

Radius of a cylinder (r) = 4 cm (given)

Let h be the height of a cylinder.

Now,

Volume of water in hemispherical bowl = Volume of cylinder

$$\frac{2}{3} \pi R^3 = \pi r^2 h$$

$$\frac{2}{3} \pi (6)^3 = \pi (4)^2 h$$

$$\text{or } h = 9$$

Therefore, height of water in the cylinder 9 cm.

**Question 14:** A cylindrical tub of radius 16 cm contains water to a depth of 30 cm. A spherical iron ball is dropped into the tub and thus level of water is raised by 9 cm. What is the radius of the ball?

**Solution:**

Let r be the radius of the iron ball.



Radius of the cylinder (R) = 16 cm (Given)

A spherical iron ball is dropped into the cylinder and thus the level of water is raised by 9 cm. So, height (h) = 9 cm

From statement,

Volume of iron ball = Volume of water raised in the hub

$$\frac{4}{3}\pi r^3 = \pi R^2 h$$

$$\frac{4}{3} r^3 = (16)^2 \times 9$$

$$\text{or } r^3 = 1728$$

$$\text{or } r = 12$$

Therefore, radius of the ball = 12cm.

