

Exercise 3.11

Page No: 3.111

1. If in a rectangle, the length is increased and breadth reduced each by 2 units, the area is reduced by 28 square units. If, however the length is reduced by 1 unit and the breadth increased by 2 units, the area increases by 33 square units. Find the area of the rectangle. Solution:

Let's assume the length and breadth of the rectangle be x units and y units respectively. Hence, the area of rectangle = xy sq.units

From the question we have the following cases,

Case 1:

Length is increased by 2 units \Rightarrow now, the new length is x+2 units Breadth is reduced by 2 units \Rightarrow now, the new breadth is y-2 units And it's given that the area is reduced by 28 square units i.e. = xy - 28 So, the equation becomes (x+2)(y-2) = xy - 28

- $\Rightarrow \qquad xy 2x + 2y 4 = xy 28$
- $\Rightarrow \quad -2x + 2y 4 + 28 = 0$
- $\Rightarrow \quad -2x + 2y + 24 = 0$
- $\Rightarrow \qquad 2x 2y 24 = 0 \dots \dots (i)$

Case 2:

Length is reduced by 1 unit \Rightarrow now, the new length is x-1 units Breadth is increased by 2 units \Rightarrow now, the new breadth is y+2 units And, it's given that the area is increased by 33 square units i.e. = i.e. = xy + 33 So, the equation becomes

(x-1)(y+2) = xy + 33

$$\Rightarrow$$
 xy + 2x - y - 2 = x + 33

- \Rightarrow 2x y 2 33 = 0
- \Rightarrow 2x y -35 = 0 (ii)

Solving (i) and (ii), By using cross multiplication, we get

 $\frac{x}{(-2*-35)-(-1*-24)} = \frac{y}{(2*-35)-(2*-24)} = \frac{1}{(2*-1)-(2*-2)}$

$$\frac{x}{70-24} = \frac{-y}{-70+48} = \frac{1}{-2+4}$$

$$\frac{x}{46} = \frac{-y}{-22} = \frac{1}{2}$$

$$x = 46/2$$

$$x = 23$$
And,
$$y = 22/2$$

$$y = 11$$



Hence, The length of the rectangle is 23 units. The breadth of the rectangle is 11 units. So, the area of the actual rectangle = length x breadth, $= x \times y$ $= 23 \times 11$ = 253 sq. unitsTherefore, the area of rectangle is 253 sq. units.

2. The area of a rectangle remains the same if the length is increased by 7 metres and the breadth is decreased by 3 metres. The area remains unaffected if the length is decreased by 7 metres and the breadth is increased by 5 metres. Find the dimensions of the rectangle. Solution:

Let's assume the length and breadth of the rectangle be x units and y units respectively. Hence, the area of rectangle = xy sq.units

From the question we have the following cases,

Case 1

Length is increased by 7 metres \Rightarrow now, the new length is x+7 Breadth is decreased by 3 metres \Rightarrow now, the new breadth is y-3 And it's given, the area of the rectangle remains same i.e. = xy. So, the equation becomes

$$xy = (x+7)(y-3)$$

$$xy = xy + 7y - 3x - 21$$

$$3x - 7y + 21 = 0$$
(i)

Case 2:

Length is decreased by 7 metres \Rightarrow now, the new length is x-7 Breadth is increased by 5 metres \Rightarrow now, the new breadth is y+5 And it's given that, the area of the rectangle still remains same i.e. = xy. So, the equation becomes

 $\begin{array}{l} xy = (x-7)(y+5) \\ xy = xy - 7y + 5x - 35 \\ 5x - 7y - 35 = 0 \ \dots \ (ii) \end{array}$

Solving (i) and (ii), By using cross-multiplication, we get,



 $\frac{x}{(-7\times-5)-(-7\times21)} = \frac{y}{(3\times-35)-(5\times21)} = \frac{1}{(3\times-7)-(5\times-7)}$ $\frac{x}{245+147} = \frac{-y}{-105-105} = \frac{1}{-21+35}$ $\frac{x}{392} = \frac{-y}{-210} = \frac{1}{14}$ x = 392/14x = 28And,y = 210/14y = 15

Therefore, the length of the rectangle is 28 m. and the breadth of the actual rectangle is 15 m.

3. In a rectangle, if the length is increased by 3 metres and breadth is decreased by 4 metres, the area of the triangle is reduced by 67 square metres. If length is reduced by 1 metre and breadth is increased by 4 metres, the area is increased by 89 sq. metres. Find the dimension of the rectangle. Solution:

Let's assume the length and breadth of the rectangle be x units and y units respectively. Hence, the area of rectangle = xy sq.units

From the question we have the following cases, According to the question,

Case 1:

Length is increased by 3 metres \Rightarrow now, the new length is x+3 Breadth is reduced by 4 metres \Rightarrow now, the new breadth is y-4 And it's given, the area of the rectangle is reduced by 67 m² = xy - 67. So, the equation becomes

 $\begin{aligned} xy - 67 &= (x + 3)(y - 4) \\ xy - 67 &= xy + 3y - 4x - 12 \\ 4xy - 3y - 67 + 12 &= 0 \\ 4x - 3y - 55 &= 0 \end{tabular}$

Case 2:

Length is reduced by 1 m \Rightarrow now, the new length is x-1 Breadth is increased by 4 metre \Rightarrow now, the new breadth is y+4 And it's given, the area of the rectangle is increased by 89 m² = xy + 89. Then, the equation becomes

$$xy + 89 = (x - 1)(y + 4)$$

 $4x - y - 93 = 0$ (ii)

Solving (i) and (ii), Using cross multiplication, we get



	x	y	1
(-3×	$(-93) - (-1 \times -55)$	$(4 \times -93) - (4 \times -55)$	$(4 \times -1) - (4 \times -3)$
$\frac{x}{279-}$	$\frac{-y}{-372+220}$	$=\frac{1}{-4+12}$	
$\frac{x}{224}$	$=rac{-y}{-152}=rac{1}{8}$		
	x = 224/8		
	x = 28		
And,			
	y = 152/8		
	y = 19		

Therefore, the length of rectangle is 28 m and the breadth of rectangle is 19 m.

4. The income of X and Y are in the ratio of 8: 7 and their expenditures are in the ratio 19: 16. If each saves ₹ 1250, find their incomes. Solution:

Let the income be denoted by x and the expenditure be denoted by y. Then, from the question we have The income of X is \gtrless 8x and the expenditure of X is 19y. The income of Y is \gtrless 7x and the expenditure of Y is 16y.

So, on calculating the savings, we get Saving of X = 8x - 19y = 1250Saving of Y = 7x - 16y = 1250

Hence, the system of equations formed are

8x - 19y - 1250 = 0 — (i) 7x - 16y - 1250 = 0 — (ii)

Using cross-multiplication method, we have

$$\frac{x}{(-19\times-1250)-(-16\times-1250)} = \frac{-y}{(8\times-1250)-(7\times-1250)} = \frac{1}{(8\times-16)-(7\times-19)}$$

$$\frac{x}{23750-20000} = \frac{-y}{-10000+8750} = \frac{1}{-128+133}$$

$$\frac{x}{3750} = \frac{y}{1250} = \frac{1}{5}$$

$$x = 3750/5$$

$$x = 750$$
If, x = 750, then
The income of X = 8x

$$= 8 \times 750$$

$$= 6000$$
The income of Y = 7x



 $= 7 \times 750$ = 5250

Therefore, the income of X is ₹ 6000 and the income of Y is ₹ 5250

5. A and B each has some money. If A gives ₹ 30 to B, then B will have twice the money left with A. But, if B gives ₹ 10 to A, then A will have thrice as much as is left with B. How much money does each have?

Solution:

Let's assume the money with A be \gtrless x and the money with B be \gtrless y. Then, from the question we have the following cases

Case 1: If A gives ₹ 30 to B, then B will have twice the money left with A. So, the equation becomes y + 30 = 2(x - 30)y + 30 = 2x - 602x - y - 60 - 30 = 02x - y - 90 = 0 (i) Case 2: If B gives ₹ 10 to A, then A will have thrice as much as is left with B. x + 10 = 3(y - 10)x + 10 = 3y - 10x - 3y + 10 + 30 = 0x - 3y + 40 = 0 (ii)

Solving (i) and (ii),

On multiplying equation (ii) with 2, we get, 2x - 6y + 80 = 0Subtract equation (ii) from (i), we get, 2x - y - 90 - (2x - 6y + 80) = 0 5y - 170 = 0 y = 34Now, on using y = 34 in equation (i), we find, x = 62

Hence, the money with A is \gtrless 62 and the money with B be \gtrless 34

7. 2 men and 7 boys can do a piece of work in 4 days. The same work is done in 3 days by 4 men and 4 boys. How long would it take one man and one boy to do it? Solution:

Assuming that the time required for a man alone to finish the work be x days and also the time required for a boy alone to finish the work be y days. Then, we know



The work done by a man in one day = 1/xThe work done by a boy in one day = 1/ySimilarly, The work done by 2 men in one day = 2/xThe work done by 7 boys in one day = 7/y

So, the condition given in the question states that, 2 men and 7 boys together can finish the work in 4 days 4(2/x + 7/y) = 18/x + 2/8y = 1 ——(i)

And, the second condition from the question states that, 4 men and 4 boys can finish the work in 3 days For this, the equation so formed is

3(4/x + 4/y) = 112/x + 12/y = 1 (ii)

Hence, solving (i) and (ii) \Rightarrow

Taking, 1/x = u and 1/y = vSo, the equations (i) and (ii) becomes, 8u + 28v = 112u + 12v = 18u + 28v - 1 = 0 (iii) 12u + 12v - 1 = 0 (iv)

By using cross multiplication, we get,

u = 1/151/x = 1/15x = 15v = 1/60

And,

```
v = 1/60
1/y = 1/60
v = 60
```

Therefore,

The time required for a man alone to finish the work is 15 days and the time required for a boy alone to finish the work is 60 days.

8. In a $\triangle ABC$, $\angle A = x^{\circ}$, $\angle B = (3x - 2)^{\circ}$, $\angle C = y^{\circ}$. Also, $\angle C - \angle B = 9^{\circ}$. Find the three angles. Solution:

It's given that,

```
\angle A = x^{\circ},

\angle B = (3x - 2)^{\circ},

\angle C = y^{\circ}

Also given that,
```



(Angle sum property of a triangle)

- $\angle C \angle B = 9^{\circ}$
- $\Rightarrow \qquad \angle C = 9^\circ + \angle B$
- $\Rightarrow \qquad \angle C = 9^\circ + 3x^\circ 2^\circ$
- $\Rightarrow \qquad \angle C = 7^\circ + 3x^\circ$

Substituting the value for

 $\angle C = y^{\circ}$ in above equation we get,

$$y^{o} = 7^{o} + 3x^{o}$$

We know that, $\angle A + \angle B + \angle C = 180^{\circ}$

- $\Rightarrow \qquad \mathbf{x}^\circ + (3\mathbf{x}^\circ 2^\circ) + (7^\circ + 3\mathbf{x}^\circ) = 180^\circ$
- $\Rightarrow 7x^{\circ} + 5^{\circ} = 180^{\circ}$ $\Rightarrow 7x^{\circ} = 175^{\circ}$
- \Rightarrow x° = 25°

Hence, calculating for the individual angles we get,

 $\angle A = x^{\circ} = 25^{\circ}$ $\angle B = (3x - 2)^{\circ} = 73^{\circ}$ $\angle C = (7 + 3x)^{\circ} = 82^{\circ}$

Therefore, $\angle A = 25^{\circ}, \angle B = 73^{\circ} \text{ and } \angle C = 82^{\circ}.$

9. In a cyclic quadrilateral ABCD, $\angle A = (2x + 4)^\circ$, $\angle B = (y + 3)^\circ$, $\angle C = (2y + 10)^\circ$, $\angle D = (4x - 5)^\circ$. Find the four angles. Solution:

We know that, The sum of the opposite angles of cyclic quadrilateral should be 180°. And, in the cyclic quadrilateral ABCD, Angles $\angle A$ and $\angle C$ & angles $\angle B$ and $\angle D$ are the pairs of opposite angles. So, $\angle A + \angle C = 180^{\circ}$ and $\angle B + \angle D = 180^{\circ}$

Substituting the values given to the above two equations, we have For $\angle A + \angle C = 180^{\circ}$

 $\Rightarrow \quad \angle A = (2x + 4)^{\circ} \text{ and } \angle C = (2y + 10)^{\circ} \\ 2x + 4 + 2y + 10 = 180^{\circ} \\ 2x + 2y + 14 = 180^{\circ} \\ 2x + 2y = 180^{\circ} - 14^{\circ} \\ 2x + 2y = 166 - (i) \end{cases}$

And for, $\angle B + \angle D = 180^\circ$, we have $\Rightarrow \qquad \angle B = (y+3)^\circ \text{ and } \angle D = (4x-5)^\circ$ $y+3+4x-5=180^\circ$



 $\begin{array}{l} 4x + y - 5 + 3 = 180^{\circ} \\ 4x + y - 2 = 180^{\circ} \\ 4x + y = 180^{\circ} + 2^{\circ} \\ 4x + y = 182^{\circ} - ---- \text{(ii)} \end{array}$

Now for solving (i) and (ii), we perform

Multiplying equation (ii) by 2 to get, 8x + 2y = 364 - (iii)And now, subtract equation (iii) from (i) to get -6x = -198 x = -198/-6 $\Rightarrow x = 33^{\circ}$

Now, substituting the value of $x = 33^{\circ}$ in equation (ii) to find y

4x + y = 182 132 + y = 182 y = 182 - 132 $\Rightarrow \qquad y = 50$

Thus, calculating the angles of a cyclic quadrilateral we get:

$$\angle A = 2x + 4 = 66 + 4 = 70° \angle B = y + 3 = 50 + 3 = 53° \angle C = 2y + 10 = 100 + 10 = 110° \angle D = 4x - 5 = 132 - 5 = 127°$$

Therefore, the angles of the cyclic quadrilateral ABCD are $\angle A = 70^{\circ}$, $\angle B = 53^{\circ}$, $\angle C = 110^{\circ}$ and $\angle D = 127^{\circ}$

10. Yash scored 40 marks in a test, getting 3 marks for each right answer and losing 1 mark for each wrong answer. Had 4 marks been awarded for each correct answer and 2 marks been deducted for each incorrect answer, then Yash would have scored 50 marks. How many questions were there in the test? Solution:

Let's assume that the total number of correct answers be x and the total number of incorrect answers be y.

Hence, their sum will give the total number of questions in the test i.e. x + y



Further from the question, we have two type of marking scheme:

1) When 3 marks is awarded for every right answer and 1 mark deducted for every wrong answer.

According to this type, the total marks scored by Yash is 40. (Given) So, the equation formed will be

 $3x - 1y = 40 \dots$ (i)

Next,

2) When 4 marks is awarded for every right answer and 2 marks deducted for every wrong answer.

According to this type, the total marks scored by Yash is 50. (Given)

So, the equation formed will be

 $4x - 2y = 50 \dots$ (ii)

Thus, by solving (i) and (ii) we obtained the values of x and y. From (i), we get

 $y = 3x - 40 \dots$ (iii)

```
Using (iii) in (ii) we get,
```

4x - 2(3x - 40) = 50 4x - 6x + 80 = 50 2x = 30x = 15

```
Putting x = 14 in (iii) we get,
y = 3(15) - 40
y = 5
So, x + y = 15 + 5 = 20
```

Therefore, the number of questions in the test were 20.

11. In a $\triangle ABC$, $\angle A = x^{\circ}$, $\angle B = 3x^{\circ}$, $\angle C = y^{\circ}$. If 3y - 5x = 30, prove that the triangle is right angled. Solution:

We need to prove that $\triangle ABC$ is right angled.

Given: $\angle A = x^{\circ}, \angle B = 3x^{\circ} \text{ and } \angle C = y^{\circ}$ Sum of the three angles in a triangle is 180° (Angle sum property of a triangle) i.e., $\angle A + \angle B + \angle C = 180^{\circ}$ $x + 3x + y = 180^{\circ}$ 4x + y = 180 (i) From question it's given that, 3y - 5x = 30 (ii)



To solve (i) and (ii), we perform Multiplying equation (i) by 3 to get, 12x + 36y = 540 — (iii)

Now, subtracting equation (ii) from equation (iii) we get 17x = 510 x = 510/17 $\Rightarrow x = 30^{\circ}$ Substituting the value of $x = 30^{\circ}$ in equation (i) to find y 4x + y = 180 120 + y = 180 y = 180 - 120 $\Rightarrow y = 60^{\circ}$

Thus the angles $\angle A$, $\angle B$ and $\angle C$ are calculated to be

$$\angle A = x^{\circ} = 30^{\circ} \\ \angle B = 3x^{\circ} = 90^{\circ} \\ \angle C = y^{\circ} = 60^{\circ}$$

A right angled triangle is a triangle with any one side right angled to other, i.e., 90° to other. And here we have,

 $\angle B = 90^{\circ}$.

Therefore, the triangle ABC is right angled. Hence proved.

12. The car hire charges in a city comprise of a fixed charges together with the charge for the distance covered. For a journey of 12 km, the charge paid is ₹ 89 and for a journey of 20 km, the charge paid is ₹ 145. What will a person have to pay for travelling a distance of 30 km? Solution:

Let the fixed charge of the car be \gtrless x and, Let the variable charges of the car be \gtrless y per km. So according to the question, we get 2 equations

```
x + 12y = 89 — (i) and,
x + 20y = 145 — (ii)
```

Now, by solving (i) and (ii) we can find the charges.

```
On subtraction of (i) from (ii), we get,

-8y = -56

y = -56 - 8

\Rightarrow \quad y = 7

So, substituting the value of y = 7 in equation (i) we get

x + 12y = 89

x + 84 = 89

x = 89 - 84

\Rightarrow \quad x = 5
```



Thus, the total charges for travelling a distance of 30 km can be calculated as: $x + 30y \Rightarrow x + 30y = 5 + 210 = ₹ 215$

Therefore, a person has to pay ₹ 215 for travelling a distance of 30 km by the car.



