

### **EXERCISE 4.1**

PAGE: 4.4

### 1. Fill in the blanks to make each of the following a true statement:

- (i)  $359 + 476 = 476 + \dots$
- (ii)  $\dots + 1952 = 1952 + 2008$
- (iii)  $90758 + 0 = \dots$
- (iv) 54321 + (489 + 699) = 489 + (54321 + ....)

#### **Solution:**

- (i) 359 + 476 = 476 + 359 using commutativity
- (ii) 2008 + 1952 = 1952 + 2008 using commutativity
- (iii) 90758 + 0 = 90758 using the additive identity
- (iv) 54321 + (489 + 699) = 489 + (54321 + 699) using associativity

### 2. Add each of the following and check by reversing the order of addends:

- (i) 5628 + 39784
- (ii) 923584 + 178
- (iii) 15409 + 112
- (iv) 2359 + 641

#### **Solution:**

- (i) We get
- 5628 + 39784 = 45412

By reversing the order of addends

39784 + 5628 = 45412

- (ii) We get
- 923584 + 178 = 923762

By reversing the order of addends

178 + 923584 = 923762

- (iii) We get
- 15409 + 112 = 15521

By reversing the order of addends

112 + 15409 = 15521

- (iv) We get
- 2359 + 641 = 3000

By reversing the order of addends

641 + 2359 = 3000

### 3. Determine the sum by suitable rearrangements:

- (i) 953 + 407 + 647
- (ii) 15409 + 178 + 591 + 322
- (iii) 2359 + 10001 + 2641 + 9999
- (iv) 1 + 2 + 3 + 4 + 1996 + 1997 + 1998 + 1999
- (v) 10 + 11 + 12 + 13 + 14 + 15 + 16 + 17 + 18 + 19 + 20



#### **Solution:**

(i) 953 + 407 + 647We know that 53 + 47 = 100It can be written as (953 + 647) + 407 = 1600 + 407On further calculation (953 + 647) + 407 = 2007

(ii) 15409 + 178 + 591 + 322We know that 409 + 91 = 500 and 78 + 22 = 100It can be written as (15409 + 591) + (178 + 322) = 16000 + 500On further calculation (15409 + 591) + (178 + 322) = 16500

(iii) 2359 + 10001 + 2641 + 9999 We know that 59 + 41 = 100 and 99 + 01 = 100 It can be written as (2359 + 2641) + (10001 + 9999) = 5000 + 20000 On further calculation (2359 + 2641) + (10001 + 9999) = 25000

(iv) 1+2+3+4+1996+1997+1998+1999We know that 99+1=100, 98+2=100, 97+3=100 and 96+4=100It can be written as (1+1999)+(2+1998)+(3+1997)+(4+1996)=2000+2000+2000+2000On further calculation (1+1999)+(2+1998)+(3+1997)+(4+1996)=8000

We know that 10 + 20 = 30, 1 + 9 = 10, 2 + 8 = 10, 3 + 7 = 10 and 4 + 6 = 10It can be written as (10 + 20) + (11 + 19) + (12 + 18) + (13 + 17) + (14 + 16) = 30 + 30 + 30 + 30 + 30 + 15On further calculation (10 + 20) + (11 + 19) + (12 + 18) + (13 + 17) + (14 + 16) = 150 + 15 = 165

- 4. Which of the following statements are true and which are false:
- (i) The sum of two odd numbers is an odd number.
- (ii) The sum of two odd numbers is an even number.

(v) 10 + 11 + 12 + 13 + 14 + 15 + 16 + 17 + 18 + 19 + 20

- (iii) The sum of two even numbers is an even number.
- (iv) The sum of two even numbers is an odd number.
- (v) The sum of an even number and an odd number is an odd number.
- (vi) The sum of an odd number and an even number is an even number.
- (vii) Every whole number is a natural number.



- (viii) Every natural number is a whole number.
- (ix) There is a whole number which when added to a whole number, gives that number.
- (x) There is a natural number which when added to a natural number, gives that number.
- (xi) Commutativity and associativity are properties of whole numbers.
- (xii) Commutativity and associativity are properties of addition of whole numbers. Solution:
- (i) False. We know that, 1 + 3 = 4 where 4 is an even number.
- (ii) True. We know that, 5 + 7 = 12 where 12 is an even number.
- (iii) True. We know that, 2 + 4 = 6 where 6 is an even number.
- (iv) False. We know that, 4 + 6 = 10 where 10 is an even number.
- (v) True. We know that, 2 + 1 = 3 where 3 is an odd number.
- (vi) False. We know that, 3 + 2 = 5 where 5 is an odd number.
- (vii) False. Whole number starts from 0 whereas natural numbers start from 1.
- (viii) True. All the natural numbers are also whole number.
- (ix) True. We know that, 1 + 0 = 1 where 1 is a whole number.
- (x) False. We know that 2 + 1 = 3 which is not that number.
- (xi) False. Commutativity and associativity are not properties of whole numbers.
- (xii) True. Commutativity and associativity are properties of addition of whole numbers.

### **EXERCISE 4.2**

PAGE: 4.8

1. A magic square is an array of numbers having the same number of rows and columns and the sum of numbers in each row, column or diagonal being the same. Fill in the blank cells of the following magic squares:

**(i)** 

	8	13
	12	
11		

(ii)

22		6	13	20
	10	12	19	
9	11	18	25	
15	17	24	26	
16			7	14

### **Solution:**

(i) We know that

Considering diagonal values 13 + 12 + 11 = 36

So we get

No. in the first cell of the first row = 36 - (8 + 13) = 15

No. in the first cell of the second row = 36 - (15 + 11) = 10

No. in the third cell of the second row = 36 - (10 + 12) = 14

No. in the second cell of the third row = 36 - (8 + 12) = 16

No. in the third cell of the third row = 36 - (11 + 16) = 9

15	8	13
10	12	141
11	16	9

(ii) We know that

Considering diagonal values 20 + 19 + 18 + 17 + 16 = 90

So we get

No. in the second cell of the first row = 90 - (22 + 6 + 13 + 20) = 29

No. in the first cell of the second row = 90 - (22 + 9 + 15 + 16) = 28

No. in the fifth cell of the second row = 90 - (28 + 10 + 12 + 19) = 21

No. in the fifth cell of the third row = 90 - (9 + 11 + 18 + 25) = 27

No. in the fifth cell of the fourth row = 90 - (15 + 17 + 24 + 26) = 8

No. in the second cell of the fifth row = 90 - (29 + 10 + 11 + 17) = 23

No. in the third cell of the fifth row = 90 - (6 + 12 + 18 + 24) = 30



22	29	6	13	20
28	10	12	19	21
9	11	18	25	27
15	17	24	26	8
16	23	30	7	14

- 2. Perform the following subtractions and check your results by performing corresponding additions:
- (i) 57839 2983
- (ii) 92507 10879
- (iii) 400000 98798
- (iv) 5050501 969696
- (v) 200000 97531
- (vi) 3030301 868686

### **Solution:**

(i) 57839 - 2983

We know that

57839 - 2983 = 54856

By addition

54856 + 2983 = 57839

(ii) 92507 - 10879

We know that

92507 - 10879 = 81628

By addition

81628 + 10879 = 92507

(iii) 400000 - 98798

We know that

400000 - 98798 = 301202

By addition

301202 + 98798 = 400000

(iv) 5050501 – 969696

We know that

5050501 - 969696 = 4080805

By addition

4080805 + 969696 = 5050501

(v) 200000 - 97531

We know that

200000 - 97531 = 102469

By addition

102469 + 97531 = 200000

(vi) 3030301 - 868686

We know that

3030301 - 868686 = 2161615By addition 2161615 + 868686 = 3030301

### 3. Replace each \* by the correct digit in each of the following:

(i)

	8	7	6
-	*	3	*
_	6	*	7

(ii)

	8	9	8	9
_	*	*	3	4
	3	4	*	*

(iii)

	6	0	0	0	1	0	7
_		*	*	8	9	7	8
	5	0	6	*	*	*	*

(iv)

(=+)	1	0	0	0	0	0	0	
_			*	*	*	*	1	
		*	7	0	4	2	*	

**(v)** 

	5	0	0	1	0	0	3
_		*	*	6	9	8	7
	4	8	4	*	*	*	*

(vi)

( • • )							
	1	1	1	1	1	1	
		*	6	7	8	9	
		5	4	3	2	*	_

### **Solution:**

(i) We know that in the units digit

6 - \* = 7 where the value of \* is 9 as 1 gets carried from 7 at tens place to 6 at units place 6 at the units place becomes 16 so 16 - 9 = 7

When 7 is reduced by 1 it gives 6 so 6 - 3 = 3

We know that

$$8 - * = 6$$
 so we get \* value as 2

	8	7	6
_	2	3	9
	6	3	7

(ii) We know that in the units digit

$$9 - 4 = 5$$

Tens digit 8 - 3 = 5

So the missing blank can be found by subtracting 3455 from 8989

Difference between them = 3455

So the answer is

	8	9	8	9
_	5	5	3	4
	3	4	5	5

### (iii) We know that in units digit

$$17 - 8 = 9$$

Tens digit = 9 - 7 = 2

So we get

Hundreds place 10 - 9 = 1

Thousands place 9 - 8 = 1

So the addend difference = 5061129

Subtract 5061129 from 6000107 to get addend

	6	0	0	0	1	0	7
—	5	0	6	1	1	2	9
	0	9	3	8	9	7	8

### So the answer is

	6	0	0	0	1	0	7
_	0	9	3	8	9	7	8
	5	0	6	1	1	2	9

### (iv) We know that in units digit

$$10 - 1 = 9$$

Lakhs place 9 - 0 = 9

So the addend difference = 970429

Subtract 970429 from 1000000 to get the addend

	1	0	0	0	0	0	0	
_	0	9	7	0	4	2	9	
	0	0	2	9	5	7	1	

### So the correct answer is

	1	0	0	0	0	0	0
_	. 0	0	2	9	5	7	1
	0	9	7	0	4	2	9

### (v) We know that in units digit

$$13 - 7 = 6$$

Tens digit 9 - 8 = 1

Hundreds place 9 - 9 = 0

Thousands place 10 - 6 = 4

So the addend difference = 4844016

Subtract 4844016 from 5001003 to get the addend

5	0	0	1	0	0	3
<del></del> 4	8	4	4	0	1	6
0	1	5	6	9	8	7

So the answer is

	5	0	0	1	0	0	3
_	0	1	5	6	9	8	7
	4	8	4	4	0	1	6

(vi) We know that units digit

11 - 9 = 2

So the addend difference = 54322

Subtract 54322 from 111111 to get the addend

1	1	1	1	1	1
	5	4	3	2	2
	5	6	7	8	9

So the answer is

	1	1	1	1	1	1
_		5	6	7	8	9
		5	4	3	2	2

### 4. What is the difference between the largest number of five digits and the smallest number of six digits? Solution:

99999 is the largest number of five digits 100000 is the largest number of six digits Difference = 100000 - 99999 = 1

Therefore, 1 is the difference between the largest number of five digits and smallest number of six digits.

### 5. Find the difference between the largest number of 4 digits and the smallest number of 7 digits. Solution:

9999 is the largest number of 4 digits 1000000 is the smallest number of 6 digits Difference = 1000000 - 9999 = 990001

Therefore, 990001 is the difference between the largest number of 4 digits and the smallest number of 7 digits.

# 6. Rohit deposited Rs 125000 in his savings bank account. Later he withdrew Rs 35425 from it. How much money was left in his account? Solution:

Money deposited in savings bank account = Rs 125000 Money withdrawn = Rs 35425



So the money which is left out in his account = 125000 - 35425 = Rs 89575

Hence, Rs 89575 is left in his account.

### 7. The population of a town is 96209. If the number of men is 29642 and that of women is 29167, determine the number of children.

#### **Solution:**

Population of a town = 96209No. of men = 29642No. of women = 29167Total number of men and women = 29642 + 29167 = 58809So the number of children = Population of a town – Total number of men and women Number of children = 96209 - 58809 = 37400

Hence, there are 37400 children.

# 8. The digits of 6 and 9 of the number 36490 are interchanged. Find the difference between the original number and the new number.

#### **Solution:**

It is given that Number = 39460Number after interchanging 6 and 9 = 36490Difference between them = 39460 - 36490 = 2790Therefore, the difference between the original number and new number is 2970.

# 9. The population of a town was 59000. In one year it was increased by 4536 due to new births. However, 9218 persons died or left the town during the year. What was the population at the end of the year? Solution:

Population of a town = Population increase = Population decrease = So the population at the end of year = 59000 + 4536 - 9218 = 54318

Therefore, the population at the end of the year is 54318.



### **EXERCISE 4.3**

PAGE: 4.14

### 1. Fill in the blanks to make each of the following a true statement:

- (i)  $785 \times 0 = ....$
- (ii)  $4567 \times 1 = ....$
- (iii)  $475 \times 129 = 129 \times \dots$
- (iv) .....  $\times$  8975 = 8975  $\times$  1243
- (v)  $10 \times 100 \times .... = 10000$
- (vi)  $27 \times 18 = 27 \times 9 + 27 \times \dots + 27 \times 5$
- (vii)  $12 \times 45 = 12 \times 50 12 \times \dots$
- (viii)  $78 \times 89 = 78 \times 100 78 \times \dots + 78 \times 5$
- $(ix) 66 \times 85 = 66 \times 90 66 \times \dots 66$
- $(x) 49 \times 66 + 49 \times 34 = 49 \times (.... + ....)$

**Solution:** 

- (i)  $785 \times 0 = 0$
- (ii)  $4567 \times 1 = 4567$  based on multiplicative identity
- (iii)  $475 \times 129 = 129 \times 475$  based on commutativity
- (iv)  $1243 \times 8975 = 8975 \times 1243$  based on commutativity
- (v)  $10 \times 100 \times 10 = 10000$
- (vi)  $27 \times 18 = 27 \times 9 + 27 \times 4 + 27 \times 5$
- (vii)  $12 \times 45 = 12 \times 50 12 \times 5$
- (viii)  $78 \times 89 = 78 \times 100 78 \times 16 + 78 \times 5$
- (ix)  $66 \times 85 = 66 \times 90 66 \times 4 66$
- $(x) 49 \times 66 + 49 \times 34 = 49 \times (66 + 34)$

### 2. Determine each of the following products by suitable rearrangements:

- (i)  $2 \times 1497 \times 50$
- (ii)  $4 \times 358 \times 25$
- (iii)  $495 \times 625 \times 16$
- (iv)  $625 \times 20 \times 8 \times 50$

**Solution:** 

(i)  $2 \times 1497 \times 50$ 

It can be written as

- $2 \times 1497 \times 50 = (2 \times 50) \times 1497$ =  $100 \times 1497$ 
  - = 149700
- (ii)  $4 \times 358 \times 25$

It can be written as

$$4 \times 358 \times 25 = (4 \times 25) \times 358$$
  
=  $100 \times 358$   
=  $35800$ 

(iii) 
$$495 \times 625 \times 16$$

It can be written as

$$495 \times 625 \times 16 = (625 \times 16) \times 495$$
  
=  $10000 \times 495$   
=  $4950000$ 

(iv) 
$$625 \times 20 \times 8 \times 50$$

It can be written as

$$625 \times 20 \times 8 \times 50 = (625 \times 8) \times (20 \times 50)$$
  
=  $5000 \times 1000$   
=  $5000000$ 

# 3. Using distributivity of multiplication over addition of whole numbers, find each of the following products:

- (i)  $736 \times 103$
- (ii)  $258 \times 1008$
- (iii)  $258 \times 1008$

### **Solution:**

(i)  $736 \times 103$ 

It can be written as

$$=736 \times (100 + 3)$$

By using distributivity of multiplication over addition of whole numbers

$$= (736 \times 100) + (736 \times 3)$$

On further calculation

$$=73600 + 2208$$

We get

=75808

#### (ii) $258 \times 1008$

It can be written as

$$=258 \times (1000 + 8)$$

By using distributivity of multiplication over addition of whole numbers

$$= (258 \times 1000) + (258 \times 8)$$

On further calculation

= 258000 + 2064

We get

= 260064

#### (iii) $258 \times 1008$

It can be written as

$$=258 \times (1000 + 8)$$

By using distributivity of multiplication over addition of whole numbers

$$= (258 \times 1000) + (258 \times 8)$$

On further calculation

= 258000 + 2064



We get = 260064

### 4. Find each of the following products:

- (i)  $736 \times 93$
- (ii)  $816 \times 745$
- (iii)  $2032 \times 613$

### **Solution:**

(i)  $736 \times 93$ 

It can be written as

 $=736 \times (100 - 7)$ 

By using distributivity of multiplication over subtraction of whole numbers

 $= (736 \times 100) - (736 \times 7)$ 

On further calculation

=73600-5152

We get

=68448

(ii)  $816 \times 745$ 

It can be written as

 $= 816 \times (750 - 5)$ 

By using distributivity of multiplication over subtraction of whole numbers

 $= (816 \times 750) - (816 \times 5)$ 

On further calculation

=612000-4080

We get

=607920

(iii)  $2032 \times 613$ 

It can be written as

 $=2032 \times (600 + 13)$ 

By using distributivity of multiplication over addition of whole numbers

 $= (2032 \times 600) - (2032 \times 13)$ 

On further calculation

= 1219200 - 26416

We get

= 1245616

### 5. Find the values of each of the following using properties:

- (i)  $493 \times 8 + 493 \times 2$
- (ii)  $24579 \times 93 + 7 \times 24579$
- (iii)  $1568 \times 184 1568 \times 84$
- (iv)  $15625 \times 15625 15625 \times 5625$

#### **Solution:**

(i)  $493 \times 8 + 493 \times 2$ 

It can be written as

 $=493 \times (8 + 2)$ 

By using distributivity of multiplication over addition of whole numbers



= 493 × 10 On further calculation = 4930

(ii)  $24579 \times 93 + 7 \times 24579$ 

It can be written as

 $= 24579 \times (93 + 7)$ 

By using distributivity of multiplication over addition of whole numbers

 $= 24579 \times 100$ 

On further calculation

= 2457900

(iii)  $1568 \times 184 - 1568 \times 84$ 

It can be written as

 $= 1568 \times (184 - 84)$ 

By using distributivity of multiplication over subtraction of whole numbers

 $= 1568 \times 100$ 

On further calculation

= 156800

(iv)  $15625 \times 15625 - 15625 \times 5625$ 

It can be written as

 $= 15625 \times (15625 - 5625)$ 

By using distributivity of multiplication over addition subrtaction of whole numbers

 $= 15625 \times 10000$ 

On further calculation

= 156250000

### 6. Determine the product of:

- (i) the greatest number of four digits and the smallest number of three digits.
- (ii) the greatest number of five digits and the greatest number of three digits. Solution:
- (i) We know that

Largest four digit number = 9999

Smallest three digit number = 100

Product of both =  $9999 \times 100 = 999900$ 

Hence, the product of the greatest number of four digits and the smallest number of three digits is 999900.

(ii) We know that

Largest five digit number = 9999

Largest three digit number = 999

Product of both =  $9999 \times 999$ 

It can be written as

 $= 9999 \times (1000 - 1)$ 

By using distributivity of multiplication over addition subrtaction of whole numbers

 $= (9999 \times 1000) - (9999 \times 1)$ 

On further calculation

=9999000-9999



### We get = 9989001

### 7. In each of the following, fill in the blanks, so that the statement is true:

- (i)  $(500 + 7)(300 1) = 299 \times \dots$
- (ii)  $888 + 777 + 555 = 111 \times \dots$
- (iii)  $75 \times 425 = (70 + 5) (..... + 85)$
- (iv)  $89 \times (100 2) = 98 \times (100 ....)$
- (v)  $(15 + 5) (15 5) = 225 \dots$
- $(vi) 9 \times (10000 + ....) = 98766$

### **Solution:**

- (i) By considering LHS
- (500 + 7)(300 1)

We get

 $=507 \times 299$ 

By using commutativity

- $= 299 \times 507$
- (ii) By considering LHS

888 + 777 + 555

We get

= 111 (8 + 7 + 5)

By using distributivity

 $= 111 \times 20$ 

### (iii) By considering LHS

 $75 \times 425$ 

We get

 $=(70+5) \times 425$ 

It can be written as

=(70+5)(340+85)

### (iv) By considering LHS

 $89 \times (100 - 2)$ 

We get

 $= 89 \times 98$ 

It can be written as

 $= 98 \times 89$ 

By using commutativity

 $=98 \times (100 - 11)$ 

### (v) By considering LHS

(15+5)(15-5)

We get

 $=20 \times 10$ 

On further calculation

= 200

It can be written as

= 225 - 25



(vi) By considering LHS 9 × (10000 + 974) = 98766

## 8. A dealer purchased 125 colour television sets. If the cost of each set is Rs 19820, determine the cost of all sets together.

#### **Solution:**

It is given that

Cost of each television set = Rs 19820

So we get

Cost of 125 television sets =  $19820 \times 125$ 

It can be written as

 $= 19820 \times (100 + 25)$ 

By using distributivity of multiplication over addition subrtaction of whole numbers

 $= (19820 \times 100) + (19820 \times 25)$ 

On further calculation

= 1982000 + 495500

So we get

= Rs 2477500

# 9. The annual fee charged from a student of class VI in a school is Rs 8880. If there are, in all, 235 students in class VI, find the total collection.

#### **Solution:**

Annual fee per student = Rs 8800

So we get

Annual fee charged for 235 students =  $8800 \times 235 = 2086800$ 

Therefore, the total collection is Rs 2086800.

## 10. A group housing society constructed 350 flats. If the cost of construction for each flat is Rs 993570, what is the total cost of construction of all the flats.

### **Solution:**

Cost of construction for each flat = Rs 993570

Number of flats constructed = 350

So we get

Cost of construction of 350 flats =  $993570 \times 350 = \text{Rs } 347749500$ 

Therefore, the total cost of construction of all the flats is Rs 347749500.

### 11. The product of two whole numbers is zero. What do you conclude? Solution:

The product of two whole numbers is zero, which means that at least one number or both of them are zero.

### 12. What are the whole numbers which when multiplied with itself gives the same number? Solution:

Two numbers when multiplied with itself gives the same number.



For example:  $0 \times 0 = 0$  and  $1 \times 1 = 1$ 

13. In a large housing complex, there are 15 small buildings and 22 large building. Each of the large buildings has 10 floors with 2 apartments on each floor. Each of the small buildings has 12 floors with 3 apartments on each floor. How many apartments are there in all. Solution:

It is given that

No. of large buildings = 22

No. of small buildings = 15

No. of floors in 1 large building = 10

No. of apartments on 1 floor = 2

So total apartment in 1 large building =  $10 \times 2 = 20$ 

The same way

No. of apartments in 1 small building =  $12 \times 3 = 36$ 

So the total apartment in entire housing complex =  $(22 \times 20) + (15 \times 36) = 440 + 540 = 980$ 

Therefore, there are 980 apartments in all.



### **EXERCISE 4.4**

PAGE: 4.19

### 1. Does there exist a whole number a such that $a \div a = a$ ? Solution:

Yes. There exists a whole number 'a' such that  $a \div a = a$ . We know that the whole number is 1 where  $1 \div 1 = 1$ .

### 2. Find the value of:

- (i)  $23457 \div 1$
- (ii)  $0 \div 97$
- (iii)  $476 + (840 \div 84)$
- (iv)  $964 (425 \div 425)$
- (v)  $(2758 \div 2758) (2758 \div 2758)$
- (vi)  $72450 \div (583 58)$

### **Solution:**

- (i)  $23457 \div 1$
- By division
- $23457 \div 1 = 23457$
- (ii)  $0 \div 97$
- By division
- $0 \div 97 = 0$

### (iii) $476 + (840 \div 84)$

On further calculation

$$476 + (840 \div 84) = 476 + 10$$
$$= 486$$

- (iv)  $964 (425 \div 425)$
- On further calculation

$$964 - (425 \div 425) = 964 - 1$$
$$= 963$$

(v) 
$$(2758 \div 2758) - (2758 \div 2758)$$

On further calculation

$$(2758 \div 2758) - (2758 \div 2758) = 1 - 1$$
  
= 0

(vi) 
$$72450 \div (583 - 58)$$

On further calculation

$$72450 \div (583 - 58) = 72450 \div 525$$
  
= 138

### 3. Which of the following statements are true:

- (i)  $10 \div (5 \times 2) = (10 \div 5) \times (10 \div 2)$
- (ii)  $(35-14) \div 7 = 35 \div 7 14 \div 7$
- (iii)  $35 14 \div 7 = 35 \div 7 14 \div 7$
- (iv)  $(20-5) \div 5 = 20 \div 5 5$



(v) 
$$12 \times (14 \div 7) = (12 \times 14) \div (12 \times 7)$$
  
(vi)  $(20 \div 5) \div 2 = (20 \div 2) \div 5$   
Solution:

### (i) False.

We Impere th

We know that

 $LHS = 10 \div (5 \times 2)$ 

So we get

 $= 10 \div 10$ 

= 1

RHS = 
$$(10 \div 5) \times (10 \div 2)$$

So we get

 $=2 \times 5$ 

= 10

(ii) True.

We know that

LHS =  $(35 - 14) \div 7$ 

So we get

 $= 21 \div 7$ 

=3

$$RHS = 35 \div 7 - 14 \div 7$$

So we get

= 5 - 2

= 3

### (iii) False.

We know that

LHS =  $35 - 14 \div 7$ 

So we get

= 35 - 2

= 33

RHS = 
$$35 \div 7 - 14 \div 7$$

So we get

=5-2

=3

### (iv) False.

We know that

LHS =  $(20 - 5) \div 5$ 

So we get

 $= 15 \div 5$ 

=3

$$RHS = 20 \div 5 - 5$$

So we get

=4-5



= -1

(v) False.

We know that

LHS = 
$$12 \times (14 \div 7)$$

So we get

$$= 12 \times 2$$

= 24

RHS = 
$$(12 \times 14) \div (12 \times 7)$$

So we get

$$= 168 \div 84$$

=2

(vi) True.

We know that

LHS = 
$$(20 \div 5) \div 2$$

So we get

$$=4 \div 2$$

=2

RHS = 
$$(20 \div 2) \div 5$$

So we get

$$= 10 \div 5$$

=2

### 4. Divide and check the quotient and remainder:

(i) 7772 ÷ 58

(ii) 6906 ÷ 35

(iii) 16135 ÷ 875

(iv) 16025 ÷ 1000

**Solution:** 

(i)  $7772 \div 58$ 

So we get  $7772 \div 58 = 134$ 

By verifying

We know that

Dividend = Divisor × Quotient + Remainder

By substituting values

 $7772 = 58 \times 134 + 0$ 

So we get 7772 = 7772 LHS = RHS

(ii) 6906 ÷ 35

	197
35	6906
	-35
	340
	-315
	256
_	-245
	11

So we get quotient = 197 and remainder = 11

By verifying

We know that

Dividend = Divisor **×** Quotient + Remainder

By substituting values

 $6906 = 35 \times 197 + 11$ 

On further calculation

6906 = 6895 + 11

We get

6906 = 6906

LHS = RHS

(iii) 16135 ÷ 875

So we get quotient = 18 and remainder = 385

By verifying

We know that

Dividend = Divisor × Quotient + Remainder

By substituting values

 $16135 = 875 \times 18 + 385$ 

On further calculation

16135 = 15750 + 385

We get

16135 = 16135

LHS = RHS

(iv) 16025 ÷ 1000



	<b>1</b> 6
1000	16025
	-1000
	6025
	-6000
	25

So we get quotient = 16 and remainder = 25

By verifying

We know that

Dividend = Divisor × Quotient + Remainder

By substituting values

 $16025 = 1000 \times 16 + 25$ 

On further calculation

16025 = 16000 + 25

We get

16025 = 16025

LHS = RHS

### 5. Find a number which when divided by 35 gives the quotient 20 and remainder 18. Solution:

We know that

Dividend = Divisor × Quotient + Remainder

By substituting values

Dividend =  $35 \times 20 + 18$ 

On further calculation

Dividend = 700 + 18

So we get

Dividend = 718

### 6. Find the number which when divided by 58 gives a quotient 40 and remainder 31. Solution:

We know that

Dividend = Divisor × Quotient + Remainder

By substituting values

Dividend =  $58 \times 40 + 31$ 

On further calculation

Dividend = 2320 + 31

So we get

Dividend = 2351

### 7. The product of two numbers is 504347. If one of the numbers is 1591, find the other. Solution:

The product of two numbers = 504347

One of the numbers = 1591

Consider A as the number



 $A \times 1591 = 504347$ So by division A = 317

_	317
1591	504547
_	-4773
	2704
_	-1591
	11137
_	-11137
	0

### 8. On dividing 59761 by a certain number, the quotient is 189 and the remainder is 37. Find the divisor. Solution:

It is given that

Dividend = 59761

Quotient = 189

Remainder = 37

Consider Divisor = A

We know that

Dividend = Divisor × Quotient + Remainder

By substituting values

 $59761 = A \times 189 + 37$ 

On further calculation

 $59761 - 37 = A \times 189$ 

So we get

 $59724 = A \times 189$ 

By division

A = 316

### 9. On dividing 55390 by 299, the remainder is 75. Find the quotient. Solution:

It is given that

Dividend = 55390

Ouotient = 299

Remainder = 75

Consider Divisor = A

We know that

Dividend = Divisor **×** Quotient + Remainder

By substituting values


 $55390 = A \times 299 + 75$ 

On further calculation

 $55390 - 75 = A \times 299$ 

So we get

 $55315 = A \times 299$ 





By division A = 185



PAGE: 4.23

### **EXERCISE 4.5**

1. Without drawing a diagram, find

(i) 10<sup>th</sup> square number

(ii) 6<sup>th</sup> triangular number

**Solution:** 

(i) 10<sup>th</sup> square number

The square number can be remembered using the following rule

Nth square number =  $n \times n$ 

So the  $10^{th}$  square number =  $10 \times 10 = 100$ 

(ii) 6<sup>th</sup> triangular number

The triangular number can be remembered using the following rule

Nth triangular number =  $n \times (n + 1)/2$ 

So the  $6^{th}$  triangular number =  $6 \times (6 + 1)/2 = 21$ 

### 2. (i) Can a rectangular number also be a square number?

(ii) Can a triangular number also be a square number? Solution:

(i) Yes. A rectangular number can also be a square number.

Example -16 is a rectangular number which can also be a square number.



(ii) Yes. A triangular number can also be a square number.

Example -1 is a triangular number which can also be a square number.

3. Write the first four products of two numbers with difference 4 starting from in the following order:

1, 2, 3, 4, 5, 6, .....

Identify the pattern in the products and write the next three products. Solution:

We know that

$$1 \times 5 = 5$$

$$2 \times 6 = 12$$

$$3 \times 7 = 21$$

$$4 \times 8 = 32$$

So the first four products of two numbers with difference 4

- 5 1 = 4
- 6 2 = 4
- 7 3 = 4
- 8 4 = 4

4. Observe the pattern in the following and fill in the blanks:

$$9 \times 9 + 7 = 88$$

 $9 \times 9 + 7 = 88$ 

 $98 \times 9 + 6 = 888$ 

 $987 \times 9 + 5 = 8888$ 

 $9876 \times 9 + 4 = 88888$ 

 $98765 \times 9 + 3 = 888888$ 

 $987654 \times 9 + 2 = 8888888$ 

 $9876543 \times 9 + 1 = 888888888$ 

5. Observe the following pattern and extend it to three more steps:

 $6 \times 2 - 5 = 7$ 

 $7 \times 3 - 12 = 9$ 

 $8 \times 4 - 21 = 11$ 

 $9 \times 5 - 32 = 13$ 

..... × ...... = ......

..... × ...... = ...... = ......

**Solution:** 

 $6 \times 2 - 5 = 7$ 

 $7 \times 3 - 12 = 9$ 

 $8 \times 4 - 21 = 11$ 

 $9 \times 5 - 32 = 13$ 

 $10 \times 6 - 45 = 15$ 

 $11 \times 7 - 60 = 17$ 

 $12 \times 8 - 77 = 19$ 

6. Study the following pattern:

 $1+3=2\times 2$ 

 $1 + 3 + 5 = 3 \times 3$ 

 $1 + 3 + 5 + 7 = 4 \times 4$ 



$$1+3+5+7+9=5 \times 5$$

By observing the above pattern, find

(i) 
$$1 + 3 + 5 + 7 + 9 + 11$$

(ii) 
$$1+3+5+7+9+11+13+15$$

(iii) 
$$21 + 23 + 25 + \dots + 51$$

### **Solution:**

(i) 
$$1 + 3 + 5 + 7 + 9 + 11$$

By using the pattern

$$1 + 3 + 5 + 7 + 9 + 11 = 6 \times 6$$
  
= 36

(ii) 
$$1+3+5+7+9+11+13+15$$

By using the pattern

$$1 + 3 + 5 + 7 + 9 + 11 + 13 + 15 = 8 \times 8$$
  
= 64

(iii) 
$$21 + 23 + 25 + \dots + 51$$

We know that

$$21 + 23 + 25 + \dots + 51$$
 can be written as  $(1 + 3 + 5 + 7 + \dots + 49 + 51) - (1 + 3 + 5 + \dots + 17 + 19)$ 

By using the pattern

$$(1+3+5+7+....+49+51) = 26 \times 26 = 676$$

$$(1+3+5+\ldots +17+19)=10 \times 10=100$$

So we get

$$21 + 23 + 25 + \dots + 51 = 676 - 100 = 576$$

### 7. Study the following pattern:

$$1 \times 1 + 2 \times 2 = (2 \times 3 \times 5)/6$$

$$1 \times 1 + 2 \times 2 + 3 \times 3 = (3 \times 4 \times 7) / 6$$

$$1 \times 1 + 2 \times 2 + 3 \times 3 + 4 \times 4 = (4 \times 5 \times 9)/6$$

By observing the above pattern, write next two steps.

#### **Solution:**

By using the pattern

$$1 \times 1 + 2 \times 2 + 3 \times 3 + 4 \times 4 + 5 \times 5$$

On further calculation

$$= 5 \times 6 \times 116$$

So we get

= 55

By using the pattern

$$1 \times 1 + 2 \times 2 + 3 \times 3 + 4 \times 4 + 5 \times 5 + 6 \times 6$$

On further calculation

$$= 6 \times 7 \times 136$$

So we get

= 91

### 8. Study the following pattern:

$$1 = (1 \times 2)/2$$

$$1 + 2 = (2 \times 3)/2$$

$$1+2+3=(3 \times 4)/2$$

$$1+2+3+4=(4 \times 5)/2$$

By observing the above pattern, find

(i) 
$$1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 + 10$$

(ii) 
$$50 + 51 + 52 + \dots + 100$$

(iii) 
$$2 + 4 + 6 + 8 + 10 + \dots + 100$$

### **Solution:**

(i) 
$$1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 + 10$$

We get

$$= 10 \times 112$$

On further calculation

= 55

(ii) 
$$50 + 51 + 52 + \dots + 100$$

We can write it as

$$(1+2+3+\ldots +99+100)-(1+2+3+4+\ldots +47+49)$$

So we get

$$(1+2+3+\ldots +99+100) = 100 \times 1012$$

$$(1+2+3+4+\ldots+47+49)=49 \times 502$$

By substituting the values

$$50 + 51 + 52 + \dots + 100 = 100 \times 1012 + 49 \times 502$$

On further calculation

$$=5050-1225$$

We get

= 3825

(iii) 
$$2 + 4 + 6 + 8 + 10 + \dots + 100$$

We can write it as

$$2(1+2+3+4+\ldots+49+50)$$

So we get

 $= 2 (50 \times 512)$ 

On further calculation

= 2 (1275)

We get

= 2550



PAGE: 4.24

### **OBJECTIVE TYPE QUESTIONS**

Mark the correct alternative in each of the following:

1. Which one of the following is the smallest whole number?

(a) 1 Solution:	(b) 2	(c) 0	(d) I	None of these	
We know that	) is correct answ the set of whole nallest whole num	e numbers is $\{0, 1, 2,$	3, 4}.		
2. Which one (a) 0 Solution:	of the followin (b) 1	g is the smallest ever	n whole number? (c) 2	(d) None of the	se
We know that Hence, the nu	mbers 0, 1, 2, 3,	nbers along with 0 for 4 form the collection	on of whole numbe		
3. Which one (a) 0 Solution:	of the followin (b) 1	g is the smallest odd	whole number? (c) 3	(d) 5	
We know that Hence, the nu So the natural number.	mbers 0, 1, 2, 3, number which	nbers along with 0 for 4 form the collection	on of whole numbe called an odd who		nallest odd whole
(a) 50 Solution:	<b>(b)</b> 4		(c) 51	(d) None of	these
We know that In order to fin Hence, there a	d the required n	bers between 437 and umber of whole numb - 1 whole numbers ly	pers subtract 437 fro	140, 441,, 484, 485 and om 487 and then subtract d 487.	
5. The produ (a) one lakh Solution:	ct of the succes	sor of 999 and the property (b) one billion		is e million	(d) one crore
We know that So the predect It can be writt	essor of 1001 = ten as	er. f 999 = 999 + 1 = 100 1001 - 1 = 1000 of 999) × (Predecesse			



**Solution:** 

# RD Sharma Solutions for Class 6 Maths Chapter 4 – Operations on Whole Numbers

By substituting the v Product of them = 1	values $000 \times 1000 = 10000$	00 = one million	
6. Which one of the (a) 1 Solution:	following whole nu (b) 0	imbers does not have (c) 2	a predecessor? (d) None of these
	imbers 0, 1, 2, 3, 4	form the collection on thich does not have a p	
7. The number of w (a) 101 Solution:	whole numbers betw (b) 100	reen the smallest who (c) 99	le number and the greatest 2-digit number is (d) 98
The option (d) is correct answer. We know that the smallest whole number = $0$ So the greatest 2 digit whole number = $99$ Whole numbers which lie between 0 and 99 are 1, 2, 3, 4,, 97, 98. In order to find the number of whole numbers between 0 and 99, first subtract 1 from the difference of 0 and 99. So the number of whole numbers between 0 and $99 = (99 - 0) - 1 = 99 - 1 = 98$			
8. If n is a whole nu (a) 1 Solution:	umber such that n + (b) 2	n = n, then n =? (c) 3	(d) None of these
The option (d) is cor We know that $0 + 0$ Hence, the statement	=0, 1+1=2, 2+2		
9. The predecessor (a) 999 Solution:	of the smallest 3-di (b) 99	git number is (c) 100	(d) 101
The option (b) is cor We know that the sn So the predecessor o	nallest 3 digit numbe		
10. The least number (a) 1008 Solution:	er of 4-digits which (b) 1009	is exactly divisible by (c) 1026	y 9 is (d) 1018
The option (a) is cor. We know that the lea Hence, the least 4-di	ast 4-digit number =	1000 divisible by 9 is 1000	1+(9-1)=1008
		y 53 gives 8 as quotie c) 429	ent and 5 as remainder is (d) None of these

The option (c) is correct answer.

It is given that

Divisor = 53, Quotient = 8 and Remainder = 5.

By using the relation we get

 $Dividend = Divisor \times Quotient + Remainder$ 

By substituting the values

Dividend =  $53 \times 8 + 5 = 424 + 5 = 429$ 

Hence, the required number is 429.

### 12. The whole number n satisfying n + 35 = 101 is

(a) 65

(b) 67

(c) 64

(d) 66

### **Solution:**

The option (d) is correct answer.

It is given that

n + 35 = 101

By adding – 35 on both sides

n + 35 + (-35) = 101 + (-35)

On further calculation

n + 0 = 66

So we get

n = 66

### 13. The $4 \times 378 \times 25$ is

(a) 37800

(b) 3780

(c) 9450

(d) 30078

#### **Solution:**

The option (a) is correct answer.

We can write it as

 $4 \times 378 \times 25 = 4 \times 25 \times 378$ 

On further calculation

 $4 \times 378 \times 25 = 100 \times 378 = 37800$ 

#### 14. The value of $1735 \times 1232 - 1735 \times 232$ is

(a) 17350

**(b)** 173500

(c) 1735000

(d) 173505

#### **Solution:**

The option (c) is correct answer.

By using the distributive law of multiplication over subtraction

 $1735 \times 1232 - 1735 \times 232 = 1735(1232 - 232)$ 

On further calculation

 $1735 \times 1232 - 1735 \times 232 = 1735 \times 1000 = 1735000$ 

#### 15. The value of $47 \times 99$ is

(a) 4635

(b) 4653

(c) 4563

(d) 6453

### **Solution:**

The option (b) is correct answer.

It can be written as

99 = 100 - 1



So we get  $47 \times 99 = 47 \times (100 - 1)$  On further calculation  $47 \times 99 = 47 \times 100 - 47 = 4700 - 47 = 4653$  Hence, the value of  $47 \times 99$  is 4653.

