

## **EXERCISE 8.6**

PAGE NO: 8.17

**Divide:** 

1.  $x^2 - 5x + 6$  by x - 3

**Solution:** 

We have,

$$(x^2-5x+6)/(x-3)$$

Let us perform long division method,

 $\therefore$  the Quotient is x - 2

2.  $ax^2 - ay^2$  by ax+ay

**Solution:** 

We have,

$$(ax^2 - ay^2)/(ax+ay)$$
  
 $(ax^2 - ay^2)/(ax+ay) = (x - y) + 0/(ax+ay)$   
 $= (x - y)$ 

 $\therefore$  the answer is (x - y)

3.  $x^4 - y^4$  by  $x^2 - y^2$ 

**Solution:** 

We have,

$$(x^4 - y^4)/(x^2 - y^2)$$
  
 $(x^4 - y^4)/(x^2 - y^2) = x^2 + y^2 + 0/(x^2 - y^2)$   
 $= x^2 + y^2$ 

 $\therefore$  the answer is  $(x^2 + y^2)$ 

4.  $acx^2 + (bc + ad)x + bd$  by (ax + b)



## **Solution:**

We have,

$$(acx^{2} + (bc + ad) x + bd) / (ax + b)$$
  
 $(acx^{2} + (bc + ad) x + bd) / (ax + b) = cx + d + 0/ (ax + b)$   
 $= cx + d$ 

 $\therefore$  the answer is (cx + d)

5. 
$$(a^2 + 2ab + b^2) - (a^2 + 2ac + c^2)$$
 by  $2a + b + c$  Solution:

We have,

$$\begin{aligned} \left[ (a^2 + 2ab + b^2) - (a^2 + 2ac + c^2) \right] / \left( 2a + b + c \right) \\ \left[ (a^2 + 2ab + b^2) - (a^2 + 2ac + c^2) \right] / \left( 2a + b + c \right) &= b - c + 0 / (2a + b + c) \\ &= b - c \end{aligned}$$

 $\therefore$  the answer is (b-c)

## 6. $1/4x^2 - 1/2x - 12$ by 1/2x - 4

**Solution:** 

We have,

$$(1/4x^2 - 1/2x - 12) / (1/2x - 4)$$

Let us perform long division method,

 $\therefore$  the Quotient is x/2 + 3