

## EXERCISE 27.1

### **PAGE NO: 27.13**

#### 1. The equation of the directrix of a hyperbola is x - y + 3 = 0. Its focus is (-1, 1) and eccentricity 3. Find the equation of the hyperbola. Solution:

Given:

The equation of the directrix of a hyperbola = x - y + 3 = 0.

Focus = (-1, 1) and

Eccentricity = 3

Now, let us find the equation of the hyperbola

Let 'M' be the point on directrix and P(x, y) be any point of the hyperbola.

By using the formula,

e = PF/PM

PF = ePM [where, e is eccentricity, PM is perpendicular from any point P on hyperbola earning to the directrix]

$$\sqrt{(x+1)^2 + (y-1)^2} = 3 \left| \frac{(x-y+3)}{\sqrt{1^2 + (-1)^2}} \right|$$
$$\sqrt{(x+1)^2 + (y-1)^2} = 3 \left| \frac{(x-y+3)}{\sqrt{1+1}} \right|$$

By squaring on both sides we get

$$\left(\sqrt{(x+1)^2 + (y-1)^2}\right)^2 = \left(3\left|\frac{(x-y+3)}{\sqrt{1+1}}\right|\right)^2$$
$$(x+1)^2 + (y-1)^2 = \frac{3^2(x-y+3)^2}{2}$$

[We know that  $(a - b)^2 = a^2 + b^2 + 2ab \& (a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ac$ ] So,  $2\{x^2 + 1 + 2x + y^2 + 1 - 2y\} = 9\{x^2 + y^2 + 9 + 6x - 6y - 2xy\}$  $2x^{2} + 2 + 4x + 2y^{2} + 2 - 4y = 9x^{2} + 9y^{2} + 81 + 54x - 54y - 18xy$  $2x^{2} + 4 + 4x + 2y^{2} - 4y - 9x^{2} - 9y^{2} - 81 - 54x + 54y + 18xy = 0$  $-7x^{2} - 7y^{2} - 50x + 50y + 18xy - 77 = 0$  $7(x^2 + y^2) - 18xy + 50x - 50y + 77 = 0$ : The equation of hyperbola is  $7(x^2 + y^2) - 18xy + 50x - 50y + 77 = 0$ 

#### 2. Find the equation of the hyperbola whose

- (i) focus is (0, 3), directrix is x + y 1 = 0 and eccentricity = 2
- (ii) focus is (1, 1), directrix is 3x + 4y + 8 = 0 and eccentricity = 2
- (iii) focus is (1, 1) directrix is 2x + y = 1 and eccentricity  $=\sqrt{3}$



(iv) focus is (2, -1), directrix is 2x + 3y = 1 and eccentricity = 2

(v) focus is (a, 0), directrix is 2x - y + a = 0 and eccentricity = 4/3

(vi) focus is (2, 2), directrix is x + y = 9 and eccentricity = 2

#### Solution:

(i) focus is (0, 3), directrix is x + y - 1 = 0 and eccentricity = 2

Given:

Focus = (0, 3)

Directrix  $\Rightarrow x + y - 1 = 0$ 

Eccentricity = 2

Now, let us find the equation of the hyperbola

Let 'M' be the point on directrix and P(x, y) be any point of the hyperbola.

By using the formula,

e = PF/PM

PF = ePM [where, e is eccentricity, PM is perpendicular from any point P on hyperbola earning to the directrix]

So,

$$\sqrt{(x-0)^2 + (y-3)^2} = 2 \left| \frac{(x+y-1)}{\sqrt{1^2 + 1^2}} \right|$$
$$\sqrt{(x-0)^2 + (y-3)^2} = 2 \left| \frac{(x+y-1)}{\sqrt{1+1}} \right|$$

By squaring on both sides we get

$$\left(\sqrt{(x-0)^2 + (y-3)^2}\right)^2 = \left(2\left|\frac{(x+y-1)}{\sqrt{1+1}}\right|\right)^2$$
$$(x-0)^2 + (y-3)^2 = \frac{2^2(x+y-1)^2}{2}$$

[We know that  $(a - b)^2 = a^2 + b^2 + 2ab \& (a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ac]$ So,  $2\{x^2 + y^2 + 9 - 6y\} = 4\{x^2 + y^2 + 1 - 2x - 2y + 2xy\}$  $2x^{2} + 2y^{2} + 18 - 12y = 4x^{2} + 4y^{2} + 4 - 8x - 8y + 8xy$  $2x^{2} + 2y^{2} + 18 - 12y - 4x^{2} - 4y^{2} - 4 - 8x + 8y - 8xy = 0$  $-2x^2 - 2y^2 - 8x - 4y - 8xy + 14 = 0$  $-2(x^2 + y^2 - 4x + 2y + 4xy - 7) = 0$  $x^2 + y^2 - 4x + 2y + 4xy - 7 = 0$ : The equation of hyperbola is  $x^2 + y^2 - 4x + 2y + 4xy - 7 = 0$ 

(ii) focus is (1, 1), directrix is 3x + 4y + 8 = 0 and eccentricity = 2 Focus = (1, 1)Directrix => 3x + 4y + 8 = 0



Eccentricity = 2

Now, let us find the equation of the hyperbola

Let 'M' be the point on directrix and P(x, y) be any point of the hyperbola.

By using the formula,

e = PF/PM

PF = ePM [where, e is eccentricity, PM is perpendicular from any point P on hyperbola to the directrix]

So,

$$\sqrt{(x-1)^{2} + (y-1)^{2}} = 2 \left| \frac{(3x+4y+8)}{\sqrt{3^{2}+4^{2}}} \right|$$
$$\sqrt{(x-1)^{2} + (y-1)^{2}} = 2 \left| \frac{(3x+4y+8)}{\sqrt{9+16}} \right|$$

By squaring on both sides we get

$$\left(\sqrt{(x-1)^2 + (y-1)^2}\right)^2 = \left(2\left|\frac{(3x+4y+8)}{\sqrt{25}}\right|\right)$$
$$(y-1)^2 + (y-1)^2 = \frac{2^2(3x+4y+8)^2}{\sqrt{25}}$$

 $(x-1)^{2} + (y-1)^{2} = \frac{2^{2} (3x+4y+8)^{2}}{25}$ 

[We know that  $(a - b)^2 = a^2 + b^2 + 2ab \&(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ac]$   $25\{x^2 + 1 - 2x + y^2 + 1 - 2y\} = 4\{9x^2 + 16y^2 + 64 + 24xy + 64y + 48x\}$   $25x^2 + 25 - 50x + 25y^2 + 25 - 50y = 36x^2 + 64y^2 + 256 + 96xy + 256y + 192x$   $25x^2 + 25 - 50x + 25y^2 + 25 - 50y - 36x^2 - 64y^2 - 256 - 96xy - 256y - 192x = 0$   $-11x^2 - 39y^2 - 242x - 306y - 96xy - 206 = 0$   $11x^2 + 96xy + 39y^2 + 242x + 306y + 206 = 0$  $\therefore$ The equation of hyperbola is $11x^2 + 96xy + 39y^2 + 242x + 306y + 206 = 0$ 

(iii) focus is (1, 1) directrix is 2x + y = 1 and eccentricity  $=\sqrt{3}$ Given: Focus = (1, 1) Directrix => 2x + y = 1Eccentricity  $=\sqrt{3}$ Now, let us find the equation of the hyperbola Let 'M' be the point on directrix and P(x, y) be any point of the hyperbola. By using the formula, e = PF/PMPF = ePM [where, e is eccentricity, PM is perpendicular from any point P on hyperbola to the directrix]

So,



$$\sqrt{(x-1)^2 + (y-1)^2} = \sqrt{3} \left| \frac{(2x+y-1)}{\sqrt{2^2+1^2}} \right|$$
$$\sqrt{(x-1)^2 + (y-1)^2} = \sqrt{3} \left| \frac{(2x+y-1)}{\sqrt{4+1}} \right|$$

By squaring on both sides we get

$$\left(\sqrt{(x-1)^2 + (y-1)^2}\right)^2 = \left(\sqrt{3} \left| \frac{(2x+y-1)}{\sqrt{5}} \right| \right)^2$$
$$(x-1)^2 + (y-1)^2 = \frac{3(2x+y-1)^2}{5}$$

[We know that  $(a - b)^2 = a^2 + b^2 + 2ab \&(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ac]$   $5\{x^2 + 1 - 2x + y^2 + 1 - 2y\} = 3\{4x^2 + y^2 + 1 + 4xy - 2y - 4x\}$   $5x^2 + 5 - 10x + 5y^2 + 5 - 10y = 12x^2 + 3y^2 + 3 + 12xy - 6y - 12x$   $5x^2 + 5 - 10x + 5y^2 + 5 - 10y - 12x^2 - 3y^2 - 3 - 12xy + 6y + 12x = 0$   $-7x^2 + 2y^2 + 2x - 4y - 12xy + 7 = 0$   $7x^2 + 12xy - 2y^2 - 2x + 4y - 7 = 0$  $\therefore$ The equation of hyperbola is $7x^2 + 12xy - 2y^2 - 2x + 4y - 7 = 0$ 

(iv) focus is (2, -1), directrix is 2x + 3y = 1 and eccentricity = 2 Given: Focus = (2, -1)Directrix => 2x + 3y = 1Eccentricity = 2

Now, let us find the equation of the hyperbola

Let 'M' be the point on directrix and P(x, y) be any point of the hyperbola.

By using the formula,

e = PF/PM

PF = ePM [where, e is eccentricity, PM is perpendicular from any point P on hyperbola to the directrix]

So,

$$\sqrt{(x-2)^2 + (y+1)^2} = 2 \left| \frac{(2x+3y-1)}{\sqrt{2^2+3^2}} \right|$$
$$\sqrt{(x-2)^2 + (y+1)^2} = 2 \left| \frac{(2x+3y-1)}{\sqrt{4+9}} \right|$$

By squaring on both sides we get

$$\left(\sqrt{(x-2)^2 + (y+1)^2}\right)^2 = \left(2\left|\frac{(2x+3y-1)}{\sqrt{13}}\right|\right)^2$$



$$(x-2)^{2} + (y+1)^{2} = \frac{4(2x+3y-1)^{2}}{13}$$

[We know that  $(a - b)^2 = a^2 + b^2 + 2ab \&(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ac]$   $13\{x^2 + 4 - 4x + y^2 + 1 + 2y\} = 4\{4x^2 + 9y^2 + 1 + 12xy - 6y - 4x\}$   $13x^2 + 52 - 52x + 13y^2 + 13 + 26y = 16x^2 + 36y^2 + 4 + 48xy - 24y - 16x$   $13x^2 + 52 - 52x + 13y^2 + 13 + 26y - 16x^2 - 36y^2 - 4 - 48xy + 24y + 16x = 0$   $- 3x^2 - 23y^2 - 36x + 50y - 48xy + 61 = 0$   $3x^2 + 23y^2 + 48xy + 36x - 50y - 61 = 0$  $\therefore$ The equation of hyperbola is $3x^2 + 23y^2 + 48xy + 36x - 50y - 61 = 0$ 

(v) focus is (a, 0), directrix is 2x - y + a = 0 and eccentricity = 4/3 Given:

Focus = (a, 0)

Directrix  $\Rightarrow 2x - y + a = 0$ 

Eccentricity = 4/3

Now, let us find the equation of the hyperbola

Let 'M' be the point on directrix and P(x, y) be any point of the hyperbola.

By using the formula,

e = PF/PM

PF = ePM [where, e is eccentricity, PM is perpendicular from any point P on hyperbola to the directrix]

So,

$$\sqrt{(x-a)^2 + (y-0)^2} = \frac{4}{3} \left| \frac{(2x-y+a)}{\sqrt{2^2 + (-1)^2}} \right|$$
$$\sqrt{(x-a)^2 + (y)^2} = \frac{4}{3} \left| \frac{(2x-y+a)}{\sqrt{4+1}} \right|$$

By squaring on both sides we get

$$\left(\sqrt{(x-a)^2 + (y)^2}\right)^2 = \left(\frac{4}{3} \left|\frac{(2x-y+a)}{\sqrt{5}}\right|\right)^2$$

$$(x-a)^{2} + (y)^{2} = \frac{16(2x-y+a)^{2}}{9 \times 5}$$

[We know that  $(a - b)^2 = a^2 + b^2 + 2ab \&(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ac]$   $45\{x^2 + a^2 - 2ax + y^2\} = 16\{4x^2 + y^2 + a^2 - 4xy - 2ay + 4ax\}$   $45x^2 + 45a^2 - 90ax + 45y^2 = 64x^2 + 16y^2 + 16a^2 - 64xy - 32ay + 64ax$   $45x^2 + 45a^2 - 90ax + 45y^2 - 64x^2 - 16y^2 - 16a^2 + 64xy + 32ay - 64ax = 0$   $19x^2 - 29y^2 + 154ax - 32ay - 64xy - 29a^2 = 0$  $\therefore$ The equation of hyperbola is  $19x^2 - 29y^2 + 154ax - 32ay - 64xy - 29a^2 = 0$ 



(vi) focus is (2, 2), directrix is x + y = 9 and eccentricity = 2 Given: Focus = (2, 2) Directrix => x + y = 9Eccentricity = 2 Now, let us find the equation of the hyperbola Let 'M' be the point on directrix and P(x, y) be any point of the hyperbola. By using the formula, e = PF/PMPF = ePM [where, e is eccentricity, PM is perpendicular from any point P on hyperbola to the directrix]

So,

$$\sqrt{(x-2)^2 + (y-2)^2} = 2 \left| \frac{(x+y-9)}{\sqrt{1^2 + 1^2}} \right|$$
$$\sqrt{(x-2)^2 + (y-2)^2} = 2 \left| \frac{(x+y-9)}{\sqrt{1+1}} \right|$$

By squaring on both sides we get

$$\left(\sqrt{(x-2)^2 + (y-2)^2}\right)^2 = \left(2\left|\frac{(x+y-9)}{\sqrt{2}}\right|\right)^2$$
$$(x-2)^2 + (y-2)^2 = \frac{4(x+y-9)^2}{2}$$

[We know that  $(a - b)^2 = a^2 + b^2 + 2ab \&(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ac]$   $x^2 + 4 - 4x + y^2 + 4 - 4y = 2\{x^2 + y^2 + 81 + 2xy - 18y - 18x\}$   $x^2 - 4x + y^2 + 8 - 4y = 2x^2 + 2y^2 + 162 + 4xy - 36y - 36x$   $x^2 - 4x + y^2 + 8 - 4y - 2x^2 - 2y^2 - 162 - 4xy + 36y + 36x = 0$   $-x^2 - y^2 + 32x + 32y + 4xy - 154 = 0$   $x^2 + 4xy + y^2 - 32x - 32y + 154 = 0$  $\therefore$ The equation of hyperbola is $x^2 + 4xy + y^2 - 32x - 32y + 154 = 0$ 

3. Find the eccentricity, coordinates of the foci, equations of directrices and length of the latus-rectum of the hyperbola.

(i)  $9x^2 - 16y^2 = 144$ (ii)  $16x^2 - 9y^2 = -144$ (iii)  $4x^2 - 3y^2 = 36$ (iv)  $3x^2 - y^2 = 4$ (v)  $2x^2 - 3y^2 = 5$ 



#### Solution:

(i)  $9x^2 - 16y^2 = 144$ Given: The equation  $=> 9x^2 - 16y^2 = 144$ The equation can be expressed as:  $\frac{9x^2}{144} - \frac{16y^2}{144} = 1$   $\frac{x^2}{16} - \frac{y^2}{9} = 1$   $\frac{x^2}{4^2} - \frac{y^2}{3^2} = 1$ The obtained equation is of the form  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ 

Where,  $a^2 = 9$ ,  $b^2 = 16$  i.e., a = 3 and b = 4

Eccentricity is given by:

$$e = \sqrt{1 + \frac{a^2}{b^2}}$$
$$= \sqrt{1 + \frac{9}{16}}$$
$$= \sqrt{\frac{25}{16}}$$
$$= \frac{5}{4}$$

Foci: The coordinates of the foci are  $(0, \pm be)$  $(0, \pm be) = (0, \pm 4(5/4))$  $= (0, \pm 5)$ 

The equation of directrices is given as:

$$x = \pm \frac{4}{e}$$
  

$$\Rightarrow x = \pm \frac{4}{5}$$
  

$$\Rightarrow x = \pm \frac{16}{5}$$
  

$$\Rightarrow 5x = \pm 16$$



 $5x \mp 16 = 0$ 

The length of latus-rectum is given as:  $2b^2/a$ = 2(9)/4= 9/2(ii)  $16x^2 - 9y^2 = -144$ Given: The equation =>  $16x^2 - 9y^2 = -144$ The equation can be expressed as:  $\frac{9y^2}{144} - \frac{16x^2}{144} = 1$  $\frac{y^2}{16} - \frac{x^2}{9} = 1$  $\frac{x^2}{3^2} - \frac{y^2}{4^2} = -1$ The obtained equation is of the form  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ Where,  $a^2 = 9$ ,  $b^2 = 16$  i.e., a = 3 and b = 4Eccentricity is given by:  $e = \sqrt{1 + \frac{a^2}{b^2}}$  $=\sqrt{1+\frac{9}{16}}$  $=\sqrt{\frac{25}{16}}$  $=\frac{5}{4}$ 

Foci: The coordinates of the foci are  $(0, \pm be)$  $(0, \pm be) = (0, \pm 4(5/4))$  $= (0, \pm 5)$ 

The equation of directrices is given as:



$$y = \pm \frac{b}{e}$$
  

$$\Rightarrow y = \pm \frac{4}{5}$$
  

$$\Rightarrow y = \pm \frac{16}{5}$$
  

$$\Rightarrow 5y = \pm 16$$
  

$$5y \pm 16 = 0$$

The length of latus-rectum is given as:  $2a^2/b$ = 2(9)/4 = 9/2

(iii)  $4x^2 - 3y^2 = 36$ Given: The equation =>  $4x^2 - 3y^2 = 36$ The equation can be expressed as:  $\frac{4x^2}{36} - \frac{3y^2}{36} = 1$   $\frac{x^2}{9} - \frac{y^2}{12} = 1$  $\frac{x^2}{3^2} - \frac{y^2}{(\sqrt{12})^2} = 1$ 

The obtained equation is of the form

 $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ Where,  $a^2 = 9$ ,  $b^2 = 12$  i.e., a = 3 and  $b = \sqrt{12}$ 

Eccentricity is given by:

$$e = \sqrt{1 + \frac{b^2}{a^2}}$$
$$= \sqrt{1 + \frac{12}{9}}$$
$$= \sqrt{\frac{21}{9}}$$



$$=\sqrt{\frac{7}{3}}$$

Foci: The coordinates of the foci are  $(\pm ae, 0)$ 

$$\pm ae = \pm 3 \times \sqrt{\frac{7}{3}}$$
$$= \pm 3 \times \frac{\sqrt{7}}{\sqrt{3}}$$
$$= \pm \sqrt{3} \times \sqrt{7}$$
$$= \pm \sqrt{21}$$
$$(\pm ae, 0) = (\pm \sqrt{21}, 0)$$

The equation of directrices is given as:

$$x = \frac{\pm a}{e}$$

$$x = \pm 3 \times \frac{1}{\sqrt{7}}$$

$$= \pm \frac{3\sqrt{3}}{\sqrt{7}}$$

$$\sqrt{7}x \mp 3\sqrt{3} = 0$$

The length of latus-rectum is given as:  $2b^2/a$ = 2(12)/3 = 24/3

= 8

(iv)  $3x^2 - y^2 = 4$ Given: The equation  $\Rightarrow 3x^2 - y^2 = 4$ The equation can be expressed as:  $\frac{3x^2}{4} - \frac{y^2}{4} = 1$   $\frac{x^2}{\frac{4}{3}} - \frac{y^2}{4} = 1$  $\frac{x^2}{\left(\frac{2}{\sqrt{3}}\right)^2} - \frac{y^2}{(2)^2} = 1$ 



The obtained equation is of the form

 $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ Where,  $a = 2/\sqrt{3}$  and b = 2

Eccentricity is given by:

$$e = \sqrt{1 + \frac{b^2}{a^2}}$$
$$= \sqrt{1 + \frac{4}{4}}$$
$$= \sqrt{1 + 3}$$
$$= \sqrt{4}$$
$$= 2$$

Foci: The coordinates of the foci are  $(\pm ae, 0)$  $(\pm ae, 0) = \pm (2/\sqrt{3})(2) = \pm 4/\sqrt{3}$  $(\pm ae, 0) = (\pm 4/\sqrt{3}, 0)$ 

The equation of directrices is given as:

$$x = \pm \frac{a}{e}$$
  

$$\Rightarrow x = \pm \frac{\frac{2}{\sqrt{3}}}{2}$$
  

$$\Rightarrow x = \pm \frac{1}{\sqrt{3}}$$
  

$$\Rightarrow \sqrt{3}x = \pm 1$$
  

$$\sqrt{3}x \mp 1 = 0$$

The length of latus-rectum is given as:  $2b^2/a$   $= 2(4)/[2/\sqrt{3}]$  $= 4\sqrt{3}$ 

(v)  $2x^2 - 3y^2 = 5$ Given: The equation =>  $2x^2 - 3y^2 = 5$ The equation can be expressed as:



$$\frac{\frac{2x^2}{5} - \frac{3y^2}{5} = 1}{\frac{x^2}{\frac{5}{2}} - \frac{y^2}{\frac{5}{3}} = 1}$$
$$\frac{x^2}{\left(\frac{\sqrt{5}}{\sqrt{2}}\right)^2} - \frac{y^2}{\left(\frac{\sqrt{5}}{\sqrt{3}}\right)^2} = 1$$

The obtained equation is of the form

 $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ Where,  $a = \sqrt{5}/\sqrt{2}$  and  $b = \sqrt{5}/\sqrt{3}$ 

Eccentricity is given by:

$$\Theta = \sqrt{1 + \frac{b^2}{a^2}}$$
$$= \sqrt{1 + \frac{5}{3}}$$
$$= \sqrt{1 + \frac{5}{3} \times \frac{2}{5}}$$
$$= \sqrt{1 + \frac{2}{3}}$$
$$= \sqrt{1 + \frac{2}{3}}$$
$$= \sqrt{\frac{5}{3}}$$

Foci: The coordinates of the foci are  $(\pm ae, 0)$ 

$$\pm 3\theta = \pm \sqrt{\frac{5}{2}} \times \sqrt{\frac{5}{3}}$$
$$= \pm \frac{5}{\sqrt{6}}$$
$$(\pm ae, 0) = (\pm 5/\sqrt{6}, 0)$$

The equation of directrices is given as:



$$x = \pm \frac{a}{e}$$


$$\Rightarrow x = \pm \frac{\sqrt{5}}{\sqrt{2}}$$

$$\Rightarrow x = \pm \frac{1}{\sqrt{6}}$$

$$\Rightarrow \sqrt{6}x = \pm 1$$

$$\sqrt{6}x = \pm 1$$

The length of latus-rectum is given as:  $2b^2/a$ 



# 4. Find the axes, eccentricity, latus-rectum and the coordinates of the foci of the hyperbola $25x^2 - 36y^2 = 225$ . Solution:

Given:

The equation=>  $25x^2 - 36y^2 = 225$ The equation can be expressed as:  $25x^2 \quad 36y^2 = 1$ 

$$\frac{\overline{225} - \overline{225}}{\left(\frac{x^2}{5}\right)^2} - \frac{y^2}{\left(\frac{15}{6}\right)^2} = 1$$




$$\frac{x^2}{3^2} \!-\! \frac{y^2}{\left(\frac{5}{2}\right)^2} \!= 1$$

The obtained equation is of the form  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ 

Where, a = 3 and b = 5/2

Eccentricity is given by:




Foci: The coordinates of the foci are  $(\pm ae, 0)$  $(\pm ae, 0) = \pm 3 (\sqrt{61/6}) = \pm \sqrt{61/2}$  $(\pm ae, 0) = (\pm \sqrt{61/2}, 0)$ 

The equation of directrices is given as:

 $x = \pm \frac{a}{e}$   $\Rightarrow x = \pm \frac{3}{\frac{\sqrt{61}}{6}}$   $\Rightarrow x = \pm \frac{18}{\sqrt{61}}$   $\Rightarrow \sqrt{61}x = \pm 18$  $\sqrt{61}x \mp 18 = 0$ 

The length of latus-rectum is given as:  $2b^2/a$ 



$$= \frac{2\left(\frac{5}{2}\right)^2}{3}$$
$$= \frac{2 \times \frac{25}{4}}{3}$$
$$= \frac{25}{6}$$

: Transverse axis = 6, conjugate axis = 5, e =  $\sqrt{61/6}$ , LR = 25/6, foci = ( $\pm \sqrt{61/2}$ , 0)

```
5. Find the centre, eccentricity, foci and directions of the hyperbola
(i) 16x^2 - 9y^2 + 32x + 36y - 164 = 0
(ii) x^2 - y^2 + 4x = 0
(iii) x^2 - 3y^2 - 2x = 8
Solution:
(i) 16x^2 - 9y^2 + 32x + 36y - 164 = 0
Given:
The equation = 16x^2 - 9y^2 + 32x + 36y - 164 = 0
Let us find the centre, eccentricity, foci and directions of the hyperbola
By using the given equation
16x^2 - 9y^2 + 32x + 36y - 164 = 0
16x^2 + 32x + 16 - 9y^2 + 36y - 36 - 16 + 36 - 164 = 0
16(x^2 + 2x + 1) - 9(y^2 - 4y + 4) - 16 + 36 - 164 = 0
16(x^2 + 2x + 1) - 9(y^2 - 4y + 4) - 144 = 0
16(x + 1)^2 - 9(y - 2)^2 = 144
\frac{16(x+1)^2}{144} - \frac{9(y-2)^2}{144} = 1
\frac{(x+1)^2}{9} - \frac{(y-2)^2}{16} = 1
\frac{(x+1)^2}{3^2} - \frac{(y-2)^2}{4^2} = 1
Here, center of the hyperbola is (-1, 2)
So, let x + 1 = X and y - 2 = Y
The obtained equation is of the form
\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1
Where, a = 3 and b = 4
```

Eccentricity is given by:



$$e = \sqrt{1 + \frac{b^2}{a^2}}$$
$$= \sqrt{1 + \frac{16}{9}}$$
$$= \sqrt{\frac{25}{9}}$$
$$= \frac{5}{3}$$

Foci: The coordinates of the foci are (±ae, 0)  $X = \pm 5$  and Y = 0  $x + 1 = \pm 5$  and y - 2 = 0  $x = \pm 5 - 1$  and y = 2 x = 4, -6 and y = 2So, Foci: (4, 2) (-6, 2)

Equation of directrix are:

 $X = \pm \frac{a}{e}$  $\Rightarrow X = \pm \frac{3}{\frac{5}{3}}$  $\Rightarrow X = \pm \frac{9}{5}$  $\Rightarrow 5X = \pm 9$  $\Rightarrow 5X \mp 9 = 0$  $\Rightarrow$  5(x+1)  $\mp$  9 = 0  $\Rightarrow 5x + 5 \mp 9 = 0$  $\Rightarrow 5x + 5 - 9 = 0$  and 5x + 5 + 9 = 05x - 4 = 0 and 5x + 14 = 0: The center is (-1, 2), eccentricity (e) = 5/3, Foci = (4, 2) (-6, 2), Equation of directrix = 5x - 4 = 0 and 5x + 14 = 0(ii)  $x^2 - y^2 + 4x = 0$ Given: The equation  $\Rightarrow x^2 - y^2 + 4x = 0$ Let us find the centre, eccentricity, foci and directions of the hyperbola By using the given equation  $x^2 - y^2 + 4x = 0$ 



$$x^{2} + 4x + 4 - y^{2} - 4 = 0$$
  

$$(x + 2)^{2} - y^{2} = 4$$
  

$$\frac{(x + 2)^{2}}{4} - \frac{y^{2}}{4} = 1$$
  

$$\frac{(x + 2)^{2}}{2^{2}} - \frac{y^{2}}{2^{2}} = 1$$

Here, center of the hyperbola is (2, 0) So, let x + 2 = XThe obtained equation is of the form  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ Where, a = 2 and b = 2

Eccentricity is given by:

$$e = \sqrt{1 + \frac{b^2}{a^2}}$$
$$= \sqrt{1 + \frac{4}{4}}$$
$$= \sqrt{1 + 1}$$
$$= \sqrt{2}$$

Foci: The coordinates of the foci are  $(\pm ae, 0)$   $X = \pm 2\sqrt{2}$  and Y = 0  $X + 2 = \pm 2\sqrt{2}$  and Y = 0  $X = \pm 2\sqrt{2} - 2$  and Y = 0So, Foci =  $(\pm 2\sqrt{2} - 2, 0)$ 

Equation of directrix are:

$$X = \pm \frac{a}{e}$$
  

$$\Rightarrow X = \pm \frac{2}{\sqrt{2}}$$
  

$$\Rightarrow X = \pm \frac{2}{\sqrt{2}}$$
  

$$\Rightarrow X = \pm \sqrt{2}$$
  

$$\Rightarrow X = \pm \sqrt{2}$$
  

$$\Rightarrow X \mp \sqrt{2} = 0$$
  

$$\Rightarrow x + 2 \mp \sqrt{2} = 0$$
  

$$x + 2 - \sqrt{2} = 0 \text{ and } x + 2 + \sqrt{2} = 0$$



: The center is (-2, 0), eccentricity (e) =  $\sqrt{2}$ , Foci = (-2±  $2\sqrt{2}$ , 0), Equation of directrix =  $x + 2 = \pm\sqrt{2}$ 

(iii)  $x^2 - 3y^2 - 2x = 8$ Given: The equation  $\Rightarrow x^2 - 3y^2 - 2x = 8$ Let us find the centre, eccentricity, foci and directions of the hyperbola By using the given equation  $x^{2} - 3y^{2} - 2x = 8$   $x^{2} - 2x + 1 - 3y^{2} - 1 = 8$  $(x-1)^2 - 3y^2 = 9$  $\frac{(x-1)^2}{9} - \frac{3y^2}{9} = 1$  $\frac{(x-1)^2}{3^2} - \frac{y^2}{\left(\sqrt{3}\right)^2} = 1$ Here, center of the hyperbola is (1, 0)So, let x - 1 = XThe obtained equation is of the form  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ Where, a = 3 and  $b = \sqrt{3}$ Eccentricity is given by:  $e = \sqrt{1 + \frac{b^2}{a^2}}$  $= \sqrt{1 + \frac{3}{9}}$  $=\sqrt{1+rac{1}{3}}$  $=\sqrt{\frac{4}{3}}$ . = <u>2</u> √3  $=\frac{2\times\sqrt{3}}{\sqrt{3}\times\sqrt{3}}$  $=\frac{2\sqrt{3}}{3}$ 

Foci: The coordinates of the foci are  $(\pm ae, 0)$ 



X =  $\pm 2\sqrt{3}$  and Y = 0 X - 1 =  $\pm 2\sqrt{3}$  and Y = 0 X =  $\pm 2\sqrt{3} + 1$  and Y = 0 So, Foci =  $(1 \pm 2\sqrt{3}, 0)$ 

Equation of directrix are:

$$X = \pm \frac{a}{e}$$
  

$$\Rightarrow X = \pm \frac{3}{\frac{2\sqrt{3}}{3}}$$
  

$$\Rightarrow X = \pm \frac{9}{2\sqrt{3}}$$
  

$$X = \pm \frac{9}{2\sqrt{3}} + 1$$
  

$$x = \pm \frac{9}{2\sqrt{3}}$$

: The center is (1, 0), eccentricity (e) =  $2\sqrt{3}/3$ , Foci = (1 ±  $2\sqrt{3}$ , 0), Equation of directrix = X =  $1\pm 9/2\sqrt{3}$ 

6. Find the equation of the hyperbola, referred to its principal axes as axes of coordinates, in the following cases:

```
(i) the distance between the foci = 16 and eccentricity = \sqrt{2}
```

```
(ii) conjugate axis is 5 and the distance between foci = 13
```

(iii) conjugate axis is 7 and passes through the point (3, -2) Solution:

(i) the distance between the foci = 16 and eccentricity =  $\sqrt{2}$  Given:

Distance between the foci = 16

Eccentricity =  $\sqrt{2}$ 

Let us compare with the equation of the form

$$\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$$

Distance between the foci is 2ae and  $b^2 = a^2(e^2 - 1)$ 

So,

2ae = 16

- ae = 16/2
- $a\sqrt{2} = 8$
- $a=8/\sqrt{2}$



 $a^2 = 64/2$ = 32We know that,  $b^2 = a^2(e^2 - 1)$ So,  $b^2 = 32 [(\sqrt{2})^2 - 1]$ = 32 (2 - 1)= 32The Equation of hyperbola is given as  $\frac{x^2}{32} - \frac{y^2}{32} = 1$  $x^2 - y^2 = 32$ : The Equation of hyperbola is  $x^2 - y^2 = 32$ (ii) conjugate axis is 5 and the distance between foci = 13Given: Conjugate axis = 5Distance between foci = 13Let us compare with the equation of the form  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ Distance between the foci is 2ae and  $b^2 = a^2(e^2 - 1)$ Length of conjugate axis is 2b So, 2b = 5b = 5/2 $b^2 = 25/4$ We know that, 2ae = 13ae = 13/2 $a^2e^2 = 169/4$  $b^2 = a^2(e^2 - 1)$  $b^2 = a^2 e^2 - a^2$  $25/4 = 169/4 - a^2$  $a^2 = 169/4 - 25/4$ = 144/4= 36

The Equation of hyperbola is given as  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ 



$$\Rightarrow \frac{x^2}{36} - \frac{y^2}{\frac{25}{4}} = 1$$
$$\Rightarrow \frac{x^2}{36} - \frac{4y^2}{25} = 1$$
$$\Rightarrow \frac{25x^2 - 144y^2}{900} = 1$$
$$\Rightarrow 25x^2 - 144y^2 = 900$$

: The Equation of hyperbola is  $25x^2 - 144y^2 = 900$ 

(iii) conjugate axis is 7 and passes through the point (3, -2)Given: Conjugate axis = 7Passes through the point (3, -2)Conjugate axis is 2b So, 2b = 7b = 7/2 $b^2 = 49/4$ The Equation of hyperbola is given as  $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$ Since it passes through points (3, -2)  $\Rightarrow \frac{(3)^2}{a^2} - \frac{(-2)^2}{\frac{49}{2}} = 1$  $\Rightarrow \frac{9}{a^2} - \frac{4(4)}{49} = 1$  $\Rightarrow \frac{9}{a^2} - \frac{16}{49} = 1$  $\Rightarrow \frac{9}{a^2} = 1 + \frac{16}{49}$  $\Rightarrow \frac{9}{a^2} = \frac{49 + 16}{49}$  $\Rightarrow \frac{9}{a^2} = \frac{65}{49}$  $\Rightarrow a^2 = \frac{49}{65} \times 9$  $a^2 = 441/65$ 



The equation of hyperbola is given as:

$$\frac{x^{2}}{a^{2}} - \frac{y^{2}}{b^{2}} = 1$$

$$a^{2} = 441/65 \text{ and } b^{2} = 49/4$$

$$\Rightarrow \frac{x^{2}}{\frac{441}{65}} - \frac{y^{2}}{\frac{49}{4}} = 1$$

$$\Rightarrow \frac{65x^{2}}{441} - \frac{4y^{2}}{49} = 1$$

$$\Rightarrow \frac{65x^{2} - 36y^{2}}{441} = 1$$

$$\Rightarrow 65x^{2} - 36y^{2} = 441$$

: The Equation of hyperbola is  $65x^2 - 36y^2 = 441$ 

