

EXERCISE 27.1**PAGE NO: 27.5****1. Plot the points (5, 0), (5, 1), (5, 8). Do they lie on a line? What is your observation?****Solution:**


Take a point O on the graph paper and draw horizontal and vertical lines OX and OY respectively.

Then, let on the x-axis and y-axis 1 cm represents 1 unit.

To plot point (5, 0), we start from the origin O and move 5 cm along X - axis. The point we arrive at is point (5, 0).

To plot point (5, 1), we move 5 cm along X - axis and 1 cm along Y - axis. The point we arrive at is point (5, 1).

To plot point (5, 8), we move 5 cm along X - axis and 8 cm along Y - axis. The point we arrive at is point (5, 8).



From the above graph, we observe that all points are having same X – coordinates, it can be seen that the points lie on a line parallel to the y-axis. Hence all points lie on the same line.

2. Plot the points (2, 8), (7, 8) and (12, 8). Join these points in pairs. Do they lie on a line? What do you observe?**Solution:**

Take a point O on the graph paper and draw the horizontal and vertical lines OX and OY


respectively.

Then, let on the x-axis and y axis 1 cm represents 1 unit.

In order to plot point (2, 8), we start from the origin O and move 8 cm along X - axis. The point we arrive at is (2, 8).

To plot point (7, 8), we move 7 cm along X - axis and 8 cm along Y - axis. The point we arrive at is (7, 8).

To plot point (12, 8), we move 12 cm along X - axis and 8 cm along Y - axis. The point we arrive at is (12, 8).



From the above graph, we observe that all points are having same Y – coordinates, it can be seen that the points lie on a line parallel to the x-axis. Hence all points lie on the same line.

3. Locate the points :

- (i) (1, 1), (1, 2), (1, 3), (1, 4)
- (ii) (2, 1), (2, 2), (2, 3), (2, 4)
- (iii) (1, 3), (2, 3), (3, 3), (4, 3)
- (iv) (1, 4), (2, 4), (3, 4), (4, 4)

Solution:

- (i) (1, 1), (1, 2), (1, 3), (1, 4)

To plot these points,

Take a point O on a graph paper and draw horizontal and vertical lines OX and OY respectively.


Then, let on x-axis and y-axis 1 cm represents 1 unit.

To plot point (1, 1), we start from the origin O and move 1 cm along X - axis and 1 cm along Y - axis. The point we arrive at is (1, 1).

To plot point (1, 2), we move 1 cm along X - axis and 2 cm along Y - axis. The point we arrive at is (1, 2).

To plot point (1, 3), we move 1 cm along X - axis and 3 cm along Y - axis. The point we arrive at is (1, 3).

To plot point (1, 4), we move 1 cm along X - axis and 4 cm along Y - axis. The point we arrive at is (1, 4)



(ii) (2, 1), (2, 2), (2, 3), (2, 4)

To plot these points,

Take a point O on a graph paper and draw horizontal and vertical lines OX and OY respectively.


Then, let on x-axis and y-axis 1 cm represents 1 unit.

To plot point (2, 1), we move 2 cm along X - axis and 1 cm along Y - axis. The point we arrive at is (2, 1).

To plot point (2, 2), we move 2 cm along X - axis and 2 cm along Y - axis. The point we arrive at is (2, 2).

To plot point (2, 3), we move 2 cm along X - axis and 3 cm along Y - axis. The point we arrive at is (2, 3).

To plot point (2, 4), we move 2 cm along X - axis and 4 cm along Y - axis. The point we arrive at is (2, 4).



(iii) $(1, 3), (2, 3), (3, 3), (4, 3)$

To plot these points,

Take a point O on a graph paper and draw horizontal and vertical lines OX and OY respectively.


Then, let on x-axis and y-axis 1 cm represents 1 unit.

To plot point $(1, 3)$, we move 1 cm along X - axis and 3 cm along Y - axis. The point we arrive at is $(1, 3)$.

To plot point $(2, 3)$, we move 2 cm along X - axis and 3 cm along Y - axis. The point we arrive at is $(2, 3)$.

To plot point $(3, 3)$, we move 3 cm along X - axis and 3 cm along Y - axis. The point we arrive at is $(3, 3)$.

To plot point $(4, 3)$, we move 4 0cm along X - axis and 3 cm along Y - axis. The point we arrive at is $(4, 3)$.



(iv) (1, 4), (2, 4), (3, 4), (4, 4)

To plot these points,

Take a point O on a graph paper and draw horizontal and vertical lines OX and OY respectively.


Then, let on x-axis and y-axis 1 cm represents 1 unit.

In order to plot point (1, 4), we move 1 cm along X - axis and 4 cm along Y - axis. The point we arrive at is (1, 4).

To plot point (2, 4), we move 2 cm along X - axis and 4 cm along Y - axis. The point we arrive at is (2, 4).

To plot point (3, 4), we move 3 cm along X - axis and 4 cm along Y - axis. The point we arrive at is (3, 4).

To plot point (4, 4), we move 4 cm along X - axis and 4 cm along Y - axis. The point we arrive at is (4, 4).



4. Find the coordinates of points A, B, C, D in Fig. 27.7





Fig. 27.7

Solution:



Draw perpendiculars AP, BP, CQ and DR from A, B, C and D on the x-axis. Also, draw perpendiculars AW, BX, CY and DZ on the y-axis.

From the above figure, we have:

$AW = 1$ unit and $AP = 1$ unit

So, the coordinates of vertex A are (1, 1).

Similarly, $BX = 1$ unit and $BP = 4$ units

So, the coordinates of vertex B are (1, 4).

$CY = 4$ units and $CQ = 6$ units

So, the coordinates of vertex C are (4, 6).

$DZ = 5$ units and $DR = 3$ units

So, the coordinates of vertex D are (5, 3).

5. Find the coordinates of points P, Q, R and S in Fig. 27.8.





Fig. 27.8

Solution:



Draw perpendiculars PA, QB, RC and SD from vertices P, Q, R and S on the X - axis. Also, draw perpendiculars PE, QF, RG, and SH on the Y - axis from these points.

PE = 10 units and PA = 70 units
So, the coordinates of vertex P are (10, 70).

QF = 12 units and QB = 80 units
So, the coordinates of vertex Q are (12, 80).

RG = 16 units and RC = 100 units
So, the coordinates of vertex R are (16, 100).

SH = 20 units and SD = 120 units
So, the coordinates of vertex S are (20, 120).

6. Write the coordinates of each of the vertices of each polygon in Fig. 27.9.





Fig. 27.9

Solution:



From the figure, we have:

In Quadrilateral OXYZ:

O lies on the origin and the coordinates of the origin are (0, 0). So, the coordinates of O are (0, 0).

X lies on the Y - axis. So, the X - coordinate is 0. Hence, the coordinate of X is (0, 2).

Also, YX is equal to 2 units and YZ is equal to 2 units. So, the coordinates of vertex Y are (2, 2).

Z lies on the X - axis. So, the Y - coordinate is 0. Hence, the coordinates of Z are (2, 0).

In polygon ABCD:

Draw perpendiculars DG, AH, CI and BJ from A, B, C and D on the X - axis.

Also, draw perpendiculars DF, AE, CF and BE from A, B, C and D on the Y - axis.

Now, from the figure:

DF = 3 units and DG = 3 units

So, the coordinates of D are (3, 3).

AE = 4 units and AH = 5 units

So, the coordinates of A are (4, 5).

CF = 6 units and CI = 3 units

So, the coordinates of C are (6, 3).

BE = 7 units and BJ = 5 units

So, the coordinates of B are (7, 5).

In polygon PQR:

Draw perpendiculars PJ, QK and RK from P, Q and R on the X - axis.

Also, draw perpendiculars PW, QE and RF from P, Q and R on the Y - axis.

Now, from the figure:

PW = 7 units and PJ = 4 units

So, the coordinates of P are (7, 4).

QE = 9 units and QK = 5 units

So, the coordinates of Q are (9, 5).

RF = 9 units and RK = 3 units

So, the coordinates of R are (9, 3)

7. Decide which of the following statements is true and which is false. Give reasons for your answer.

(i) A point whose x-coordinate is zero, will lie on the y-axis.


(ii) A point whose y-coordinate is zero, will lie on x-axis.

(iii) The coordinates of the origin are (0, 0).

(iv) Points whose x and y coordinates are equal, lie on a line passing through the origin.

Solution:

(i) A point whose x-coordinate is zero, will lie on the y-axis.




From the figure,

For $x = 0$, we have x- coordinates as zero.

For example $(0, 3)$, $(0, 6)$, $(0, 9)$

These points will lie on y axis. Hence, we say that our given statement is true.

(ii) A point whose y-coordinate is zero, will lie on x-axis.



A point whose y-coordinate is zero, will lie on x-axis.

For $y = 0$, we have y- coordinates as zero.

For example $(3, 0)$, $(6, 0)$, $(9, 0)$

These points will lie on x axis. Hence, we say that our given statement is true.

(iii) The coordinates of the origin are $(0, 0)$.

Origin is intersection of x-axis and y-axis. This means that coordinates of the origin will be intersection of lines $y = 0$ and $x = 0$.

Hence, coordinates of origin are $(0, 0)$.

∴ Given statement is true.

(iv) Points whose x and y coordinates $(0, 0)$, $(1, 1)$, $(2, 2)$ etc are equal, lie on a line passing through the origin.

For above statement we can conclude that our statement satisfies the equation $x = y$.

For $x = 0$ and $y = 0$, this equation gets satisfied.

∴ Given statement is true.