

Exercise 3.1

Page No: 64

1. In the matrix A

$$\begin{bmatrix} 2 & 5 & 19 & -7 \\ 35 & -2 & \frac{5}{2} & 12 \\ \sqrt{3} & 1 & -5 & 17 \end{bmatrix}$$

Write

- (i) The order of the matrix, (ii) The number of elements,
(iii) Write the elements a_{13} , a_{21} , a_{33} , a_{24} , a_{23} .

Solution:

(i) In given matrix,

Number of rows = 3

Number of column = 4

Therefore, Order of the matrix is 3×4 .

(ii) The number of elements in the matrix A is $3 \times 4 = 12$.

(iii) a_{13} = element in first row and third column = 19

a_{21} = element in second row and first column = 35

a_{33} = element in third row and third column = - 5

a_{24} = element in second row and fourth column = 12

a_{23} = element in second row and third column = $5/2$

2. If a matrix has 24 elements, what are the possible orders it can have? What, if it has 13 elements?

Solution:

We know that, a matrix of order $m \times n$ having mn elements.

There are 8 possible matrices having 24 elements of orders are as follows:

1×24 , 2×12 , 3×8 , 4×6 , 24×1 , 12×2 , 8×3 , 6×4 .

Prime number $13 = 1 \times 13$ and 13×1

Again, 1×13 (Row matrix) and 13×1 (Column matrix) are 2 possible matrices whose product is 13.

3. If a matrix has 18 elements, what are the possible orders it can have? What, if it has 5 elements?

Solution:

We know that, a matrix of order $m \times n$ having mn elements.

There are 6 possible matrices having 18 elements of orders:
 1×18 , 2×9 , 3×6 , 18×1 , 9×2 , 6×3 .

Again, the product of 1 and 5 or 5 and 1 is 5.

Therefore, 1×5 (Row matrix) and 5×1 (Column matrix) are 2 possible matrices.

4. Construct a 2×2 matrix, $A = [a_{ij}]$, whose elements are given by:

$$(i) a_{ij} = \frac{(i+j)^2}{2}$$

$$(ii) a_{ij} = \frac{i}{j}$$

$$(iii) a_{ij} = \frac{(i+2j)^2}{2}$$

Solution:

(i) Construct 2×2 matrix for

$$a_{ij} = \frac{(i+j)^2}{2}$$

Elements for 2×2 matrix are: $a_{11}, a_{12}, a_{21}, a_{22}$

For a_{11} , $i = 1$ and $j = 1$

$$a_{11} = \frac{(1+1)^2}{2} = \frac{(2)^2}{2} = \frac{4}{2} = 2$$

For a_{12} , $i = 1$ and $j = 2$

$$a_{12} = \frac{(1+2)^2}{2} = \frac{(3)^2}{2} = \frac{9}{2}$$

For a_{21} , $i = 2$ and $j = 1$

$$a_{21} = \frac{(2+1)^2}{2} = \frac{(3)^2}{2} = \frac{9}{2}$$

For a_{22} , $i = 2$ and $j = 2$

$$a_{22} = \frac{(2+2)^2}{2} = \frac{(4)^2}{2} = \frac{16}{2} = 8$$

Required matrix is :

$$\begin{bmatrix} 2 & 9/2 \\ 9/2 & 8 \end{bmatrix}$$

(ii) Construct 2x2 matrix for

$$a_{ij} = \frac{i}{j}$$

Elements for 2x2 matrix are: a_{11} , a_{12} , a_{21} , a_{22}

For a_{11} , $i = 1$ and $j = 1$

$$a_{11} = \frac{1}{1} = 1$$

For a_{12} , $i = 1$ and $j = 2$

$$a_{12} = \frac{1}{2}$$

For a_{21} , $i = 2$ and $j = 1$

$$a_{21} = \frac{2}{1} = 2$$

For a_{22} , $i = 2$ and $j = 2$

$$a_{22} = \frac{2}{2} = 1$$

The required matrix is

$$\begin{bmatrix} 1 & 1/2 \\ 2 & 1 \end{bmatrix}$$

(iii) Construct 2x2 matrix for

$$a_{ij} = \frac{(i+2j)^2}{2}$$

Elements for 2x2 matrix are: a_{11} , a_{12} , a_{21} , a_{22}

For a_{11} , $i = 1$ and $j = 1$

$$a_{11} = \frac{(1+2)^2}{2} = \frac{(3)^2}{2} = \frac{9}{2}$$

For a_{12} , $i = 1$ and $j = 2$

$$a_{12} = \frac{(1+4)^2}{2} = \frac{(5)^2}{2} = \frac{25}{2}$$

For a_{21} , $i = 2$ and $j = 1$

$$a_{21} = \frac{(2+2)^2}{2} = \frac{(4)^2}{2} = \frac{16}{2} = 8$$

For a_{22} , $i = 2$ and $j = 2$

$$a_{22} = \frac{(2+4)^2}{2} = \frac{(6)^2}{2} = \frac{36}{2} = 18$$

The required matrix is

$$\begin{bmatrix} 9/2 & 25/2 \\ 8 & 18 \end{bmatrix}$$

5. Construct a 3 x 4 matrix, whose elements are given by:

(i) $a_{ij} = \frac{1}{2}|-3i + j|$

(ii) $a_{ij} = 2i - j$

Solution:

(i) Construct 3 x 4 matrix for

$$a_{ij} = \frac{1}{2}|-3i + j|$$

Elements for 3 x 4 matrix are: $a_{11}, a_{12}, a_{13}, a_{14}, a_{21}, a_{22}, a_{23}, a_{24}, a_{31}, a_{32}, a_{33}, a_{34}$

For a_{11} , $i = 1$ and $j = 1$

$$a_{11} = \frac{1}{2}|-3+1| = \frac{1}{2}|-2| = \frac{1}{2}(2) = 1$$

For a_{12} , $i = 1$ and $j = 2$

$$a_{12} = \frac{1}{2}|-3+2| = \frac{1}{2}|-1| = \frac{1}{2}(1) = \frac{1}{2}$$

For a_{13} , $i = 1$ and $j = 3$

$$a_{13} = \frac{1}{2}|-3+3| = \frac{1}{2}|0| = \frac{1}{2}(0) = 0$$

For a_{14} , $i = 1$ and $j = 4$

$$a_{14} = \frac{1}{2}|-3+4| = \frac{1}{2}|1| = \frac{1}{2}(1) = \frac{1}{2}$$

For a_{21} , $i = 2$ and $j = 1$

$$a_{21} = \frac{1}{2}|-6+1| = \frac{1}{2}|-5| = \frac{1}{2}(5) = \frac{5}{2}$$

For a_{22} , $i = 2$ and $j = 2$

$$a_{22} = \frac{1}{2}|-6+2| = \frac{1}{2}|-4| = \frac{1}{2}(4) = 2$$

For a_{23} , $i = 2$ and $j = 3$

$$a_{23} = \frac{1}{2}|-6+3| = \frac{1}{2}|-3| = \frac{1}{2}(3) = \frac{3}{2}$$

For a_{24} , $i = 2$ and $j = 4$

$$a_{24} = \frac{1}{2}|-6+4| = \frac{1}{2}|-2| = \frac{1}{2}(2) = 1$$

For a_{31} , $i = 3$ and $j = 1$

$$a_{31} = \frac{1}{2}|-9+1| = \frac{1}{2}|-8| = \frac{1}{2}(8) = 4$$

For a_{32} , $i = 3$ and $j = 2$

$$a_{32} = \frac{1}{2}|-9+2| = \frac{1}{2}|-7| = \frac{1}{2}(7) = \frac{7}{2}$$

For a_{33} , $i = 3$ and $j = 3$

$$a_{33} = \frac{1}{2}|-9+3| = \frac{1}{2}|-6| = \frac{1}{2}(6) = 3$$

For a_{34} , $i = 3$ and $j = 4$

$$a_{34} = \frac{1}{2}|-9+4| = \frac{1}{2}|-5| = \frac{1}{2}(5) = \frac{5}{2}$$

The required matrix is

$$\begin{bmatrix} 1 & \frac{1}{2} & 0 & \frac{1}{2} \\ \frac{5}{2} & 2 & \frac{3}{2} & 1 \\ 4 & \frac{7}{2} & 3 & \frac{5}{2} \end{bmatrix}$$

(ii) Construct 3×4 matrix for

$$a_{ij} = 2i - j$$

Elements for 3×4 matrix are: $a_{11}, a_{12}, a_{13}, a_{14}, a_{21}, a_{22}, a_{23}, a_{24}, a_{31}, a_{32}, a_{33}, a_{34}$

For a_{11} , $i = 1$ and $j = 1$

$$a_{11} = 2 - 1 = 1$$

For a_{12} , $i = 1$ and $j = 2$

$$a_{12} = 2 - 2 = 0$$

For a_{13} , $i = 1$ and $j = 3$

$$a_{13} = 2 - 3 = -1$$

For a_{14} , $i = 1$ and $j = 4$

$$a_{14} = 2 - 4 = -2$$

For a_{21} , $i = 2$ and $j = 1$

$$a_{21} = 4 - 3 = 3$$

For a_{22} , $i = 2$ and $j = 2$

$$a_{22} = 4 - 2 = 2$$

For a_{23} , $i = 2$ and $j = 3$

$$a_{23} = 4 - 3 = 1$$

For a_{24} , $i = 2$ and $j = 4$

$$a_{24} = 4 - 4 = 0$$

For a_{31} , $i = 3$ and $j = 1$

$$a_{31} = 6 - 1 = 5$$

For a_{32} , $i = 3$ and $j = 2$

$$a_{32} = 6 - 2 = 4$$

For a_{33} , $i = 3$ and $j = 3$

$$a_{33} = 6 - 3 = 3$$

For a_{34} , $i = 3$ and $j = 4$

$$a_{34} = 6 - 4 = 2$$

The required matrix is

$$\begin{bmatrix} 1 & 0 & -1 & -2 \\ 3 & 2 & 1 & 0 \\ 5 & 4 & 3 & 2 \end{bmatrix}$$

6. Find the values of x , y and z from the following equations:

$$(i) \begin{bmatrix} 4 & 3 \\ x & 5 \end{bmatrix} = \begin{bmatrix} y & z \\ 1 & 5 \end{bmatrix}$$

$$(ii) \begin{bmatrix} x+y & 2 \\ 5+z & xy \end{bmatrix} = \begin{bmatrix} 6 & 2 \\ 5 & 8 \end{bmatrix}$$

$$(iii) \begin{bmatrix} x+y+z \\ x+z \\ y+z \end{bmatrix} = \begin{bmatrix} 9 \\ 5 \\ 7 \end{bmatrix}$$

Solution:

(i)

$$\begin{bmatrix} 4 & 3 \\ x & 5 \end{bmatrix} = \begin{bmatrix} y & z \\ 1 & 5 \end{bmatrix}$$

Since both the matrices are equal, so their corresponding elements are also equal.

Find the value of unknowns by equating the corresponding elements.

$$4 = y$$

$$3 = z$$

$$x = 1$$

(ii) Since both the matrices are equal, so their corresponding elements are also equal.

Find the value of unknowns by equating the corresponding elements.

$$\begin{bmatrix} x+y & 2 \\ 5+z & xy \end{bmatrix} = \begin{bmatrix} 6 & 2 \\ 5 & 8 \end{bmatrix}$$

$$x+y = 6 \dots(1)$$

$$5 + z = 5 \Rightarrow z = 0$$

$$xy = 8 \dots(2)$$

From equation (1), $x = 6 - y$

Substitute the value of x in equation (2)

$$(6 - y)y = 8$$

$$6y - y^2 = 8$$

$$\text{or } y^2 - 6y + 8 = 0$$

$$(y - 4)(y - 2) = 0$$

$$y = 4 \text{ or } y = 2$$

Put values of y in equation (1), $x+y = 6$, we have $y = 2$ and $y = 4$

We get $x = 4$ and $x = 2$

Therefore, $x = 2, y = 4$ and $z = 0$ or $x = 4, y = 2$ and $z = 0$.

(iii)

Since both the matrices are equal, so their corresponding elements are also equal.

Find the value of unknowns by equating the corresponding elements.

$$\begin{bmatrix} x+y+z \\ x+z \\ y+z \end{bmatrix} = \begin{bmatrix} 9 \\ 5 \\ 7 \end{bmatrix}$$

$$x + y + z = 9 \dots(1)$$

$$x + z = 5 \dots(2)$$

$$y + z = 7 \dots(3)$$

equation (1) – equation (2), we get

$$y = 4$$

$$\text{Equation (3): } 4 + z = 7 \Rightarrow z = 3$$

$$\text{Equation (2) : } x + 3 = 5 \Rightarrow x = 2$$

$$\text{Answer: } x = 2, y = 4 \text{ and } z = 3$$

7. Find the value of a, b, c and d from the equation:

$$\begin{bmatrix} a-b & 2a+c \\ 2a-b & 3c+d \end{bmatrix} = \begin{bmatrix} -1 & 5 \\ 0 & 13 \end{bmatrix}$$

Solution:

Equate the corresponding elements of the matrices:

$$a - b = -1 \dots(1)$$

$$2a + c = 5 \dots(2)$$

$$2a - b = 0 \dots(3)$$

$$3c + d = 13 \dots(4)$$

Equation (1) - Equation (3)

$$-a = -1 \Rightarrow a = 1$$

$$\text{Equation (1)} \Rightarrow 1 - b = -1 \Rightarrow b = 2$$

$$\text{Equation (2)} \Rightarrow 2(1) + c = 5 \Rightarrow c = 3$$

$$\text{Equation (4)} \Rightarrow 3(3) + d = 13 \Rightarrow d = 4$$

Therefore, $a = 1$, $b = 2$, $c = 3$ and $d = 4$

8. $A = [a_{ij}]_{m \times n}$ is a square matrix, if

- (A) $m < n$ (B) $m > n$ (C) $m = n$ (D) None of these

Solution:

Option (C) is correct.

According to square matrix definition: Number of rows = number of columns ($m = n$)

9. Which of the given values of x and y make the following pair of matrices equal

$$\begin{bmatrix} 3x+7 & 5 \\ y+1 & 2-3x \end{bmatrix} = \begin{bmatrix} 0 & y-2 \\ 8 & 4 \end{bmatrix}$$

(A) $x = \frac{-1}{3}, y = 7$

(B) Not possible to find

(C) $y = 7, x = \frac{-2}{3}$

(D) $x = \frac{-1}{3}, y = \frac{-2}{3}$

Solution:

Option (B) is correct.

Explanation:

By equating all corresponding elements, we get

$$3x + 7 = 0 \Rightarrow x = -7/3$$

$$y - 2 = 5 \Rightarrow y = 7$$

$$y + 1 = 8 \Rightarrow y = 7$$

$$2 - 3x = 4 \Rightarrow x = -2/3$$

10. The number of all possible matrices of order 3×3 with each entry 0 or 1 is:

(A) 27 (B) 18 (C) 81 (D) 512

Solution:

Option (D) is correct.

The number of elements of 3×3 matrix is 9.

First element, a_{11} is 2, can be 0 or 1, similarly the number of choices for each other element is 2.

Total possible arrangements = $2^9 = 512$