266

Total No. of Questions - 24	Regd.	Ţ	•	•	Ţ	•	
Total No. of Printed Pages - 4	No.						

Part – III MATHEMATICS, Paper – II(A) (English Version)

Time: 3 Hours] [Max. Marks: 75

Note: This question paper consists of three Sections – A, B and C.

SECTION - A

 $10 \times 2 = 20$

- I. Very Short Answer Type questions.
 - (i) Answer all the questions.
 - (ii) Each question carries two marks.
 - 1. Find the multiplicative inverse of 7 + 24i.
 - 2. If $(\sqrt{3} + i)^{100} = 2^{99}(a + ib)$, show that $a^2 + b^2 = 4$
 - 3. Find the cube roots of 8.
 - 4. Find the quadratic equation whose roots are $-3 \pm 5i$.
 - 5. If 1, 1, α are the roots of $x^3 6x^2 + 9x 4 = 0$, then find α .
 - 6. If $(n + 1)P_5 : nP_6 = 2 : 7$, find 'n'.
 - 7. Find the number of permutations that can be made by using all the digits of the word MATHEMATICS.

[1 of 4]

- 8. Find the number of diagonals of a polygon with 12 sides.
- 9. Find the variance for the discrete data given below: 6, 7, 10, 12, 13, 4, 8, 12
- 10. A Poisson variable satisfies P(x = 1) = P(x = 2). Find P(x = 5).

SECTION - B

 $5 \times 4 = 20$

- II. Short Answer Type questions.
 - (i) Attempt any five questions.
 - (ii) Each question carries four marks.
 - 11. Show that the four points in the Argand plane represented by the complex numbers 2 + i, 4 + 3i, 2 + 5i, 3i are the vertices of a square.
 - 12. Prove that $3x + \frac{1}{1} + x + \frac{1}{1} (3x + 1)(x + 1)$ does not lie between 1 and 4, if x is real.
 - 13. If the 6 letters of the word EAMCET are permuted in all possible ways and the words thus formed are arranged in the dictionary order, then find the rank of the word EAMCET.
 - 14. Find the number of ways of selecting a cricket team of 11 players from 7 batsmen and 6 bowlers such that there will be atleast 5 bowlers in the team.
 - 15. Resolve: $\frac{x^2-x+1}{(x+1)(x-1)^2}$ into partial fractions.

- 16. Find the probability of drawing an Ace or a Spade from a well shuffled pack of 52 playing cards.
- 17. Suppose A and B are independent events with P(A) = 0.6, P(B) = 0.7. Then compute
 - (i) $P(A \cap B)$ (ii) $P(A \cup B)$ (iii) P(B/A)
- (iv) $P(A^c \cap B^c)$.

SECTION - C

 $5 \times 7 = 35$

III. Long Answer Type questions:

- Attempt any five questions. (i)
- (ii) Each question carries seven marks.
- 18. If 'n' is an integer then show that

$$(1+i)^{2n} + (1-i)^{2n} = 2^{n+1} \cos \frac{n\pi}{2}$$

- 19. Show that one value of $\frac{1 + \sin \frac{\pi}{8} + i \cos \frac{\pi}{8}}{1 + \sin \frac{\pi}{8} i \cos \frac{\pi}{8}} = \frac{8}{3}$ is -1.
- 20. Solve $x^4 + 4x^3 2x^2 12x + 9 = 0$, given that it has two pairs of equal roots.
- 21. Solve the equation $x^4 + 2x^3 5x^2 + 6x + 2 = 0$, given that 1 + i is one of its roots.
- 22. Find the mean deviation from the mean of the following data, using the step deviation method

Marks 0-10 10-20 20-30 30-40 40-50 50-60 60-70 No. of Students 6 5 8 15 6 3

[3 of 4]

266

- 23. State and prove Addition theorem on probability.
- 24. A random variable x has the following probability distribution:

$$X = x$$
 0 1 2 3 4 5 6 7
 $P(X = x)$ 0 k 2k 2k 3k k² 2k² 7k² + k

Find (i) k (ii) The mean and (iii) $P(0 \le X \le 5)$

