MT: METALLURGICAL ENGINEERING

Duration: Three Hours Maximum Marks: 100

Read the following instructions carefully.

- 1. Do not open the seal of the Question Booklet until you are asked to do so by the invigilator.
- 2. Take out the Optical Response Sheet (ORS) from this Question Booklet without breaking the seal and read the instructions printed on the ORS carefully.
- 3. On the right half of the **ORS**, using ONLY a **black ink ball point pen**, (i) darken the bubble corresponding to your test paper code and the appropriate bubble under each digit of your registration number and (ii) write your registration number, your name and name of the examination centre and put your signature at the specified location.
- 4. This Question Booklet contains **16** pages including blank pages for rough work. After you are permitted to open the seal, please check all pages and report discrepancies, if any, to the invigilator.
- 5. There are a total of 65 questions carrying 100 marks. All these questions are of objective type. Each question has only **one** correct answer. Questions must be answered on the left hand side of the **ORS** by darkening the appropriate bubble (marked A, B, C, D) using ONLY a **black ink ball point pen** against the question number. **For each question darken the bubble of the correct answer**. More than one answer bubbled against a question will be treated as an incorrect response.
- 6. Since bubbles darkened by the black ink ball point pen **cannot** be erased, candidates should darken the bubbles in the **ORS very carefully**.
- 7. Questions Q.1 Q.25 carry 1 mark each. Questions Q.26 Q.55 carry 2 marks each. The 2 marks questions include two pairs of common data questions and two pairs of linked answer questions. The answer to the second question of the linked answer questions depends on the answer to the first question of the pair. If the first question in the linked pair is wrongly answered or is unattempted, then the answer to the second question in the pair will not be evaluated.
- 8. Questions Q.56 Q.65 belong to General Aptitude (GA) section and carry a total of 15 marks. Questions Q.56 Q.60 carry 1 mark each, and questions Q.61 Q.65 carry 2 marks each.
- 9. Unattempted questions will result in zero mark and wrong answers will result in **NEGATIVE** marks. For all 1 mark questions, ½ mark will be deducted for each wrong answer. For all 2 marks questions, ½ mark will be deducted for each wrong answer. However, in the case of the linked answer question pair, there will be negative marks only for wrong answer to the first question and no negative marks for wrong answer to the second question.
- 10. Calculator is allowed whereas charts, graph sheets or tables are **NOT** allowed in the examination hall.
- 11. Rough work can be done on the question paper itself. Blank pages are provided at the end of the question paper for rough work.
- 12. Before the start of the examination, write your name and registration number in the space provided below using a black ink ball point pen.

Name					
Registration Number	MT				

MT 1/16

Useful Data

Universal gas constant R = 8.314 J/mol.K Planck's constant $h = 6.63 \times 10^{-34}$ J.s Acceleration due to gravity g = 9.8 m/s²

0.	1	- 0.	25	carry	one	mark	each.
\sim .	_	\sim •		Cul I	OHIC	111641 17	Cucii

_	-					
Q.1	A is a 2×2 matrix	with det $\mathbf{A} = 2$. The det	(2 A) is			
	(A) 4	(B) 8	(C) 32	(D) 16		
Q.2	A is a 2 × 2 matrix $\mathbf{A} = \begin{pmatrix} -3 \\ -1 \end{pmatrix}$ The eigenvalues of	$\begin{pmatrix} 1 \\ -1 \end{pmatrix}$				
	(A) $-2, -2$	(B) $-3, -1$	(C) 2, 2	(D) 3, 1		
Q.3	In a production faci	number of rods are tested	with a mean diameter of 6	o cm and standard deviation of tage of rods whose sizes fall in		
	(A) 68	(B) 75	(C) 90	(D) 99.7		
Q.4	Which one of the fo	ollowing methods is NO	T used for numerical integ	gration?		
	(A) Rectangular ru(C) Simpson's rule		(B) Trapezoidal rule(D) Cramer's rule			
Q.5	(A) Two in r-direct(B) One in r-direct(C) Two in r-direct	$\frac{\partial^2 T}{\partial r^2} + \frac{1}{r} \frac{\partial T}{\partial r} = \frac{1}{\alpha} \frac{\partial T}{\partial t}$	d to solve the following ed	quation?		
Q.6	When a zinc metal	rod is immersed in dilute	e hydrochloric acid, it resu	ults in		
	(A) Evolution of hydrogen(C) Evolution of oxygen			(B) Evolution of chlorine(D) No evolution of any gas		
Q.7	•	•	n/s on a plate moving with e of the fluid and plate is	h a velocity of 0.01 m/s in the		
	(A) 0.0 m/s	(B) 0.01 m/s	(C) 0.255 m/s	(D) 0.50 m/s		
Q.8	Hot metal at 1700 metal takes place by	_	mould that is open at the	top. Heat loss from the liquid		
	(A) Radiation only(C) Radiation and		(B) Radiation and co(D) Radiation, condu	onduction only action and convection		
Q.9	Which one of the fo	ollowing is an equilibrium	m defect?			
	(A) Vacancies	(B) Dislocations	(C) Stacking faults	(D) Grain boundaries		
MT			. ,	. ,		

012	Electrica handicipation is based	l on the mainein		TALLURGICAL ENGINEERING – MT
Q.10	Floatation beneficiation is based	• •	ole of	
	(A) Mineral surface hydrophob(B) Gravity difference(C) Chemical reactivity	icity		
	(D) Particle size difference			
Q.11	Copper can be reduced from aci	dic copper sulp	phate solution by	
	(A) Silver(C) Carbon		(B) Iron (D) Lead	
Q.12	Which one is NOT an agglomer	ration process?		
	(A) Nodulizing (B) Brid	quetting	(C) Roasting	(D) Pelletizing
Q.13	During LD blow in steelmaking	the impurity tl	hat gets removed first	is
	(A) Carbon (B) Pho	osphorous	(C) Manganese	(D) Silicon
Q.14	During the solidification of a puliquid-solid interface is at the liquid			_
	(A) Decreases(B) Increases(C) Remains constant(D) Increases and then decreases	es		
Q.15	A peak in the X-ray diffraction of fcc metal, when the incident be metal is approximately			
	(A) 0.6 nm (B) 0.4	nm	(C) 0.3 nm	(D) 0.2 nm
Q.16	If d is the inter-planar spacin {nh nk nl}, n being an integer, is		es {h k l}, the inter	r-planar spacing of the planes
	(A) d (B) d/n		(C) nd	(D) d/n^2
Q.17	As temperature increases, the semiconductors (ρ_s) vary as follows:		resistivities of pure	e metals (ρ_m) and intrinsic
	(A) Both ρ_m and ρ_s increase (B) Both ρ_m and ρ_s decrease (C) ρ_m increases and ρ_s decrease (D) ρ_m decreases and ρ_s increases			
Q.18	At equilibrium spacing in a cryforce (F) and potential energy (U		which of the following	ing is true for net inter-atomic
	(A) F is zero and U is zero		(B) F is zero and U	is minimum
	(C) F is minimum and U is zero)	(D) F is minimum a	nd U is minimum
Q.19	The property of a material that C	CANNOT be si	ignificantly changed b	y heat treatment is
	(A) Yield strength		(B) Ultimate tensile	
	(C) Ductility		(D) Elastic modulus	\$

- Q.20 A unit dislocation splits into two partial dislocations. The correct combination of the Burgers vectors of the partial dislocations for a given unit dislocation having Burgers vector $\frac{a}{2}[1\,\overline{1}\,0]$ is
 - (A) $\frac{a}{6} [2\overline{1}1]$ and $\frac{a}{6} [1\overline{2}\overline{1}]$

(B) $\frac{a}{6} [1\overline{1}2]$ and $\frac{a}{6} [\overline{1}\overline{2}1]$

(C) $\frac{a}{6} [11\overline{2}]$ and $\frac{a}{6} [2\overline{1}\overline{1}]$

- (D) $\frac{a}{6}[211]$ and $\frac{a}{6}[12\overline{1}]$
- Q.21 A polymer matrix composite is reinforced with long continuous ceramic fibres aligned in one direction. The Young's moduli of the matrix and fibres are E_m and E_f respectively, and the volume fraction of the fibres is f. Assuming iso-stress condition, Young's modulus of the composite E_C in a direction perpendicular to the length of fibres, is given by the expression
 - (A) $E_C = (1-f)E_m + f E_f$

(B) $E_C = f E_m + (1-f)E_f$

(C) $\frac{1}{E_C} = \frac{(1-f)}{E_m} + \frac{f}{E_f}$

- (D) $\frac{1}{E_C} = \frac{f}{E_m} + \frac{(1-f)}{E_f}$
- Q.22 Which of the following is NOT a fusion welding process?
 - (A) Arc welding
 - (B) Gas welding
 - (C) Resistance welding
 - (D) Friction stir welding
- Q.23 Tungsten filament used in electric bulb is processed by
 - (A) Extrusion
 - (B) Wire drawing
 - (C) Casting
 - (D) Powder metallurgy
- Q.24 The riser is designed such that the melt in the riser solidifies
 - (A) Before casting solidifies
 - (B) At the same time as casting solidifies
 - (C) After casting solidifies
 - (D) Irrespective of the solidification of the casting
- Q.25 Radiography technique of detecting defects is based on the principle of
 - (A) Diffraction
 - (B) Reflection
 - (C) Interference
 - (D) Absorption
- Q. 26 to Q. 55 carry two marks each.
- Q.26 At x = 0.5, the polynomial $x^2(1-x)^2$ has
 - (A) No extrema
- (B) A saddle point
- (C) A minima
- (D) A maxima

Q.27 Given that v is a vector field and f is a scalar field, match the equations in Group I with their physical meaning in Group II

Group I

P. $\operatorname{div}(\mathbf{v}) = 0$

Q.
$$\operatorname{curl}(\operatorname{grad}(f)) = 0$$

R.
$$\operatorname{div}(\operatorname{grad}(f)) = 0$$

S.
$$v = grad(f)$$

Group II

- 1. Irrotational
- 2. Incompressible
- 3. Potential
- 4. Laplace equation

- (D) P-2, Q-1, R-3, S-4
- The temperature field of a slab is given by $T = 400 50z \exp(-t x^2 y^2)$. The temperature Q.28 gradient in y-direction is

(A)
$$100yz \exp(-t - x^2 - y^2)$$

(B)
$$-100yz \exp(-t - x^2 - y^2)$$


(C)
$$100xz \exp(-t - x^2 - y^2)$$

(D)
$$-100xz \exp(-t - x^2 - y^2)$$

What does the solution of the following ordinary differential equation represent? Q.29

$$y\frac{dy}{dx} + x = 0$$

- (A) A parabola
- (B) A circle
- (C) An ellipse
- (D) A hyperbola
- Q.30 A thin layer of material B (of total amount m) is plated on the end faces of two long rods of material A. These are then joined together on the plated side (see the figure below) and heated to a high temperature. Assuming the diffusion coefficient of B in A is D, the composition profile c_B along the rod axis x after a time t is described by



(A)
$$c_B = \frac{m}{2\sqrt{\pi Dt}} \exp \left[-\frac{x^2}{4Dt} \right]$$

(B)
$$c_B = \frac{m}{2\sqrt{\pi Dt}} \operatorname{erf} \left[-\frac{x^2}{4Dt} \right]$$

(C)
$$c_B = \frac{m}{2\sqrt{\pi Dt}} \left[1 - \text{erf} \left(-\frac{x^2}{4Dt} \right) \right]$$

(D)
$$c_B = \frac{m}{2\sqrt{\pi Dt}}t$$

Q.31 Match the principles given in **Group I** with corresponding corrosion terminology in **Group II**

Group I

P. Electrode polarization

Q. Passivity

R. Selective leaching

S. Grain boundary precipitation

(A) P-3, Q-4, R-1, S-2

(C) P-4, Q-2, R-1, S-3

Group II

1. Dezincification

2. Intergranular attack

3. Over voltage

4. Surface oxide film

(B) P-3, Q-4, R-2, S-1

(D) P-2, Q-1, R-4, S-3

Q.32 Identify the correct combination of the following statements

P. Hydrogen electrode is a standard used to measure redox potentials

Q. Activation polarization refers to electrochemical processes controlled by reaction sequence at metal-solution interface

R. Potential-pH diagrams can be used to predict corrosion rates of metals

S. Cathodic protection can use sacrificial anodes such as magnesium

(A) P, O and R

(B) O, R and S

(C) P, Q and S

(D) P, R and S

Q.33 Consider a reaction with activation energy of 8.314 kJ/mol that takes place at 300 K. If the reaction rate is to be tripled, the temperature of the reaction should be

(A) 174.5 K

(B) 447.5 K

(C) 600.5 K

(D) 847.5 K

Q.34 Match the processes in **Group I** with the objectives in **Group II**

Group I

P. Vacuum Arc Degassing (VAD)

Q. LD

R. COREX

S. Blast Furnace

(A) P-3, Q-4, R-2, S-1

(C) P-3, Q-2, R-1, S-4

Group II

1. Primary iron making

2. Secondary steel making

3. Direct smelting

4. Primary steel making

(B) P-4, Q-3, R-1, S-2

(D) P-2, Q-4, R-3, S-1

Q.35 The reduction of FeO with CO gas in co-current flow is given by the following equation:

$$FeO + CO = Fe + CO_2$$

 $\Delta G^{o} = 8120 \text{ J at } 1173 \text{ K}$

The ratio of p_{CO}/p_{CO2} for this reaction at 1173 K is

(A) 0.0

(B) 0.25

(C) 0.44

(D) 2.3

Q.36 The sulphide capacity (C_S) of liquid slag of composition 55 wt.% CaO, 20 wt.% SiO₂, 15 wt.% Al₂O₃, and 10 wt.% MgO is given by the following equation

$$log~C_S = 3.44~(~X_{CaO} + 0.1~X_{MgO} - 0.8~X_{Al_2O_3} - ~X_{SiO_2}~) - (9894/T) + 2.05$$

where, X is mole fraction of the respective components. Atomic weights of Ca, Mg, Si, Al and O are 40, 24, 28, 27 and 16 respectively.

The value of C_S at 1900 K is

(A) 0.0009

(B) 0.009

(C) 0.09

(D) 0.9

MT

Q.37 Match the processes given in **Group I** with the corresponding metals in **Group II**

Group I

Group II

- P. Matte smelting
 Q. Cyanide leaching
 2. Copper
 R. Carbothermic reduction
 3. Gold
 S. Fused salt electrolysis
 4. Aluminium
- (A) P-1, Q-2, R-1, S-4 (C) P-2, Q-1, R-3, S-4 (D) P-2, Q-3, R-4, S-1
- Q.38 Identify the correct combination of the following statements
 - P. Bessemer converter can be used in copper smelting
 - Q. The Mond process for nickel involves reaction of metal with H₂ gas
 - R. Roasted ZnS concentrates can be smelted in a blast furnace
 - S. Magnesium metal can be produced by electrolysis of sea water
 - (A) P, R and S
- (B) P, Q and R
- (C) P and Q
- (D) Q and S
- Q.39 Match the phases of steel in **Group I** with the crystal structures in **Group II**

Group I

Group II

- P. Martensite
 Q. Cementite
 2. fcc
 R. Austenite
 3. bct
- S. Ferrite 4. Orthorhombic
- (A) P-3, Q-4, R-1, S-2 (C) P-3, Q-4, R-2, S-1


- (B) P-2, Q-3, R-1, S-4
- (D) P-4, Q-3, R-2, S-1
- Q.40 Arrange the following in terms of increasing severity of quench
 - P. Oil quenching
 - Q. Water quenching
 - R. Water quenching with agitation
 - S. Brine quenching
 - (A) P < Q < R < S

(B) Q < R < P < S

(C) P < Q < S < R

- (D) O < P < R < S
- Q.41 Regarding recrystallization, which one of the following statements is NOT correct?
 - (A) Higher the amount of cold work, lower is the recrystallization temperature
 - (B) Higher the recovery, higher is the recrystallization temperature
 - (C) Higher the temperature of cold work, higher is the recrystallization temperature
 - (D) Finer the initial grain size, higher is the recrystallization temperature

0.42 A liquid droplet (β) is on a substrate (δ) and is surrounded by air (α), as shown below. The angle of contact (θ) is determined using the following expression:



(A) $\theta = \cos^{-1} \left(\frac{\gamma_{\alpha\delta} - \gamma_{\beta\delta}}{\gamma_{\alpha\beta}} \right)$

(C) $\theta = \cos^{-1} \left(\frac{\gamma_{\alpha\delta} - \gamma_{\beta\delta}}{\gamma_{\alpha\delta}} \right)$

- (B) $\theta = \cos^{-1}\left(\frac{\gamma_{\alpha\delta} \gamma_{\alpha\beta}}{\gamma_{\alpha\beta}}\right)$ (D) $\theta = \cos^{-1}\left(\frac{\gamma_{\alpha\delta} \gamma_{\beta\delta}}{\gamma_{\beta\delta}}\right)$
- Q.43 Match the phenomena listed in **Group I** with the possible mechanisms in **Group II**

Group I

- P. Fatigue
- Q. Creep
- R. Strain hardening
- S. Yield point phenomenon
- (A) P-2, Q-3, R-4, S-1
- (C) P-2, Q-1, R-4, S-3

- **Group II**
- 1. Grain boundary sliding
- 2. Slip band extrusion and intrusion
- 3. Cottrell atmosphere
- 4. Dislocation interaction
- (B) P-2, Q-4, R-3, S-1
- (D) P-1, Q-2, R-4, S-3
- 0.44 Fracture stress for a brittle material having a crack length of 1 µm is 200 MPa. Fracture stress for the same material having a crack length of 4 µm is
 - (A) 200 MPa
- (B) 150 MPa
- (C) 100 MPa
- (D) 50 MPa
- The flow stress ($\bar{\sigma}$) of an alloy varies with strain rate ($\dot{\epsilon}$) as $\bar{\sigma} = 100 \ (\dot{\epsilon})^{0.1} \text{MPa}$. When the alloy Q.45 is hot extruded from 10 cm diameter to 5 cm diameter at a speed of 2 cm/s, the flow stress is
 - (A) 1000 MPa
- (B) 105 MPa
- (C) 150 MPa
- (D) 1050 MPa
- Determine the correctness or otherwise of the following Assertion (a) and Reason (r). Q.46

Assertion: During rolling, front tension and (or) back tension are (is) employed to decrease rolling

Reason: Roll pressure decreases due to lowering of flow stress as a result of front tension/back tension.

- (A) **a** is false but **r** is true
- (B) **a** is true and **r** is also true, but **r** is not the reason for **a**
- (C) **a** is true and **r** is also true, and **r** is the reason for **a**
- (D) **a** is true but **r** is false

Q.47 Match the defects listed in **Group I** with the processes listed in **Group II**

Group I

- P. Cold shut
- Q. Earing
- R. Alligatoring
- S. Shrinkage porosity
- (A) P-2, Q-4, R-1, S-4
- (C) P-2, Q-3, R-1, S-4

Group II

- 1. Rolling
- 2. Forging
- 3. Deep drawing
- 4. Fusion welding
- (B) P-2, Q-4, R-3, S-1
- (D) P-4, O-1, R-2, S-3

Common Data Questions

Common Data for Questions 48 and 49:

A steel ball (density $\rho_{\text{steel}} = 7200 \text{ kg/m}^3$) is placed in an upward moving liquid Al (density $\rho_{\text{Al}} = 2360 \text{ kg/m}^3$, viscosity $\mu_{A1} = 1 \times 10^{-3}$ Pa.s and Reynolds number = 5×10^{5}). The force (F) exerted on the steel ball is expressed as

$$F = f \pi R^2 (\rho_{Al} v^2/2)$$

where, f is friction factor (=0.2), v is the velocity of liquid Al and R is the radius of steel ball.


The force exerted on the steel ball is Q.48

- (A) 8.32 N
- (B) 6.70 N
- (C) 1.67 N
- (D) 0.52 N

Q.49 The terminal velocity of a fine spherical steel particle having diameter d_p, in µm range, if allowed to fall in a quiescent liquid Al bath, is

- (A) $5.2 \times 10^6 \, d_p^2 \, m/s$
- (B) $2.6 \times 10^6 \, d_p^2 \, \text{m/s}$
- (C) $1.3 \times 10^6 d_p^2 \text{ m/s}$ (D) $6.6 \times 10^5 d_p^2 \text{ m/s}$

Common Data for Questions 50 and 51:



For the above stress cycle

Q.50 Stress ratio is

- (A) 4
- (B) 2
- (C) -2
- (D) -4

Q.51 Amplitude ratio is

- (A)3
- (B) 1/3
- (C) -1/3
- (D) -3

MT

Linked Answer Questions

Statement for Linked Answer Questions 52 and 53:

A material with grain size of ASTM No. 6 has a lattice frictional stress $100~MN/m^2$ and locking parameter (Hall-Petch constant) $0.10~MN/m^{3/2}$

- Q.52 Grain size of the material is approximately
 - (A) 45 μm
- (B) 35 μm
- (C) 4.5 μm
- (D) 3.5 µm

- Q.53 Yield strength of the material is approximately
 - (A) 100 MPa
- (B) 115 MPa
- (C) 165 MPa
- (D) 215 MPa

Statement for Linked Answer Questions 54 and 55:

The strain hardening behaviour of an annealed rod during cold rolling is given by $\bar{\sigma} = 700 \ (\epsilon)^{0.2}$ MPa, where $\bar{\sigma}$ is the flow stress at strain ϵ .

- Q.54 Flow stress after 50% reduction in area of the annealed rod on cold rolling is approximately
 - (A) 750 MPa
- (B) 650 MPa
- (C) 609 MPa
- (D) 559 MPa
- Q.55 If a wire of 5 mm diameter is drawn from the above cold rolled rod of 10 mm diameter, the drawing stress, neglecting the effect of friction and redundant work, is approximately
 - (A) 650 MPa
- (B) 550 MPa
- (C) 450 MPa
- (D) 400 MPa

General Aptitude (GA) Questions (Compulsory)

Q. 56 – Q. 60 carry one mark each.

Q.56 Which one of the following options is the closest in meaning to the word given below?

Latitude

- (A) Eligibility
- (B) Freedom
- (C) Coercion
- (D) Meticulousness
- Q.57 Choose the most appropriate word from the options given below to complete the following sentence:

Given the seriousness of the situation that he had to face, his ____ was impressive.

- (A) beggary
- (B) nomenclature
- (C) jealousy
- (D) nonchalance
- Q.58 Choose the most appropriate alternative from the options given below to complete the following sentence:

If the tired soldier wanted to lie down, he ____ the mattress out on the balcony.

- (A) should take
- (B) shall take
- (C) should have taken
- (D) will have taken
- Q.59 If $(1.001)^{1259} = 3.52$ and $(1.001)^{2062} = 7.85$, then $(1.001)^{3321} =$
 - (A) 2.23
- (B) 4.33
- (C) 11.37
- (D) 27.64
- Q.60 One of the parts (A, B, C, D) in the sentence given below contains an ERROR. Which one of the following is **INCORRECT**?

I requested that he should be given the driving test today instead of tomorrow.

- (A) requested that
- (B) should be given
- (C) the driving test
- (D) instead of tomorrow

Q. 61 - Q. 65 carry two marks each.

Q.61 The data given in the following table summarizes the monthly budget of an average household.

Category	Amount (Rs.)
Food	4000
Clothing	1200
Rent	2000
Savings	1500
Other expenses	1800

The approximate percentage of the monthly budget **NOT** spent on savings is

- (A) 10%
- (B) 14%
- (C) 81%
- (D) 86%

2012	METALLURGICAL ENGINEERING – MT				
Q.62	heavier. The w		nlimited capacity. Using	eve equal weight and one this balance, the minimu	
	(A) 2	(B) 3	(C) 4	(D) 8	
Q.63	•	rrency notes in his pocker f the notes is Rs. 230. Th	•	20 notes and Rs. 10 notes es that Raju has is	. The total
	(A) 5	(B) 6	(C) 9	(D) 10	
0.64	One of the lea	easies of the Doman loss	iong wag digainling. In	the legions military law	nnovoiled

One of the legacies of the Roman legions was discipline. In the legions, military law prevailed and discipline was brutal. Discipline on the battlefield kept units obedient, intact and fighting, even when the odds and conditions were against them.

Which one of the following statements best sums up the meaning of the above passage?

- (A) Thorough regimentation was the main reason for the efficiency of the Roman legions even in adverse circumstances.
- (B) The legions were treated inhumanly as if the men were animals.
- (C) Discipline was the armies' inheritance from their seniors.
- (D) The harsh discipline to which the legions were subjected to led to the odds and conditions being against them.
- Q.65 A and B are friends. They decide to meet between 1 PM and 2 PM on a given day. There is a condition that whoever arrives first will not wait for the other for more than 15 minutes. The probability that they will meet on that day is
 - (A) 1/4
- (B) 1/16
- (C) 7/16
- (D) 9/16

END OF THE QUESTION PAPER

MT

GATE 2012 - Answer Key - Paper : MT

Paper	Question no.	Кеу
MT	1	В
MT	2	А
MT	3	А
MT	4	D
MT	5	С
MT	6	А
MT	7	В
MT	8	D
MT	9	A
MT	10	Α
MT	11	В
MT	12	С
MT	13	D
MT	14	А
MT	15	В
MT	16	В
MT	17	С
MT	18	В
MT	19	D
MT	20	А
MT	21	С
MT	22	D
MT	23	Marks to All
MT	24	С
MT	25	D
MT	26	D
MT	27	В
MT	28	Α
MT	29	В
MT	30	Α
MT	31	Α
MT	32	С
MT	33	В
MT	34	D
MT	35	D
MT	36	В
MT	37	Marks to All
MT	38	Α
MT	39	С
MT	40	Α

Paper	Question no.	Key
MT	41	D
MT	42	Α
MT	43	С
MT	44	С
MT	45	В
MT	46	С
MT	47	С
MT	48	Α
MT	49	В
MT	50	С
MT	51	D
MT	52	Α
MT	53	В
MT	54	В
MT	55	Marks to All
MT	56	В
MT	57	D
MT	58	Α
MT	59	D
MT	60	В
MT	61	D
MT	62	А
MT	63	А
MT	64	Α
MT	65	С