

## Graduate Aptitude Test in Engineering (GATE 2021)

## Subject/Paper: Textile Engineering and Fibre Science (TF)

Q. No.	Session	Question Type MCQ/MSQ/NAT	Section Name	Answer Key/Range	Marks	Negative Marks
1	5	MCQ	GA	C	1	1/3
2	5	MCQ	GA	A	1	1/3
3	5	MCQ	GA	C	1	1/3
4	5	MCQ	GA	A	1	1/3
5	5	MCQ	GA	C	1	1/3
6	5	MCQ	GA	C	2	2/3
7	5	MCQ	GA	C	2	2/3
8	5	MCQ	GA	C	2	2/3
9	5	MCQ	GA	C OR D	2	2/3
10	5	MCQ	GA	D	2	2/3
1	5	MCQ	TF	B	1	1/3
2	5	MCQ	TF	C	1	1/3
3	5	MCQ	TF	C	1	1/3
4	5	MCQ	TF	D	1	1/3
5	5	MCQ	TF	B	1	1/3
6	5	MCQ	TF	C	1	1/3
7	5	MCQ	TF	A	1	1/3
8	5	MCQ	TF	D	1	1/3
9	5	MCQ	TF	B	1	1/3
10	5	MCQ	TF	A	1	1/3

**GATE 2021 Answer Key for Textile Engineering and Fibre Science (TF)**

<b>Q. No.</b>	<b>Session</b>	<b>Question Type MCQ/MSQ/NAT</b>	<b>Section Name</b>	<b>Answer Key/Range</b>	<b>Marks</b>	<b>Negative Marks</b>
11	5	MCQ	TF	<b>B</b>	1	1/3
12	5	MCQ	TF	<b>D</b>	1	1/3
13	5	MCQ	TF	<b>A</b>	1	1/3
14	5	NAT	TF	<b>9 to 9</b>	1	0
15	5	NAT	TF	<b>0.98 to 1.10</b>	1	0
16	5	NAT	TF	<b>113 to 113</b>	1	0
17	5	NAT	TF	<b>7.5 to 7.5</b>	1	0
18	5	NAT	TF	<b>3745 to 3755</b>	1	0
19	5	NAT	TF	<b>21 to 21</b>	1	0
20	5	NAT	TF	<b>45 to 45</b>	1	0
21	5	NAT	TF	<b>20 to 20</b>	1	0
22	5	NAT	TF	<b>1.70 to 1.75</b>	1	0
23	5	NAT	TF	<b>0.4 to 0.4</b>	1	0
24	5	NAT	TF	<b>25 to 25</b>	1	0
25	5	NAT	TF	<b>100 to 100</b>	1	0
26	5	MCQ	TF	<b>A</b>	2	2/3
27	5	MCQ	TF	<b>D</b>	2	2/3
28	5	MCQ	TF	<b>A</b>	2	2/3
29	5	MCQ	TF	<b>B</b>	2	2/3
30	5	MCQ	TF	<b>B</b>	2	2/3
31	5	MCQ	TF	<b>D</b>	2	2/3
32	5	MCQ	TF	<b>A</b>	2	2/3
33	5	MCQ	TF	<b>C</b>	2	2/3

**GATE 2021 Answer Key for Textile Engineering and Fibre Science (TF)**

<b>Q. No.</b>	<b>Session</b>	<b>Question Type MCQ/MSQ/NAT</b>	<b>Section Name</b>	<b>Answer Key/Range</b>	<b>Marks</b>	<b>Negative Marks</b>
<b>34</b>	<b>5</b>	MCQ	TF	<b>C</b>	2	2/3
<b>35</b>	<b>5</b>	MCQ	TF	<b>B</b>	2	2/3
<b>36</b>	<b>5</b>	MCQ	TF	<b>A</b>	2	2/3
<b>37</b>	<b>5</b>	MCQ	TF	<b>B</b>	2	2/3
<b>38</b>	<b>5</b>	MCQ	TF	<b>C</b>	2	2/3
<b>39</b>	<b>5</b>	MCQ	TF	<b>D</b>	2	2/3
<b>40</b>	<b>5</b>	MCQ	TF	<b>A</b>	2	2/3
<b>41</b>	<b>5</b>	MCQ	TF	<b>C</b>	2	2/3
<b>42</b>	<b>5</b>	NAT	TF	<b>5 to 5</b>	2	0
<b>43</b>	<b>5</b>	NAT	TF	<b>28 to 28</b>	2	0
<b>44</b>	<b>5</b>	NAT	TF	<b>3.00 to 3.30</b>	2	0
<b>45</b>	<b>5</b>	NAT	TF	<b>2.70 to 3.10</b>	2	0
<b>46</b>	<b>5</b>	NAT	TF	<b>58.0 to 58.4</b>	2	0
<b>47</b>	<b>5</b>	NAT	TF	<b>685.00 to 687.00</b>	2	0
<b>48</b>	<b>5</b>	NAT	TF	<b>0.75 to 0.75</b>	2	0
<b>49</b>	<b>5</b>	NAT	TF	<b>120 to 120</b>	2	0
<b>50</b>	<b>5</b>	NAT	TF	<b>0 to 0</b>	2	0
<b>51</b>	<b>5</b>	NAT	TF	<b>21.0 to 22.0</b>	2	0
<b>52</b>	<b>5</b>	NAT	TF	<b>6 to 6</b>	2	0
<b>53</b>	<b>5</b>	NAT	TF	<b>1.25 to 1.25</b>	2	0
<b>54</b>	<b>5</b>	NAT	TF	<b>117.0 to 118.0</b>	2	0
<b>55</b>	<b>5</b>	NAT	TF	<b>4 to 4</b>	2	0