

## CBSE Class 10 Science Chapter 10 Light: Reflection and Refraction Notes

### Introduction to Light – Reflection & Refraction

In Class 10 Science chapter 10 Light, the phenomena of reflection and refraction of light using the straight-line propagation of light are taught to students. Furthermore, optical phenomena in nature is examined. The reflection of light by spherical mirrors is discussed in the chapter so that their applications are studied in real-life situations.


### Light: Definition

Light is a form of energy that enables us to see things. Light starts from a source and bounces off objects which are perceived by our eyes and our brain processes this signal, which eventually enables us to see. Maxwell predicted that magnetic and electric fields travel in the form of waves and these waves move at the speed of light. This led Maxwell to predict that light itself was carried by electromagnetic waves which means that light is a form of electromagnetic radiation.

### Nature of Light

Light behaves as a:

- ray, e.g. reflection
- wave, e.g. interference and diffraction
- particle, e.g. photoelectric effect



According to the concept of wave-particle duality in quantum mechanics light exhibits both particle and wave nature, depending upon the circumstances. Phenomena like diffraction, polarisation and interference could be explained by considering light as a wave. The phenomenon of the photoelectric effect is explained by assuming that light consists of particles called photons.


## Laws of Reflection

### Light incident on a surface separating two media

When light travels from one medium to another medium it either:

- gets absorbed (absorption)
- bounces back (reflection)
- passes through or bends (refraction)

When light is incident on a plane mirror, most of it gets reflected, and some of it gets absorbed in the medium.



## Characteristics of light

- Speed of light is given as  $c = \lambda \mu$ , where  $\lambda$  is its wavelength and  $\mu$  is its frequency.
- Speed of light is a constant which is  $2.998 \times 10^8 \text{ m/s}$  or approximately  $3.0 \times 10^8 \text{ m/s}$ .

To know more about Properties of Light, [visit here](#).


## Reflection of light by other media

A medium that is polished well without any irregularities on its surface will cause regular reflection of light. For example, a plane mirror. But even then some light gets absorbed by the surface.

## Laws of Reflection

The incident ray, reflected ray and the normal all lie in the same plane. Angle of incidence = Angle of reflection


$$[\angle i = \angle r]$$



To know more about the Law of Reflection, [visit here](#).

## Propagation of light

Rectilinear propagation of light: Light travels in a straight line between any two points.



## Fermat's Principle

- The principle of least time: Light always takes the quickest path between any two points (which may not be the shortest path).
- Rectilinear propagation of light and the law of reflection [ $\angle i = \angle r$ ] can be validated by Fermat's principle of least time.

## Applications of Fermat's Principle

We can make several observations as a result of Fermat's Principle which will prove useful as we explore the realm of geometric optics:

- In a homogeneous medium, light rays are rectilinear. That is, in any medium where the index of refraction is constant, light travels in a straight line.
- The angle of reflection of a surface is equal to the angle of incidence. This is the Law of Reflection.

## Example of Fermat's Principle


Mirage is an example of this phenomenon. Sometime, we feel like we are seeing water on the road, but when we get there, the road is dry. What we really witness is the light of the sky which is reflected on the road. Since the air is very hot just above the road but it is cooler up higher. Hot air expands more than cool air and is thinner, this leads to less decrease in the speed of light.

Students can refer to the short notes and MCQ questions along with separate solutions based on this chapter for quick revision from the links below:

- [Light: Reflection and Refraction Short Notes](#)
- [Light: Reflection and Refraction MCQ Practice Questions](#)
- [Light: Reflection and Refraction MCQ Practice Solutions](#)


## Plane mirror

Any flat and polished surface that has almost no irregularities on its surface that reflect light is called as a plane mirror.



### Image formation by a plane mirror

- The image formed by a plane mirror is always virtual and erect.
- Object and image are equidistant from the mirror.



## Characteristics of images

- Images can be real or virtual, erect or inverted, magnified or diminished. A real image is formed by the actual convergence of light rays. A virtual image is the apparent convergence of diverging light rays.
- If an image formed is upside down then it is called inverted or else it is an erect image. If the image formed is bigger than the object, then it is called magnified. If the image formed is smaller than the object, then it is diminished.

To know more about the Plane mirror, [visit here](#).

## Principle of Reversibility of light

If the direction of a ray of light is reversed due to reflection off a surface, then it will retrace its path.

## Spherical Mirrors

### Spherical mirror

Consider a hollow sphere with a very smooth and polished inside surface and an outer surface with a coating of mercury so that no light can come out. Then if we cut a thin slice out of the shell, we get a curved mirror, which is called a spherical mirror.

**TYPES OF SPHERICAL MIRRORS**

**Concave mirror**


**Convex mirror**

© Byjus.com

### Relationship between focus and radius of curvature


Focal length is half the distance between the pole and the radius of curvature.

$$F = R/2$$




## Curved Mirror

A mirror (or any polished, reflective surface) with a curvature is known as a curved mirror.



To know more about Spherical Mirrors, [visit here](#).

## Important terms related to spherical mirror



- Pole (P): The midpoint of a spherical mirror.
- Centre of curvature (C): The centre of the sphere that the spherical mirror was a part of.



- The radius of curvature ( $r$ ): The distance between the centre of curvature and the spherical mirror. This radius will intersect the mirror at the pole ( $P$ ).
- Principal Axis: The line passing through the pole and the centre of curvature is the main or principal axis.
- Concave Mirror: A spherical mirror with the reflecting surface that bulges inwards.
- Convex Mirror: A spherical mirror with the reflecting surface that bulges outwards.
- Focus ( $F$ ): Take a concave mirror. All rays parallel to the principal axis converge at a point between the pole and the centre of curvature. This point is called as the focal point or focus.
- Focal length: Distance between pole and focus.

## Rules of ray diagram for representation of images formed

- A ray passing through the centre of curvature hits the concave spherical mirror and retraces its path.
- Rays parallel to the principal axis passes through the focal point or focus.

## Image formation by spherical mirrors

For objects at various positions, the image formed can be found using the ray diagrams for the special two rays. The following table is for a concave mirror.

Position of the object	Position of the image	Size of the image	Nature of the image
<b>At infinity</b>	At focus $F$	Highly diminished, point sized	Real and inverted
<b>Beyond <math>C</math></b>	Between $F$ and $C$	Diminished	Real and inverted
<b>At <math>C</math></b>	At $C$	Same size	Real and inverted
<b>Between <math>C</math> and <math>F</math></b>	Beyond $C$	Enlarged	Real and inverted
<b>At <math>F</math></b>	At infinity	Highly enlarged	Real and inverted
<b>Between <math>P</math> and <math>F</math></b>	Behind the mirror	Enlarged	Virtual and erect

## Uses of spherical mirror based on the image formed

Concave and Convex mirrors are used in many daily purposes.

Example: Rear view mirrors in vehicles, lamps, solar cookers.



## Mirror formula and Magnification

$$1/v + 1/u = 1/f$$

where 'u' is object distance, 'v' is the image distance and 'f' is the focal length of spherical mirror, which is found by similarity of triangles.

The magnification produced by a spherical mirror is the ratio of the height of the image to the height of the object. It is usually represented as 'm'.

To know more about Mirror Formula, [visit here](#).

## Sign convention for ray diagram

Distances measured towards positive x and y axes (coordinate system) are positive and towards negative x and y-axes are negative. Keep in mind the origin is the pole (P). Usually, the height of the object is taken as positive as it is above the principal axis and height of the image is taken as negative as it is below the principal axis.


## Position and Size of image formed

Size of image can be found using the magnification formula  $m = h'/h = -(v/u)$  If m is -ve it is a real image and if it is +ve it is a virtual image.

## Refraction Through a Glass Slab and Refractive Index

### Refraction

The shortest path need not be the quickest path. Since light is always in a hurry, it bends when it enters a different medium as it is still following the quickest path. This phenomenon of light bending in a different medium is called refraction.



### Laws of Refraction

- The incident ray, the refracted ray and the normal to the interface of two transparent media at the point of incidence, all lie in the same plane.
- The ratio of the sine of the angle of incidence to the sine of the angle of refraction is a constant, for the light of a given colour and for the given pair of media. This law is also known as Snell's law of refraction.

To know more about Refraction and Law of Refraction, [visit here](https://byjus.com).


## Absolute and Relative Refractive Index

Refractive index of one medium with respect to another medium is called the relative refractive index. When taken with respect to vacuum, it's known as an absolute refractive index.

## Refraction through a rectangular glass slab

When the light is incident on a rectangular glass slab, it emerges out parallel to the incident ray and is laterally displaced. It moves from rarer to denser medium and then again to the rarer medium.

## Refraction at a planar surface



Following Snell's Law:

- Light bends towards the normal when moving from rarer to denser medium at the surface of the two media.
- Light bends away from the normal when moving from denser to rarer medium at the surface of contact of the two media.

## Refractive Index

The extent to which light bends when moving from one medium to another is called the refractive index. This depends on the ratio of the speeds in the two media. The greater the ratio, the more the bending. It is also the ratio of the sine of the angle of incidence and the sine of the angle of refraction, which is a constant for any given pair of media. It is denoted by:

$$n = \frac{\sin \angle i}{\sin \angle r} = \frac{\text{speed of light in medium 1}}{\text{speed of light in medium 2}}$$


The ratio of the speed of light in a vacuum to the speed of monochromatic light in the substance of interest is known as the relative refractive index. Mathematically, it is represented as:

$$n = c/v$$


where  $n$  is the refractive index of a medium,  $c$  is the velocity of light in a vacuum and  $v$  is the velocity of light in that particular medium.

To know more about Refractive Index Formula, [visit here](#).

## Total internal reflection



- When the light goes from a denser to a rarer medium it bends away from the normal. The angle at which the incident ray causes the refracted ray to go along the surface of the two media parallelly is called the critical angle.
- When the incident angle is greater than the critical angle, it reflects inside the denser medium instead of refracting. This phenomenon is known as Total Internal Reflection. E.g mirages, optical fibres.



To know more about Total internal reflection, [visit here](#).

## Spherical Lens

### Refraction at curved surfaces

When light is incident on a curved surface and passes through, the laws of refraction still hold true. For example lenses.

### Spherical lenses

Spherical lenses are lenses formed by binding two spherical transparent surfaces together. Spherical lenses formed by binding two spherical surfaces bulging outward are known as convex lenses while the spherical lenses formed by binding two spherical surfaces such that they are curved inward are known as concave lenses.

To know more about Spherical Lenses, [visit here](#).

### Important terms related to spherical lenses

- Pole (P): The midpoint or the symmetric centre of a spherical lens is known as its *Optical Centre*. It is also called the pole.
- Principal Axis: The line passing through the optical centre and the centre of curvature.
- Paraxial Ray: A ray close to the principal axis and also parallel to it.
- Centre of curvature (C): The centres of the spheres that the spherical lens was a part of. A spherical lens has two centres of curvatures.
- Focus (F): It is the point on the axis of a lens to which parallel rays of light converge or from which they appear to diverge after refraction.
- Focal length: Distance between optical centre and focus.

- Concave lens: Diverging lens
- Convex lens: Converging lens

## Rules of ray diagram for representation of images formed

- A ray of light parallel to the principal axis passes/appears to pass through the focus.
- A ray passing through the optical centre undergoes zero deviation.

## Image formation by spherical lenses

The following table shows image formation by a convex lens.

Position of the object	Position of the image	Relative size of the image	Nature of the image
At infinity	At focus $F_2$	Highly diminished, point-sized	Real and inverted
Beyond $2F_1$	Between $F_2$ and $2F_2$	Diminished	Real and inverted
At $2F_1$	At $2F_2$	Same size	Real and inverted
Between $F_1$ and $2F_1$	Beyond $2F_2$	Enlarged	Real and inverted
At focus $F_1$	At infinity	Infinitely large or highly enlarged	Real and inverted
Between focus $F_1$ and optical centre O	On the same side of the lens as the object	Enlarged	Virtual and erect

## Lens Formula, Magnification and Power of Lens

### Lens formula and magnification

Lens formula:  $1/v = 1/u + 1/f$ , gives the relationship between the object distance (u), image distance (v), and the focal length (f) of a spherical lens.

To know more about Lens formula and magnification, [visit here](#).

### Uses of spherical lens

Applications such as visual aids: spectacles, binoculars, magnifying lenses, telescopes.

### Power of a Lens

Power of a lens is the reciprocal of its focal length i.e  $1/f$  (in metre). The SI unit of power of a lens is dioptre (D).

To know more about Power of a Lens, [visit here](#).

## Frequently Asked Questions on Light: Reflection and Refraction

Refractive index of diamond is 2.42 and that of carbon disulphide is 1.63.

Calculate the refractive index of diamond with respect to carbon disulphide?

The Refractive index of diamonds with respect to carbon disulphide will be 1.48.

An object kept at 20 cm from a spherical mirror gives rise to an image 15 cm

behind the mirror. What is the focal length of the mirror?

The focal length of the mirror is 60 cm.

A 3 cm high object is placed at a distance of 80 cm from a concave lens of a focal length of 20 cm. Find the size of the image formed.

The height of the image is 0.6 cm.